



Cast Iron Flanges and Flanged Fittings					
Dimensions	Threads	Material	Coating	Pressure	Federal Spec
ASME B16.1	ASME B1.20.1	ASTM A126	ASTM A153	ASME B16.1	WW-F-406

Cast Iron Flanged Fittings Pressure-Temperature Ratings	
Temperature (° F)	Working Pressure (psi)
	Class 125
-20 to 150	175
200	165
225	155
250	150
275	145
300	140
325	130
353 ⁽¹⁾	125

(1) 353° F to reflect the temperature of saturated steam at 125 psi.

(2) 406° F to reflect the temperature of saturated steam at 250 psi.