



LANCASTER

WATER TREATMENT

PARTS & ACCESSORIES FOR LANCASTER WATER TREATMENT INDEX

CARTRIDGE FILTER ACCESSORIES

| | |
|-----------------------------|-----|
| ATLAS DRAIN KIT | 8 |
| ATLAS GAUGE | 8 |
| CLEAR FLOW MOUNTING BRACKET | 8 |
| CLEAR FLOW WRENCH | 8 |
| DESIGNER FAUCET W/O AIR GAP | 8&9 |

CHEMICAL FEEDERS PARTS

8

REVERSE OSMOSIS PARTS & ACCESSORIES

| | |
|------------------------------|-----|
| DESIGNER FAUCET W/O AIR GAP | 8&9 |
| DESIGNER FAUCET WITH AIR GAP | 9 |
| RETENTION TANKS | 9 |

TEST KITS & REPLACEMENT PARTS

6

ULTRAVIOLET PURIFIERS

| | |
|----------------|---|
| BALLASTS | 7 |
| LAMPS | 7 |
| O-RINGS | 7 |
| QUARTS SLEEVES | 7 |
| SOLENOIDS | 7 |

WATER FILTERS

| | |
|---|---|
| 1 & 1-1/4 INCH VALVE FITTINGS & ACCESSORIES | 3 |
| AEROBIC IRON REMOVAL PARTS | 4 |
| AIR-GAP DRAIN LINE ADAPTERS | 3 |
| AQUANUE ACCESSORIES | 4 |
| FIBERGLASS MINERAL TANKS | 2 |
| FLECK PARTS & ACCESSORIES | 2 |
| IRON OUT | 6 |
| MINERAL TANK ACCESSORIES | 4 |
| POT PERM | 6 |
| POT PERM FEEDERS | 2 |
| REPAIR KITS FOR 5600 VALVE | 4 |
| REPLACEMENT MINERALS | 6 |
| TANK DISTRIBUTORS | 4 |
| VALVES | 2 |
| X-FACTOR VALVE PARTS | 5 |

WATER SOFTENERS

| | |
|---|---|
| 1 & 1-1/4 INCH VALVE FITTINGS & ACCESSORIES | 3 |
| AIR-GAP DRAIN LINE ADAPTERS | 3 |
| BRINE FITTINGS | 4 |
| BRINE TANKS - COMPLETE | 2 |
| BRINE VALVES & TANK ACCESSORIES | 4 |
| BRINE WELLS | 4 |
| FIBERGLASS MINERAL TANKS | 2 |
| FLECK PARTS & ACCESSORIES | 2 |
| MINERAL TANK ACCESSORIES | 4 |
| POLYETHYLENE BRINE TANKS | 4 |
| REPAIR KITS FOR 5600 VALVE | 4 |
| REPLACEMENT MINERALS | 6 |
| RES-UP CLEANER | 6 |
| SALT GRIDS | 4 |
| TANK DISTRIBUTORS | 4 |
| VALVES | 2 |
| X-FACTOR VALVE PARTS | 5 |



LANCASTER

WATER TREATMENT

LANCASTER WATER TREATMENT PARTS LIST

WATER SOFTENER VALVES

| MODEL NO. | IN/OUT | DESCRIPTION |
|-------------|--------|------------------------------|
| LXCV1V | 1" | ELECTRONIC METERED (LX) |
| LESCV1V | 1" | ELECTRONIC METERED (LES) |
| LERCV1V | 1" | ELECTRONIC METERED (LER) |
| 5600SV | 1" | TIMED (P56) |
| 5600MV | 1" | METERED (PM56) |
| 5610SV | 1" | TIMED w/ COVER (L56) |
| 5610MV | 1" | METERED w/ COVER (LM56) |
| 5610SFV | 1" | TIMED w/ COVER (FES) |
| 2510SV | 1" | TIMED w/ COVER (L25) |
| 2510MV | 1" | METERED w/ COVER (LM25) |
| 9000SM-16V | 1" | w/ BRASS BYPASS (CM26) |
| 9000SM1-16V | 1" | w/ 1" BRASS METER (CM26-180) |
| 2750S-16V | 1" | TIMED CONTROL VALVE |
| 2750SM-16V | 1" | METERED CONTROL VALVE |
| LXCV15V | 1-1/2" | METERED CONTROL VALVE |
| 2850S-16V | 1-1/2" | TIMED CONTROL VALVE |
| 2850SM-16V | 1-1/2" | METERED CONTROL VALVE |
| LXCV2V | 2" | METERED CONTROL VALVE |
| 2900S-17V | 2" | TIMED CONTROL VALVE |
| 2900SM-17V | 2" | METERED CONTROL VALVE |

FILTER VALVES

| | | |
|---------|--------|--------------------------|
| LETCV1F | 1" | ELECTRONIC (LET) |
| 5600FV | 1" | TIMED (P56) |
| 5610FV | 1" | TIMED w/ COVER (L56) |
| 5610PPV | 1" | TIMED w/ COVER (7-TPIM) |
| 2510FV | 1" | TIMED w/ COVER (L25) |
| D1226 | 1" | IN/OUT HEAD 2-1/2"-8 |
| D1220 | 1" | IN/OUT HEAD w/ FILL PORT |
| D1400 | 1" | IN/OUT HEAD NO FILL PORT |
| D1217 | 1" | IN/OUT HEAD 4-8" |
| 2750FV | 1" | TIMED (7-E-3) |
| 2850FV | 1-1/2" | TIMED (7-E-4) |

TIMER MOTORS / ASSEMBLIES / POWER HEADS

| MODEL NO. | IN/OUT | DESCRIPTION |
|-----------|--------|--------------------|
| 18743 | FLECK | TIMER MOTOR |
| 60353-10 | FLECK | POWER HEAD L56 |
| 60354-10 | FLECK | POWER HEAD LM56 |
| 60304-13 | FLECK | FILTER, 1500F, MOT |

ADDITIONAL FLECK PARTS AND ACCESSORIES AVAILABLE UPON REQUEST

FIBERGLASS MINERAL TANKS

| MODEL NO. | DESCRIPTION |
|------------|--|
| FG844VT | 8 x 44" 2-1/2-8 TOP OPENING |
| FG1035VT | 10 x 35" 2-1/2-8 TOP, LESS BASE |
| FG1040VT | 10 x 40" 2-1/2-8 TOP OPENING |
| FG1044VT | 10 x 44" 2-1/2-8 TOP OPENING |
| FG1047VT | 10 x 47" 2-1/2-8 TOP OPENING |
| FG1054VT | 10 x 54" 2-1/2-8 TOP OPENING |
| FG1248VT | 12 x 48" 2-1/2-8 TOP OPENING |
| FG1348VT | 13 x 48" 2-1/2-8 TOP OPENING |
| FG1465VT | 14 x 65" 4-8 TOP OPENING |
| FG1665VT | 16 x 65" 4-8 TOP OPENING |
| FG1047DVT | 10 x 47" 2-1/2-8 TOP, 1-1/4" DOME HOLE |
| FG1054DVT | 10 x 54" 2-1/2-8 TOP, 1-1/4" DOME HOLE |
| FG1348DVT | 13 x 48" 2-1/2-8 TOP, 1-1/4" DOME HOLE |
| FG1365-DVT | 13 x 65" 2-1/2-8 TOP, 1-1/4" DOME HOLE |

COMPLETELY ASSEMBLED BRINE TANKS

| | |
|----------|----------------------------------|
| J7952 | RESIDENTIAL SOFTENERS (15X17X36) |
| L56-40A | 2 cu. ft. SOFTENERS (18"x40") |
| L56-40AG | L56-40A w/ GRID SET |

POT PERM FEEDERS

| | |
|-------|-----------------------------|
| PPF-2 | 7-TPIM-I FEEDER SYSTEM 2oz. |
| PPF-4 | 7-TPIM-I FEEDER SYSTEM 4oz. |
| PPF-6 | 7-TPIM-I FEEDER SYSTEM 6oz. |




LANCASTER

WATER TREATMENT

LANCASTER X-FACTOR 1" & 1-1/4" CONTROL VALVE FITTINGS & ACCESSORIES

| ITEM NO. | DESCRIPTION | *CASE QTY ITEM NO. |
|----------|---|-----------------------|
| V3007-01 | 3/4" x 1" PVC SOLVENT ELBOW ASSEMBLY | V3007-01-CS24 |
| V3007-02 | 1" BRASS SWEAT ASSEMBLY | V3007-02-CS24 |
| V3007-03 | 3/4" BRASS SWEAT ASSEMBLY | V3007-03-CS24 |
| V3007-04 | 1" PLASTIC MALE NPT ASSEMBLY | V3007-04-CS24 |
| V3007-05 | 1-1/4" PLASTIC MALE NPT ASSEMBLY | V3007-05-CS24 |
| V3007-07 | 1-1/4" & 1-1/2" PVC SOLVENT ELBOW ASSEMBLY | V3007-07-CS24 |
| V3007-09 | 1-1/4" & 1-1/2" PVC BRASS SWEAT ASSEMBLY | V3007-09-CS24 |
| V3007-12 | 3/4" SHARK BITE ASSEMBLY | V3007-12-CS24 |
| V3007-13 | 1" SHARK BITE ASSEMBLY | V3007-13-CS24 |
| V3007-15 | 3/4" JOHN GUEST QC ELBOW ASSEMBLY (BOX QTY. - 20) | V3007-15-CS20 |
| V3007-17 | 1" JOHN GUEST STRAIGHT QC (BOX QTY. - 20) | V3007-17-CS20 |
| V3191-01 | BYPASS VERTICAL ADAPTER | V3191-01-CS24 |
| V3007 | 1" PVC MALE NPT ELBOW ASSEMBLY (INCLUDED IN SYSTEM) | *CS24 = 24 PER CASE |
| BP2000 | 1" PLASTIC BYPASS VALVE (INCLUDED IN SYSTEM) | *CS20 = 20 PER CASE |
| V3193 | WRENCH | |
| V4099 | EXTERNAL IN LINE MIXING VALVE | |

MULTI-PURPOSE AIR-GAP DRAIN LINE ADAPTER

| ITEM NO. | DESCRIPTION |
|----------|--|
| G-175 | 3/4" FEMALE THREAD INLET x 1-1/2" OUTLET |
| G-200 | 1" FEMALE THREAD INLET x 2" OUTLET |

WEATHER COVERS

| ITEM NO. | DESCRIPTION |
|-----------|---|
| V4061WC-A | WEATHER COVER ALMOND FOR LES, LER, LET VALVES |
| V3366-A | WEATHER COVER ALMOND FOR LX VALVE |

LANCASTER WATER TREATMENT PARTS LIST

TANK DISTRIBUTORS NON-PLATED TANKS

| MODEL NO. | DESCRIPTION |
|-----------|-------------|
|-----------|-------------|

TOP BASKETS ONLY

| | |
|-------|------------------------|
| D1203 | TOP DISTRIBUTOR BASKET |
| 18280 | TOP DISTRIBUTOR BASKET |

BASKET TYPE - SOFTENERS

| | |
|--------|-------------------------------|
| 911-44 | DISTRIBUTOR ASSEMBLY 13/16 OD |
| 911-47 | DISTRIBUTOR ASSEMBLY 13/16 OD |
| 912-55 | DISTRIBUTOR ASSEMBLY 1.050 OD |

SEGMENT TYPE - FILTERS/IRONSOF

| | |
|--------|-------------------------------|
| 930-55 | DISTRIBUTOR ASSEMBLY 13/16 OD |
| 935-55 | DISTRIBUTOR ASSEMBLY 1.050 OD |
| 935-65 | DISTRIBUTOR ASSEMBLY 1.050 OD |

LATERAL DISTRIBUTORS

| | |
|-------|---|
| D1196 | DISTRIBUTOR ASSEMBLY 1-1/2" FOR 14" & 16" |
| D7179 | DISTRIBUTOR ASSEMBLY 1-1/2" FOR 21" & 24" |

POLYETHYLENE BRINE TANKS

| | |
|--------|--|
| G2700T | CABINET TOP ASSEMBLY (NEW STYLE) |
| G2735B | CABINET BOTTOM ASSEMBLY (NEW STYLE) |
| G2718B | MINI CABINET BOTTOM ASSEMBLY (NEW STYLE) |
| G2162 | 24" x 50" - 100 GALLON BRINE TANK |
| G2164 | 30" x 50" - 145 GALLON BRINE TANK |
| G2172 | 39" x 48" - 250 GALLON BRINE TANK |

REPAIR KITS FOR 5600 VALVES

KIT INCLUDES: PISTON ASSY, SEALS & SPACERS, DRIVE MOTOR AND O-RING

| | |
|----------|--------------------------------|
| 5600S-RK | FOR 5600, 5610 SOFTENER VALVES |
|----------|--------------------------------|

| | |
|----------|------------------------------|
| 5600F-RK | FOR 5600, 5610 FILTER VALVES |
|----------|------------------------------|

| | |
|-----------|-------------------------------|
| 5600SF-RK | FOR 5600, 5610 IRONSOF VALVES |
|-----------|-------------------------------|

SOFTENER AND IRONSOF VALVE REPAIR KIT ALSO INCLUDES: BRINE VALVE ASSY, NOZZEL INJECTOR, THROAT INJECTOR AND INJECTOR SCREEN.

PARTS FOR AEROBIC IRON REMOVAL SYSTEM

| | |
|---------|-----------------------|
| 230-40A | FLOAT VALVE ASSEMBLY |
| 230-50D | AIR INJECTOR ASSEMBLY |

BRINE VALVES & BRINE TANK ACCESSORIES

| MODEL NO. | DESCRIPTION |
|-----------|-------------|
|-----------|-------------|

| | |
|--------|--------------------------------|
| 4740 | BRINE VALVE ASSEMBLY |
| 4740-C | BRINE VALVE ASSEMBLY - CABINET |
| 4740-L | BRINE VALVE ASSEMBLY - LONG |

| | |
|-------|-----------------------------------|
| H7016 | BRINE WELL CAP FOR 4" BRINE WELLS |
|-------|-----------------------------------|

| | |
|---------|--|
| H7027-2 | 2oz. POTASSIUM PERMANGANATE VALVE ASSY. 3/8" |
| H7027-4 | 4oz. POTASSIUM PERMANGANATE VALVE ASSY. 3/8" |

| | |
|-------|---|
| H1023 | 3/8" POLYETHYLENE BRINE TUBING PER FEET |
| H1025 | 1/2" POLYETHYLENE BRINE TUBING PER C FEET |

SALT GRID SETS

| | |
|----------|---|
| H1072 | TP-500 GRID SET 5" HIGH FOR 18" DIA. BRINE TANK |
| H1090-03 | SALT GRID FOR G2723 CABINET TANK |
| H1084 | SALT GRID FOR 24" DIA. BRINE TANK |
| H1032 | SALT GRID FOR 30" DIA. BRINE TANK |

BRINE WELLS

| | |
|-------|--|
| H1031 | 4" x 28" BRINE WELL FOR G2126 BRINE TANK |
| H1036 | 4" x 36" BRINE WELL FOR G2136 BRINE TANK |
| H1042 | 4" x 46" BRINE WELL FOR G2162 BRINE TANK |

FITTINGS AND FITTING PACKAGES

| | |
|-------|--------------------------------|
| C2023 | 3/4" x 3/4" BRASS SIDE ADAPTER |
|-------|--------------------------------|

| | |
|--------|--|
| 10-4-4 | NYLON STRAIGHT FITTING 1/4 TUBE x 1/4M |
| 40-4-4 | NYLON ELBOW FITTING 1/4 TUBE x 1/4M |
| 45-4-4 | NYLON ELBOW FITTING 1/4 TUBE x 1/4F |

ACCESSORIES FOR MINERAL TANKS

| | |
|-------|------------------------------|
| Q7004 | 1649, 2-1/2-8 CELCON CLOSURE |
|-------|------------------------------|

| | |
|-------|---|
| Q7005 | DPI4S, 1-1/4" TANK DOME CLOSURE w/ O-RING |
|-------|---|

| | |
|-------|---------------------------|
| D7171 | 3/4" IN/OUT HEAD 2-1/2"-8 |
|-------|---------------------------|

| | |
|-------|--|
| C2015 | 2106-1, 4-8 x 2-1/2-8 REDUCING ADAPTER |
|-------|--|

ACCESSORIES FOR AQUANUE

| | |
|------|----------------------|
| 1801 | OPTIONAL FLOW SWITCH |
|------|----------------------|



LANCASTER WATER TREATMENT PARTS LIST

FOR SERIES LXCVI, LESCVI, LERCVI, LETCVI VALVES

| MODEL NO. | DESCRIPTION |
|-----------|--|
| H4613 | ELBOW CAP 3/8" |
| H4615 | ELBOW LOCKING CLIP |
| V3003 | METER ASSY. |
| V3003-01 | METER PLUG |
| V3004 | DRIVE CAP ASSY. |
| V3005 | SPACER STACK ASSY. |
| V3008-04 | 1" DRAIN FITTING |
| V3010-1C | INJECTOR C VOILET |
| V3010-1E | INJECTOR E WHITE |
| V3010-1F | INJECTOR F BLUE |
| V3010-1H | INJECTOR H GREEN |
| V3010-1I | INJECTOR I ORANGE |
| V3010-1K | INJECTOR K LIGHT GREEN |
| V3010-1Z | INJECTOR Z PIUG |
| V3011 | PISTON DOWNFLOW |
| V3105 | O-RING |
| V3106 | DRIVE BRACKET & SPRING CLIP |
| V3107 | MOTOR |
| V3108 | PC BOARD |
| V3108CC | PC BOARD |
| V3109 | DRIVE GEAR COVER |
| V3110 | DRIVE GEAR 12x36 |
| V3135 | O-RING |
| V3145 | BYPASS 1" ROTOR |
| V3146 | BYPASS CAP |
| V3148 | BYPASS ROTOR SEAL RETAINER |
| V3149 | 1" PVC MALE NPT ELBOW |
| V3150 | SPLIT RING |
| V3151 | NUT 1" |
| V3152 | O-RING |
| V3155 | O-RING |
| V3156 | O-RING |
| V3158 | DRAIN ELBOW 3/4" MALE WITH SILENCER |
| V3158-02 | DRAIN ELBOW 3/4" MALE WITHOUT SILENCER |

| MODEL NO. | DESCRIPTION |
|------------|-------------------------------------|
| V3159 | DLFC RETAINER ASSY. |
| V3162-017 | DLFC 1.7 |
| V3162-022 | DLFC 2.2 |
| V3162-027 | DLFC 2.7 |
| V3162-032 | DLFC 3.2 |
| V3162-053 | DLFC 5.3 |
| V3162-075 | DLFC 7.5 |
| V3162-100 | DLFC 10.0 |
| V3163 | O-RING |
| V3165-01 | REFILL FLOW CONTROL RETAINER |
| V3170 | O-RING |
| V3171 | O-RING |
| V3174 | REGENERANT PISTON |
| V3175-01 | FRONT COVER ASSY. |
| V3175CC-01 | FRONT COVER ASSY. |
| V3175TC-01 | FRONT COVER ASSY. |
| V3175WC-A | WEATHER COVER |
| V3176 | INJECTOR CAP |
| V3177 | INJECTOR SCREEN |
| V3178 | DRIVE BACK PLATE |
| V3180 | O-RING |
| V3182 | REFILL FLOW CONTROL 0.5 GPM |
| V3186 | TRANSFORMER 110V-12V |
| V3190-150 | DLFC 15.0 |
| V3190-200 | DLFC 20.0 |
| V3190-250 | DLFC 25.0 |
| V3191-01 | BYPASS VERTICAL ADAPTER |
| V3192 | NUT 3/4" DRAIN ELBOW |
| V3193 | WRENCH |
| V3194 | INSERT POLYTUBE 5/8" |
| V3195-01 | REFILL PORT PLUG |
| V3835-02 | BATTERY PACK |
| V4144-01 | BRINE ELBOW 3/8 LIQUIFIT ASSY W/RFC |



LANCASTER

WATER TREATMENT

REPLACEMENT MINERALS

| MODEL NO. | DESCRIPTION | WT. |
|---------------------------------|---|-----|
| WATER SOFTENING RESINS | | |
| A4074B | WATER SOFTENER RESIN | 52 |
| A4073B | FINE MESH RESIN FOR IRONSOFT | 52 |
| A4102-24 | REPLACEMENT MINERAL FOR FES-24 | 48 |
| A4102-24VT | REPLACEMENT MINERAL FOR FES-24 w/MID PLATE TANK | 51 |
| A4102-32 | REPLACEMENT MINERAL FOR FES-32 | 82 |
| A4102-32VT | REPLACEMENT MINERAL FOR FES-32 w/MID PLATE TANK | 87 |
| A4102-45 | REPLACEMENT MINERAL FOR FES-45 | 103 |
| A4102-45VT | REPLACEMENT MINERAL FOR FES-45 w/MID PLATE TANK | 111 |
| A4102-60 | REPLACEMENT MINERAL FOR FES-60 | 134 |
| A4102-60VT | REPLACEMENT MINERAL FOR FES-60 w/MID PLATE TANK | 142 |
| NEUTRALIZING MEDIA | | |
| A8015B | SODA ASH FOR CHEMICAL FEEDER | 50 |
| A8021B | CALCITE FOR ACID NEUTRALIZER | 50 |
| A8011B | COROSEX FOR ACID NEUTRALIZER | 50 |
| SM25 | SUPER MIX, CALCITE/COROSEX | 25 |
| SM50 | SUPERMIX, CALCITE/COROSEX | 50 |
| CARBONS | | |
| A8009B | CARBON FOR COLOR, TASTE & ODOR | 28 |
| AGC-40-AD | CS-HAC (ACID WASH CARBON) | 28 |
| A8056B | CENTAUR 12 x 40 MESH CARBON | 33 |
| A8062B | CAT-HAC CARBON | 28 |
| NITRATE RESIN | | |
| A4103B | NITRATE RESIN | 44 |
| SEDIMENT REMOVAL MEDIA | | |
| A8023B | FILTER-AG PLUS | 50 |
| A8014B | FILTER-AG FOR SEDIMENT & TURBILITY | 25 |
| IRON REDUCTION MEDIA | | |
| A8007B | BIRM FOR IRON FILTER | 44 |
| A8012B | MTM FOR IRON/MANGANESE REMOVAL | 45 |
| A8001B | REPLACEMENT MINERAL FOR 7-DAIM-1 | 70 |
| A8002B | REPLACEMENT MINERAL FOR 7-DAIM-2 | 140 |
| TANNIN REDUCTION RESIN | | |
| TANEX | TANION RESIN | 1 |
| SCALE PREVENTION MEDIA | | |
| SP-3 | FILTERSORB SP (LITER) | 1 |
| SUPPORT BEDDING MATERIAL | | |
| A8072B-15 | #20 FLINT SUPPORTING FOR BED | 15 |
| A8072B-20 | #20 FLINT SUPPORTING FOR BED | 20 |
| A8072B | #20 FLINT SUPPORTING FOR BED | 100 |

ACCESSORIES

| MODEL NO. | DESCRIPTION |
|------------|---------------------------------|
| T6002 | RES-UP CLEANER |
| S6304 | RES-UP FEEDER |
| T6011 | POTASSIUM PERMANGANATE (5 LBS.) |
| S6002-30 | IRON OUT RESIN CLEANER 30oz. |
| S6002-30-6 | IRON OUT RESIN CLEANER 6/30oz. |
| U1006 | 2-1/2 x 10 PLASTIC FUNNEL |

TEST KITS AND REPLACEMENT REAGENTS

| MODEL NO. | DESCRIPTION | | |
|--|---|-------|-------------------|
| COMBINATION KITS | | | |
| LWT-CHP | CITY SOFT TEST KIT (HARDNESS, CHLORINE, pH) | | |
| HA-62B | TEST KIT (HARDNESS, pH, IRON) | | |
| MODEL NO. DESCRIPTION | | | |
| HARDNESS | | | |
| 27452 | HARDNESS TEST STRIPS (50 STRIPS) | | |
| U7101 | SOAP TEST KIT FOR HARDNESS ONLY | | |
| CHLORINE | | | |
| 27450 | CHLORINE TEST STRIPS (50 STRIPS) | | |
| pH | | | |
| 27456 | pH TEST STRIPS (50 STRIPS) | | |
| 20671 | ACID pH TEST KIT (CUBE) | | |
| 20672 | ACID POWDER PILLOWS (PACK OF 100) | | |
| NITRATE | | | |
| 14037 | NITRATE TEST KIT (CUBE) | | |
| 14035 | NITRATE POWDER PILLOWS (PACK OF 50) | | |
| IRON | | | |
| 27453 | IRON TEST KIT (25 STRIPS) | | |
| 927-99 | IRON POWDER PILLOWS (PACK OF 100) | | |
| HYDROGEN SULFIDE | | | |
| 25378 | HS-C HYDROGEN SULFIDE TEST KIT | | |
| REPLACEMENT SOLUTIONS - 4 Oz. TEST KIT REPLACEMENT PARTS | | | |
| 424 | HARDNESS #1 | 23184 | 4 oz BOTTLE |
| 425 | HARDNESS #2 | 23185 | DROPPER ASSY. |
| 425 | HARDNESS #3 | 438 | MEASURING TUBE |
| 23293 | pH #3 | 439 | MIXING BOTTLE |
| 1730 | VIEWING TUBE | 1731 | STOPPER FOR #1730 |



LANCASTER

WATER TREATMENT

ULTRA VIOLET WATER PURIFIERS PARTS

REPLACEMENT PARTS - U.V. BULBS

| MODEL | FOR MODEL |
|-------|--------------------------------------|
| 7-L6 | 7-LWT-UV007, 7-LWT-UV009 |
| 7-L7 | 7-LWT-UV7, 7-LWT-UV010 |
| 7-L10 | 7-LWT-UV10, 7-LWT-UV015, 7-LWT-UV016 |
| 7-L20 | 7-LWT-UV20, UV025, UV040, UV030 |

OLD STYLES

| PART NO. | FOR MODEL | LAMP | LENGTH |
|----------|------------------------------------|--------------|---------|
| 4-6 | LUV-4E | GPH330T5VH/4 | 13-1/4" |
| X4-6 | LUV-X4 | - | 11-3/4" |
| 5-6 | LBR-6, LBR-8 | GPH357T5VH/4 | 14-1/4" |
| 7-6 | LBR-12, LUV-7E, LUV-7ES, LUV-10E | GPH450T5L/4 | 18" |
| 10-6 | LUV-10ES | GHD450T5L/4 | 18" |
| X10-6 | LUV-X10, LUV-X18 | - | 20-1/2" |
| 12-6 | LUV-15ES, 20E, 30E, 30ES, 45E, 60E | GPH810T5L/4 | 32-1/4" |
| 20-6 | LUV-20ES, LUV-50ES | - | 33-1/2" |

REPLACEMENT PARTS - BALLAST

| MODEL | FOR MODEL |
|-------|----------------------|
| 7-UVC | FOR ALL LWT-UV UNITS |

OLD STYLES

| PART NO. | FOR MODEL | VOLTAGE |
|-------------|--|-----------|
| 7-UVC-RETRO | BALLAST FOR LWT-UVS - PRIOR TO 7/2013 | 120V/60Hz |
| 4-5X | LUV-X4 | 120V/60Hz |
| 4-15XX | LUV-7E, 10E, 20E, 30E, 45E, 60E, LUV-7E-2, 10E-2, 20E-2, LUV-30E-2, 45E-2, 60E-2 | 120V/200V |

REPLACEMENT PARTS - QUARTZ SLEEVES

| MODEL | FOR MODEL |
|-------|--------------------------------------|
| 7-Q6 | 7-LWT-UV007, 7-LWT-UV009 |
| 7-Q7 | 7-LWT-UV7, 7-LWT-UV010 |
| 7-Q10 | 7-LWT-UV10, 7-LWT-UV015, 7-LWT-UV016 |
| 7-Q20 | 7-LWT-UV20, UV025, UV040, UV030 |

OLD STYLES

| PART NO. | FOR MODEL | TYPE | LENGTH |
|----------|-------------------------------|----------------|---------|
| 1-12 | LBR-4 | OPEN BOTH ENDS | 13-3/4" |
| 2-12 | LBR-6, LBR-8 | | 15-1/4" |
| 3-12 | LBR-12 | | 19" |
| X4-12 | LUV-X4 | DOME TYPE | 14-1/8" |
| 5-12 | LUV-4E | | 13-3/4" |
| 7-12 | LUV-7E, 7ES, 10E, 10ES | | 19" |
| X10-12 | LUV-X10, LUV-X18 | | 22" |
| 12-12 | LUV-20E, 30E, 45E, 60E | | 33-1/2" |
| 15-12 | LUV-15ES, -20ES, -30ES, -50ES | OPEN BOTH ENDS | 35-1/2" |

REPLACEMENT PARTS - SOLENOID

| MODEL | FOR MODEL |
|-------|--------------------------------------|
| SV018 | 3/4" SOLENOID 115V NORMALLY CLOSED |
| SV010 | 1" SOLENOID 115V NORMALLY CLOSED |
| SV015 | 1-1/2" SOLENOID 115V NORMALLY CLOSED |
| SV014 | 2" SOLENOID 115V NORMALLY CLOSED |

| PART NO. | DESCRIPTION |
|----------|-------------|
| 7-2 | O-RING |



LANCASTER

WATER TREATMENT

CHEMICAL SOLUTION FEEDERS PARTS

| PART NO. | OLD NO. | DESCRIPTION |
|----------|---------|------------------------------------|
| 00006 | 277P | SUCTION TUBING, 7/16" OD, per FT. |
| 00008 | 279P | DISCHARGE TUBING, 1/2" OD, per FT. |
| K100-200 | | KOPKIT |
| J20560 | 278P | BALL CHECK |
| 21829 | | DRIVE BRACKET ASSEMBLY |
| 22255 | 613P | CAM BEARING — 003, 007, 015, 030 |
| 22256 | 613P | CAM BEARING — 024 |
| J24269 | 699P | OIL (QUART) |
| J24960 | 240P | COUPLING NUT, 1/2" |
| 25180 | 625P | MOTOR COVER |
| 25704 | 228P | DIAPHRAGM, HYPALON |
| J26780 | 245P | INJECTION FITTING, PVC |
| J26907 | A54P | BULKHEAD FITTING |
| J27903 | 237P | GASKET, TEFLON |
| 28521 | 271P | GROMMET |
| 28800 | 242P | HEAD |
| J28801 | 296P | HEAD, PVC |
| 28903 | A51P | HEAD ASSEMBLY |
| 29230 | 234P | MOTOR HOUSING |
| 30460 | 266P | OUTPUT ADJUSTMENT KNOB |
| 30468 | | OUTPUT ADJUSTMENT KNOB ASSEMBLY |
| J30496 | 603P | HOUSING — 003, 007, 015, 030 |

| PART NO. | OLD NO. | DESCRIPTION |
|--------------|---------|---|
| J30515 | | BLEED VALVE KIT |
| 31081 | 639P | LOCKING LEVER — SERIES 100, 215, 230, 260 |
| 33760 | | STOP PIN |
| 34532 | 685P | OIL FILLER PLUG w/ CAP |
| J37005 | 621P | HEAD MOUNTING BOLTS, SS |
| 37089 | 652P | OUTPUT ADJ. SCREW — ALL SERIES 100 |
| J37440 | 638P | VALVE SEAT, HYPALON |
| 38980 | 252P | DIAPHRAGM RETURN SPRING |
| 38981 | 682P | COUPLING SPRING |
| J38985 | 285P | VALVE SPRING |
| J40117 | A50P | FOOT VALVE & STRAINER ASSEMBLY |
| J41540 | 244P | VALVE HOUSING, DISCHARGE 1/2" |
| J41548 | 247P | VALVE HOUSING, SUCTION 1/2" |
| 41624 | A53P | ANTI-SIPHON VALVE (STANDARD) |
| J41658 | A52P | BACK CHECK VALVE ASSEMBLY |
| J41694 | | INJECTION FITTING PVC 1/2" |
| J42020 | | HEAD BOLT WASHER, SS |
| J42030 | | FIBER WASHER |
| 6203Z | 611P | BEARING (BALL) |
| L380FT03-PVD | | ANTI-SIPHON VALVE (5 FUNCTION) |
| L9906700-000 | | STRAINER WEIGHT |
| L3300H03-PVC | | BLEED VALVE |

CARTRIDGE FILTRATION ACCESSORIES

ATLAS FILTER ACCESSORIES

| MODEL NO. | DESCRIPTION |
|-----------|--|
| 410-DRKT | BOTTOM DRAIN KIT |
| 410-GAUGE | 1/8" BPS PRESSURE GAUGE - (TWO NEEDED FOR ACCURATE READINGS) |

CLEAR FLOW FILTER ACCESSORIES

| PART | SPANNER WRENCH |
|------|--|
| SW-2 | FOR USE IN LOOSENING THE SUMP (BOTTOM) |
| PART | MOUNTING BRACKET |
| UB-1 | U-SHAPED - FOR MOUNTING FILTER |

DESIGNER FAUCETS WITH OUT AIR GAP

| PART NO. | COLOR DESCRIPTION |
|------------------|-------------------|
| S1089-OILRBRONZE | OIL RUBBED BRONZE |
| S1089-BRNICKEL | BRUSHED NICKEL |

ADDITIONAL COLORS AVAILABLE: ALMOND, BISQUE, ANTIQUE BRASS, POLISHED BRASS, BRUSHED CHROME, POLISHED NICKEL, WHITE AND BLACK



LANCASTER

WATER TREATMENT

REVERSE OSMOSIS PARTS & ACCESSORIES

| PART NO. | DESCRIPTION |
|-------------|-------------------------------------|
| C2000 | RO-3 STORAGE TANK 3.2 GALLONS |
| LR3599 | FAUCET EXTENSION KIT (LRO-35) |
| R2118 | MONITOR 25 FT. EXTENSION CABLE ONLY |
| R7077 | MONITOR FAUCET BASE |
| R7078 | MONITOR WITH PROBES AND COVER |
| S1037 | HOLDING TANK SHUT-OFF ELBOW |
| S1086-02 | 1/4" MPT x 3/8" CONNECTOR |
| S1089-08 | RO FAUCET 3/8" - LONG REACH |
| S1105 | MALE ELBOW |
| S1117 | DRAIN CLAMP ASSEMBLY |
| S1118 | SADDLE CLAMP KIT |
| S1276 | DUCKBILL CHECK VALVE |
| S1277 | DUCKBILL CHECK VALVE RETAINER |
| S1405 | 1/4"-3/8" FITTING WRENCH |
| S2010 | DIAPHRAGM - SMALL |
| S2011 | DIAPHRAGM - LARGE |
| S2012-01 | O-RING |
| S2013 | O-RING |
| S2016-10 | DRAIN RESTRICTOR 10 GPD |
| S2016-4 | DRAIN RESTRICTOR 40 GPD |
| S2016-5 | DRAIN RESTRICTOR 50 GPD |
| S2016-6 | DRAIN RESTRICTOR 60 GPD |
| S2028-03RS | MANIFOLD PLATE ASSEMBLY - CRO-325 |
| S2053 | 3/8" x 3/8" 1/4" UNION TEE |
| S2128-M | MANIFOLD PLATE ASSEMBLY - LRO-35 |
| S2116-5 | DRAIN RESTRICTOR |
| S3010 | HOUSING |
| S3069 | HOUSING O-RING |
| S3072 | WRENCH FOR HOUSING |
| SS7021-04RS | SUMP |
| SS7022-02 | NUTS |

| PART NO. | DESCRIPTION |
|------------|--|
| ASVO | AUTOMATIC SHUT-OFF VALVE (TFC-50) |
| FH-4200W | FILTER HOUSING (TFC-50) |
| FR-50 | FLOW CONTROL (TFC-50) |
| SV-6 | SADDLE VALVE (TFC-50) |
| S1224RS | C.T.A. MEMBRANE 14 GPD (CRO-214) |
| S1229RS | T.F.C. MEMBRANE 50 GPD (CRO-350) |
| S1448RS | T.F.C. MEMBRANE 50 GPD (LRO-35) |
| TFM-50 | T.F.C. MEMBRANE 50 GPD (TFC-50) |
| 210-C25-MB | PREFILTER CARTRIDGE (TFC-50) |
| S7011 | PREFILTER CARTRIDGE (CRO-214) |
| S7028 | PREFILTER CARTRIDGE (CRO-315, 325, 350) |
| S7128 | PREFILTER SEDIMENT/CARBON (LRO-35) |
| 210-C5-CA | ACTIVATED CARBON (TFC-50) |
| S7025 | ACTIVATED CARBON (CRO-214, 315, 325, 350) |
| S7125 | ACTIVATED CARBON POST FILTER (LO-35) |
| AIRCO | IN-LINE POST FILTER (TFC-50) |
| S7206W-JG | IN-LINE POST FILTER (LRO-35) |
| 155014 | 9-3/4" x 2-3/4" 5 MICRON (REPLACES KR05-1) |

DESIGNER FAUCETS WITH AIR GAP

| PART NO. | COLOR DESCRIPTION |
|-------------------|-------------------------|
| S1089-02OILBRONZE | OIL RUBBED BRONZE |
| S1089-02BRCHROME | BRUSHED CHROME |
| S1089-02BRNICKEL | BRUSHED NICKEL |
| S1089-02BRSTNLS | BRUSHED STAINLESS STEEL |

DESIGNER FAUCETS WITH OUT AIR GAP

| | |
|-----------------|-------------------|
| S1089-OILBRONZE | OIL RUBBED BRONZE |
| S1089-BRNICKEL | BRUSHED NICKEL |

ADDITIONAL COLORS AVAILABLE: ALMOND, BISQUE, ANTIQUE BRASS, POLISHED BRASS, BRUSHED CHROME, POLISHED NICKEL, WHITE AND BLACK

TANKS

| MODEL NO. | TYPE | CAPACITY GALLONS | SIZE | MAX. TEMP | MAX. PRES. | SYSTEM CONNECTION | WT. |
|-----------|----------|------------------|---------------|-----------|------------|-------------------|-----|
| C2239 | FRO-1070 | 14 | 16" x 22-1/2" | 120 F | 125 PSIG | 1/4" MALE NPT | 28 |
| C2234 | WR-60 | 20 | 16" x 29" | | | 1" MALE NPT | 36 |
| C2235 | WR-100 | 32 | 21" x 28" | | | 1-1/4" MALE NPT | 54 |
| C2236 | WR-140 | 44 | 21" x 36" | | | 1-1/4" MALE NPT | 67 |
| C2237 | WR-260 | 85 | 26" x 45" | | | 1-1/4" MALE NPT | 121 |