SDS Revision Date:

6/1/2015



1. Identification

1.1. Product identifier	
Product Identity	Super Fantastic Foam (Aerosol)
Alternate Names	55-222, 55-223, 55-224, Blended Formula
1.2. Relevant identified uses of the substance or mix	ture and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	ComStar International Inc.
	20-45 128th Street,
	College Point, NY 11356
Telephone No.	718-445-7900 800-328-0142 Fax: 718-353-5998

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Press. Gas;H28)	Contents gas under pressure; may explode if heated
Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
STOT SE 3;H336	May cause drowsiness or dizziness

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



SDS Revision Date:

6/1/2015



H280 Contains gas under pressure; may explode if heated.H315 Causes skin irritation.H319 Causes serious eye irritation.H336 May cause drowsiness and dizziness.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P331 Do NOT induce vomiting.

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 Protect from sunlight.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

SDS Revision Date:

6/1/2015



3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
D-LEMONENE CAS#: 5989-27-5	>20	Flammable liquids (Category 3) Acute toxicity, Oral (Category 5) Skin irritation (Category 2) Eye irritation (Category 2A) Skin sensitization (Category 1) Acute aquatic toxicity (Category 1)	[1][2]
ISOPROPYL ALCOHOL CAS#: 67-63-0	>20	Flam. Liq. 2 H225 Eye Irrit. 2A H319 STOT SE 3 H336	[1][2]
SURFACTANT PACKAGE	>30	Not available	Not available
CARBON DIOXIDE (if an aerosol) CAS#: 124-38-9	<4	press. Gas;H280 Simple Asphyxiant	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. *The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important sym	nptoms and effects, both acute and delayed
Overview	No specific symptom data available.
Inhalation	May cause drowsiness or dizziness.
Eyes	Causes serious eye irritation.
Skin	Causes skin irritation.

SDS Revision Date:

6/1/2015

5. Fire-fighting measures

5.1. Extinguishing media

ComSta

All types are acceptable

5.2. Special hazards arising from the substance or mixture

No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

Aerosols are under pressure. Exposure in excess of 120 F may cause bursting of can.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

SDS Revision Date:

6/1/2015



Incompatible materials: Oxidizing agents, alkali metals See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
5989-27-5	D-LEMONENE	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	Not Available
		Supplier	Not Available
67-63-0	ISOPROPYL ALCOHOL	OSHA	400 ppm
		ACGIH	400 ppm
		NIOSH 400 ppm	
		Supplier	No Established Limit
Not Est SURFACTANT PACKAGE	OSHA	No Established Limit	
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
124-38-9	CARBON DIOXIDE (if an aerosol)	OSHA	10000 ppm
		ACGIH	5000 ppm
		NIOSH	TWA 5000 ppm (9000 mglm3) ST 30,000 ppm (54,000 mglm3)
		Supplier	No Established Limit

8.2. Exposure controls

Respiratory

If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure Compliance with OSHA Standard 29 CFR 1910.134.

SDS Revision Date:

6/1/2015



Eyes	Safety glasses with side shields, goggles or face shield are recommended.		
Skin	Wear overalls to keep skin contact to a minimum.		
Engineering Controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities.		
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.		
See section 2 for further details - [Prevention]			

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Clear Liquid Odor Mild perfumed Citrus **Odor threshold** Not Measured pН Not Measured Melting point / freezing point Not Measured Initial boiling point and boiling range 160 F (71 C) Flash Point None, TOC Evaporation rate (Ether = 1) Not Measured Flammability (solid, gas) Not Applicable Lower Explosive Limit: 135C(275F): NA Upper/lower flammability or explosive limits Upper Explosive Limit: 199C(390F): NA Vapor pressure (Pa) 95 psig (at 70 F) Vapor Density > 1 (Air = 1) **Specific Gravity** Not Measured Solubility in Water Negligible Partition coefficient n-octanol/water (Log Kow) Not Measured Auto-ignition temperature (ASTM D 2155): NA **Decomposition temperature** Not Measured at 25C/77F: NA Viscosity (cSt) Volatiles (% by weight) NA **Octanol/Water Partition Coefficient** NA 9.2. Other information

SDS Revision Date:

6/1/2015



No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

Avoid heat, sparks, flames and other sources of ignition

10.4. Conditions to avoid

Avoid heat, sparks, flames and other sources of ignition

10.5. Incompatible materials

Oxidizing agents, alkali metals

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
D-LEMONENE (5989-27-5)	Rabbit, 5 g/kg	No data available	Mice, 1 g/kg	No data available	No data available
ISOPROPYL ALCOHOL (67-63-0)	4,710.00, Rat -	12,800.00, Rat	72.60, Rat -	No data	No data
	Category: 5	- Category: NA	Category: NA	available	available
SURFACTANT PACKAGE (Not Est)	No data	No data	No data	No data	No data
	available	available	available	available	available
CARBON DIOXIDE (if an aerosol) (124-38-9)	No data	No data	No data	No data	No data
	available	available	available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable



SDS Revision Date:

6/1/2015

Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure	3	May cause drowsiness or dizziness.
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

This product is not expected to be toxic to aquatic organishe

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
D-LEMONENE (5989-27-5)	Not Available	Not Available	Not Available
ISOPROPYL ALCOHOL (67-63-0)	1,400.00, Lepomis macrochirus	100.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus
SURFACTANT PACKAGE (Not Est)	Not Available	Not Available	Not Available
CARBON DIOXIDE (if an aerosol) (124-38-9)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

SDS Revision Date:

6/1/2015

13. Disposal considerations

13.1. Waste treatment methods

ComStar

Observe all federal, state and local regulations when disposing of this substance.

	14. Tran	sport information	
ŀ	OLLOWING INFORMATION	IS ONLY FOR AEROSOL O	AN
	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1950	UN1950	UN1950
	r UN1950, Aerosols, non- flammable, (each not exceeding 1 L Capacity), 2.2 ORM-D	UN1950, Aerosols, non- flammable, (each not exceeding 1 L Capacity), 2.2 ORM-D	UN1950, Aerosols, non- flammable, (each not exceeding 1 L Capacity), 2.2 ORM-D
14.3. Transport hazard class(es)	DOT Hazard Class: 2.2	IMDG: 2.2 Sub Class: Not Applicable	Air Class: 2.2
14.4. Packing group	III	III	III
14.5. Environm	ental hazards		
IMDG	Marine Pollutant: No		
14.6. Special pr	ecautions for user		
	No further information		

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.
WHMIS Classification	D2A

US EPA Tier II Hazards

Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes

SDS Revision Date:

6/1/2015



EPCRA 311/312 Chemicals and RQs (lbs):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Extremely Hazardous:

D-LEMONENE ISOPROPYL ALCOHOL SURFACTANT PACKAGE CARBON DIOXIDE (if an aerosol)

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

New Jersey RTK Substances (>1%):

CARBON DIOXIDE

Pennsylvania RTK Substances (>1%):

CARBON DIOXIDE

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.



SDS Revision Date:

6/1/2015

End of Document