



Science.
Applied to Life.™



3M Residential Water Quality Solutions *Professional Series*

***3M Residential Water Quality Solutions
Product Catalog***

Effective February 1, 2016

Simplification. Applied to helping you find the right solution quickly.

Take a look inside for our new professional series and how we can help you grow your business.

It's not complicated, it's simply water.

We are taking a different approach to how we help you meet your customer's water quality needs. We are helping to bring together 50 plus years history of providing Aqua-Pure™ water quality products with 3M's over 100 year history of technology innovation.

We believe our professional series will help you address your customer's water quality needs and make it easier for you to choose the right solution for your customer. Because let's face it, we're all busy. Who has time to read through a lot of information across many systems and feel confident you have the right solution?

We believe that everyone has the right to high quality, cleaner, clearer water. We hope that you will join us in committing to bring this important right to homes in your area.



In our 3M Residential Water Quality Solutions Product Catalog, you will find:

- Our products
- Our break down of basic water filtration and treatment terminology
- Our ordering information

For easy data loads, please see our professional portal for detailed excel data tables with more shipping details, product performance claims, and pricing. Please go to www.aquapure.com/justaddwater for this information.

Microporosity. Applied to trusting every drop.



Under Sink Water Filtration Systems

Water Filtration 101

Reduction Claims

List of specific contaminants a water filter has been tested to reduce from the water source. For example, the 3MDW301 reduces Particulate, CTO (Chlorine Taste & Odor), Chloramines, Lead, Asbestos, Cyst, VOC's, MTBE, and TTHM.

Micron Rating (µm)

The ability of the filter media to remove particles of a certain size. The lower the number, the finer the level of particles are being reduced.

Flow Rate (gpm or gpd)

How quickly water is flowing from the source after the water filter system is installed. The higher the number, the quicker water should flow from the faucet head. Often expressed as gallons per minute (gpm) or gallons per day (gpd).

* Filter life dependent on local water quality.

Capacity/Life* (gallons/months)

A measurement of how many gallons can flow through a filter system while maintaining the performance claims. The higher the capacity, the longer the filter life.


A water filter that has a lower micron rating and wider range of contaminant reductions will tend to have a lower flow rate. If you think about it, filtering water will usually restrict the flow of the water, but we have different solutions that provide you with options to meet your customer's needs. For example, the 3MFF100 is a great innovation in water filtration technology as it filters major contaminants without reducing the normal flow rate of water from an existing faucet and is rated to last twice as long compared to our previous generations of 3M Purification under sink products .



3MFF100

Under Sink Water Filtration

- Under sink water filtration systems are great solutions to provide cleaner, clearer and great tasting drinking and cooking water by reducing a wide range of contaminants that may be present in the local water
- All under sink and refrigerator water filtration systems have a 6 month replacement interval unless noted otherwise
- See our streamlined portfolio of 3M™ Aqua-Pure™ and 3M™ products available differentiated by their reduction claims
- All of our featured under sink water filtration systems on the following page are NSF tested and certified unless noted on the reduction claims



Important: Diagram shown is for reference purposes only. Read installation and operation manual prior to installing the unit.



	Level 1	Level 2	Level 3
Full Flow Systems <ul style="list-style-type: none"> • Use the existing primary faucet to enjoy a high flow rate • For strongest water flow, use the 3MFF100 • One year replacement interval* for 3MFF100 	 AP200	 AP Easy Cyst-FF	 3MFF100
	Sediment**/CTO	Particulate/CTO/Cyst	Particulate/CTO/Lead/Cyst/Select VOC's***
Dedicated Faucet Systems <ul style="list-style-type: none"> • Additional performance claims compared to full flow systems • Comes with a faucet to install • One year replacement interval* for 3MDW301 	 AP Easy Complete	 AP-DWS1000	 3MDW301
	Particulate/CTO/Lead/Mercury/Cyst/Select VOC's***	Particulate/CTO/Lead/Cyst/Select VOC's***/MTBE	Particulate/CTO/Chloramines/Lead/Asbestos/Cyst/VOC's***/MTBE/TTHM
Reverse Osmosis Systems <ul style="list-style-type: none"> • Additional performance claims compared to dedicated faucet systems • Comes with a faucet to install • One year replacement interval* for all three RO Systems 	 3MRO301	 3MRO401	 3MRO501
	Particulate/CTO/Arsenic/Barium/Cadmium/Chromium/Copper/Cyst/Fluoride/Lead/Radium/Selenium/TDS/Turbidity	Particulate/CTO/Cysts/Arsenic/Barium/Cadmium/Chromium (Hex)/Chromium (Tri)/Copper/Fluoride/Lead/Radium/Selenium/Select VOC's***/Turbidity & TDS	Particulate/CTO/Cysts/Arsenic/Barium/Cadmium/Chromium (Hex)/Chromium (Tri)/Copper/Fluoride/Lead/Radium/Selenium/Select VOC's*** (Toxaphene/p-Dichlorobenzene/Turbidity & TDS/Nitrate/Nitrite)

*Filter life dependent on local water quality
 **As tested and verified by manufacturer's laboratory.
 ***For additional performance claims please visit NSF.org.


Activated carbon. Applied to great tasting beverages.



In-line Water Filtration Systems

In-line Water Filtration

- In-line water filtration systems are great solutions when a refrigerator does not have a pre-existing water filter
- Can be used with your ice maker for great tasting water
- Can also be used for drinking fountains, coffee machines and drink dispensers
- The AP717 includes proprietary scale and corrosion inhibition system to help protect equipment and ice makers against scale build-up and potentially damaging effects of corrosion



NOTICE: Diagram shown is for reference purposes only. Read installation and operation manual prior to installing the unit.

	Level 2	Level 3
In-line Systems <ul style="list-style-type: none"> • Installed on the feed water line to the refrigerator/ice maker for great tasting water 		
	IL-IM-01	AP717
	Sediment*/CTO	Sediment*/CTO/Scale*

*As tested and verified by manufacturer's laboratory.


Sediment reduction. Applied to happy pipes and appliances.



Whole House Water Filtration

Whole House Water Filtration

- Whole house water filter systems are great solutions to help protect your pipes and appliances as well as offer you great tasting drinking water from anywhere in the home
- 3M's latest innovation in whole house water filtration systems, the AP900 series, now offers you three levels of filtration for great tasting water throughout the house with easy change out replacement cartridges from our proprietary sanitary quick change (SQC) style heads






Important: Diagram shown is for reference purposes only. Read installation and operation manual prior to installing the unit.



AP900 Series Sanitary Quick Change (SQC) Style Systems	Level 1	Level 2	Level 3
	<ul style="list-style-type: none"> • Three levels of filtration available for different water quality issues • Stainless steel head with limited 25 year warranty • Easy SQC replacement change-out style 		
	AP902	AP903	AP904
	Particulate	Particulate/CTO*	Particulate/CTO*/Scale*

*As tested and verified by manufacturer's laboratory.

Whole House Water Filtration Housings

Housings do not come with water filter cartridge. Drop-in cartridges sold separately.
Flow rate and reduction claims vary with drop-in water filter cartridge used.



	1 High	1 High	2 High
AP100 Series Standard Diameter Sump Style Systems <ul style="list-style-type: none"> • May use AP124, AP110, AP1001, AP117, APS117, or AP420 drop-in cartridges in the AP100 series • AP102T recommended for homes with 3-4 bathrooms • 1-High height is 10" and 2-High height is 20" 			
	AP11T	AP101T	AP102T
	Pressure relief valve 8 gpm*	Valve in Head 8 gpm*	Valve in Head 16 gpm*



	1 High	2 High
AP800 Series Large Diameter Sump Style Systems <ul style="list-style-type: none"> • May use AP810, AP811, or AP817 drop-in cartridges in the AP800 series • AP802 recommended for homes with 3-4 bathrooms • 1-High height is 10" and 2-High height is 20" 		
	AP801	AP802
	20 gpm**	45 gpm**

*AP110 used to model differences in flow rate. Actual flow rate is dependent on cartridge used.
**AP810 used to model differences in flow rate. Actual flow rate is dependent on cartridge used.

Whole House Water Filtration Housings

Housings do not come with water filter cartridge. Drop-in cartridges sold separately.
Flow rate and reduction claims vary with drop-in water filter cartridge used.




	1 High	2 High
SST Series Standard Diameter Stainless Steel Sump Style Systems <ul style="list-style-type: none"> • May use AP124, AP110, AP1001, AP117, APS117, or AP420 drop-in cartridges for this series • 316 stainless steel head • 304 stainless steel housing • 1-High height is 10" and 2-High height is 20" 		
	SST1HA	SST2HB
	8 gpm*	16 gpm*




	4 Filters	8 Filters	12 Filters
SSEPE Series Large Diameter Stainless Steel Sump Style Systems <ul style="list-style-type: none"> • May use AP124, AP110, AP1001, AP117, APS117, or AP420 drop-in cartridges for this series • 316L stainless steel electropolished 			
	SS4 EPE-316L	SS8 EPE-316L	SS12 EPE-316L
	32 gpm*	64 gpm*	96 gpm*




*AP110 used to model differences in flow rate. Actual flow rate is dependent on cartridge used.

Whole House Water Filtration

Drop-in Cartridges

	Level 1	Level 2	Level 3
Standard Diameter Drop-in Cartridges <ul style="list-style-type: none"> For use in the whole house AP100 series housings as well as the standard and large diameter stainless steel housings All 1-high's sold in 2 packs AP110 and AP124 also available as a 2 high Standard diameter is 2.5" 			
	AP124	AP110	AP1001
	Sediment* at 50 microns	Sediment* at 5 microns	Sediment* at 1.0 micron

	Level 1	Level 2	Level 3
Specialty Standard Diameter Drop-in Cartridges <ul style="list-style-type: none"> For use in the whole house AP100 series housings as well as the standard and large diameter stainless steel housings All sold in 2 packs Specialty standard diameter is 3.0" 			
	AP117	APS117	AP420
	Sediment* at 5 microns/ CTO* at 3 gpm	Sediment* at 5 microns/ CTO*/Scale* at 3 gpm	Sediment* at 5 microns/ Scale* at 10 gpm

	Level 1	Level 2	Level 3
Large Diameter Drop-in Cartridges <ul style="list-style-type: none"> For use in the AP800 Series All sold as individual cartridge All large diameter cartridges also available as a 2 high Large diameter is 4.5" 			
	AP811	AP810	AP817
	Sediment* at 25 microns	Sediment* at 5 microns	Sediment* at 25 microns /CTO*

*As tested and verified by manufacturer's laboratory.



Ion Exchange. Applied to baby soft towels.



Water Softening and Water Treatment Systems

Water Softening 101

Hardness (gpg)

The concentration of calcium and magnesium minerals in the water. Hardness is most commonly measured in grains per gallon.

Ion Exchange Resin

Exchanges the calcium and magnesium ions for the sodium or potassium ions.

Scale

Calcium and magnesium deposits that often form when water containing hardness is heated. Water hardness is responsible for most scale formation in pipes, water heaters, finishes and flat surfaces and other water using appliances. Over time, scale build-up can significantly shorten the life of any water-using appliance, from coffee makers and irons to washers and dishwashers.

Softening Benefits

In gas-powered water heaters, untreated hard water can cause significant efficiency losses and added costs. By using soft water, homes can save up to 30% with a traditional gas water heater, or up to 10% with newer high efficiency tankless water heater.*



3MWTS200-125


*Based on the Water Quality Research Foundation 2010-2012 Battelle Study.

Water Softening & Treatment

- Introducing the streamlined offering of 3M™ Water Softening systems and iron reduction series systems
- Our water softening and problem water systems series address the very common water quality concerns of hardness and iron
- Soft water can reduce energy costs and detergent use; and help maintain appliance efficiency*

* Based on the Water Quality Research Foundation 2010-2012 Battelle Study.

3MWTS Softner Series Typical installation*
Well Installation



*Important: Diagram shown is for reference purposes only. Read installation and operation manual prior to installing the unit.

Water Softening Systems

3MWTS Series Water Softening Systems	1.0 Cubic Ft	1.5 Cubic Ft	2.0 Cubic Ft
	<ul style="list-style-type: none"> • 3MWTS200-125 is WQA certified, NSF/ANSI Standard 44 listing for reduction of Barium, Radium as well as Water hardness • Optimized for Iron, Manganese and Hydrogen Sulfide reduction • 3MWTS200-125 with a 1.25" valve offers greater flexibility with home/application size • Includes a proprietary salt shelf, reducing service issues • 3MWTS200-125 utilizes a full 1.25" porting throughout the Resin Recirculators as well as the valve, a true industry differentiated feature 		
	3MWTS100	3MWTS150	3MWTS200-125
	Scale/Hardness at 7.9 gpm	Scale/Hardness at 11.1 gpm	Scale/Hardness/Barium/Radium at 10.9 gpm
	Applicable media (Included in all 3MWTS systems)		
	H-050P High capacity softening resin		


Water Treatment Systems

3MCBF Series Backwashing Systems	1.5 Cubic Ft	2.0 Cubic Ft	Applicable Media
	<ul style="list-style-type: none"> • Self-cleans media by rinsing off the contaminants filtered from the water to help minimize energy and water waste • Using ACC-050P media provides a whole house chloramines reduction solution 		
3MCBF150	3MCBF200		
3MAPIF Series Iron Reduction Systems	1.5 Cubic Ft	2.0 Cubic Ft	Applicable Media
	<ul style="list-style-type: none"> • Full flow bypass valve allows service on a pressurized system, while still providing untreated bypass water to the residence • Non-metallic, all-plastic design allows for easy access and serviceability without the need for tools 		
3MAPIF150	3MAPIF200		
3MAPPM Series Iron Reduction Systems Best for well applications	1.5 Cubic Ft	2.0 Cubic Ft	Applicable Media
	<ul style="list-style-type: none"> • Does not require harsh chemicals for iron oxidation • Fully automatic operation for greater efficiency and simple programming • Washed quartz underbed provides extra filtration and enables proper cleaning of filter media 		
3MAPPM150	3MAPPM200		
	Quartz filter gravel (included in all water treatment systems)	QC-18P and QC-25P filter gravel media to support filter media with all water treatment systems	

*All Water treatment systems come with dome hole for easier media loading.

Scale Inhibition System

- The AP430SS system is a great add on to your tank and tankless water heater sale
- This water treatment system helps protect tank and tankless water heaters by providing a consistent, controlled dose of polyphosphate scale inhibitor
- Helps protect piping system from corrosion



Important: Diagram shown is for reference purposes only. Read installation and operation manual prior to installing the unit.


Scale Inhibition System

- Maintains efficiency and helps extend the life of tank and tankless water heater systems
- Stainless steel head
- Easy installation with a 3/4" inlet/outlet connection



AP430SS

Scale inhibition at 8gpm



Product Ordering Information

Under Sink Water Filtration Systems



Model Name	Segment	Category	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP200	Full Flow	Level 1	\$190.57	4	10/4.5	5528901	70020007418
AP Easy Cyst-FF	Full Flow	Level 2	\$197.74	4	7/3.3	5609223	70020109503
3MFF100	Full Flow	Level 3	\$335.27	6	10/4.3	5616318	70020249671
AP Easy Complete	Dedicated Faucet	Level 1	\$234.83	6	14/6.5	5617931	70020320993
AP-DWS1000	Dedicated Faucet	Level 2	\$542.00	1	10/4.5	5583101	70020007731
3MDW301	Dedicated Faucet	Level 3	\$550.63	1	6/7.8	3MDW301-01	70020241843
3MRO301	Reverse Osmosis	Level 1	\$737.65	1	16/7.1	04-04506	70020320399
3MRO401	Reverse Osmosis	Level 2	\$843.57	1	16/7.4	3MRO401-01A	70020320654
3MRO501	Reverse Osmosis	Level 3	\$1,942.95	1	28/12.7	3MRO501-01	70020317395

Under Sink Water Filtration Systems without Faucet Version



Model Name	Segment	Category	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP Easy LC Cooler	Under Sink	N/A	\$154.98	6	8/3.6	5617936	70020321041
AP Easy Complete Cooler	Under Sink	N/A	\$178.47	6	9/4.2	5617934	70020321025
AP-DWS1000LF	Under Sink	N/A	\$510.51	6	10/4.5	5583103	70020002427

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product Ordering Information

Under Sink Water Filtration Systems



Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm/lpm)	Filter Capacity (gal/lit)	Life (Months)
AP200	00016145002007	Sediment ¹ /CTO	5	1.75/6.6	2,000/7,571	6
AP Easy Cyst-FF	00016145102561	Particulate/CTO/Cyst	0.5	1.5/5.7	2,000/7,571	6
3MFF100	00016145233111	Particulate/CTO/Lead/Cysts/Select VOC's ²	0.2	2.5/9.5	6,000/22,712	12
AP Easy Complete	00051128889152	Particulate/CTO/Lead/Cyst/Mercury/Select VOC's ²	0.5	0.75/2.8	750/2,839	6
AP-DWS1000	00016145100017	Particulate/CTO/Lead/Cyst/Select VOC's ² / MTBE	0.5	0.6/2.3	625/2,366	6
3MDW301	00016145231933	Particulate/ Chlorine Taste and Odor/Chloramines/ MTBE/ TTHM/ Asbestos/Lead/Cysts	0.2	0.75/ 2.8	1,000/3785	12
3MRO301	00051128893722	Particulate/CTO/Arsenic/Barium/ Cadmium/Chromium/Copper/Cyst/ Fluoride/Lead/Radium/Selenium/ TDS/Turbidity	5	8.28 gpd/ 31.3 lpd	1,500/ 5,678	12
3MRO401	00051128893975	Particulate/CTO/Cysts/Arsenic (Pentavalent)/ Barium/Cadmium/ Chromium (Hex)/Chromium (Tri)/ Copper/Fluoride/Lead/Radium/ Selenium/ Select VOC's ² (Toxaphene/ p-Dichlorobenzene/Turbidity & Total Dissolved Solids (TDS))	5	18.95 gpd ³ / 71.7 lpd	1,350/5,110 ⁴	12
3MRO501	00054007980889	Particulate/Chlorine Taste & Odor/ Cysts/Arsenic (Pentavalent)/ Barium/ Cadmium/ Chromium (Hex)/ Chromium (Tri)/Copper/Fluoride/ Lead/ Radium/Selenium/Select VOC's ² (Carbofuran/Toxaphene/ p-Dichlorobenzene & Nitrates/ Nitrites/ Turbidity & Total Dissolved Solids (TDS))	5	36.78 gpd ³ / 139.2 lpd	1,350/5,110 ⁴	12

Under Sink Water Filtration Systems without Faucet Version



Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm/lpm)	Filter Capacity (gal/lit)	Life (Months)
AP Easy LC Cooler	00051128894347	Sediment ¹ /CTO/Lead/Cyst	0.5	0.75/2.8	750/2,839	6
AP Easy Complete Cooler	00051128894323	Particulate/CTO/Lead/Cyst/Mercury/Select VOC's	0.5	0.75/2.8	750/2,839	6
AP-DWS1000LF	00016145603785	Particulate/CTO/Lead/Cyst/VOC/ MTBE	0.2	0.6/2.3	625/2,366	6

¹As tested and verified by manufacturer's laboratory. ²For additional performance claims please visit NSF.org. ³Reverse Osmosis filter capacity rating is determined by Chlorine taste and odor reduction capabilities of the post filter as determined and certified by NSF International. ⁴Nominal production rate of membrane when running to atmosphere (i.e., with empty tank) at 77 deg F and 50PSI is 18.95 gpd (71.73 lpd). Production varies based on pressure (fullness) of storage tank.

Prices subject to change without notice.

Product Ordering Information

Under Sink Water Filtration Replacements



Model Name	Replacement For	Segment	Tier	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP217	AP200	Full Flow	Level 1	\$116.64	12	19/8.6	5578604	70020318823
AP Easy C-Cyst-FF	AP Easy Cyst-FF	Full Flow	Level 2	\$122.76	4	5.9/2.7	5610428	70020109529
3MFF101	3MFF100	Full Flow	Level 3	\$263.42	6	9.5/4.3	5613432	70020249663
AP Easy C-Complete	AP Easy Complete & Complete Cooler	Dedicated Faucet	Level 1	\$106.95	6	6.2/2.8	5618044	70020321140
AP-DW80/90	AP-DWS1000	Dedicated Faucet	Level 2	\$184.57	4	20/9.1	5585102	70020002468
3MDW311	3MDW301	Dedicated Faucet	Level 3	\$333.73	1	N/A	3MDW311-01	70020241850
3MROP316	Post Carbon Block Filter for 3MRO301	Reverse Osmosis	Level 1	\$42.60	20	20/9.2	47-9298G2	70020323583
3MROP310	Sediment/Carbon Prefilter for 3MRO301	Reverse Osmosis	Level 1	\$62.84	20	20/9.2	47-9290G2	70020323104
3MROM413	Membrane Module for 3MRO301/ 3MRO401/ 3MRO501	Reverse Osmosis	Level 1,2,3	\$258.13	20	N/A	3MROM413-20A	70020322825
3MROP411	Sediment Filter for 3MRO401/ 3MRO501	Reverse Osmosis	Level 2&3	\$41.56	20	N/A	3MROP411-20A	70020323385
3MROP416	Carbon Block Post Filter for 3MRO401 and 3MRO501	Reverse Osmosis	Level 2&3	\$53.05	20	N/A	3MROP416-20A	70020326917
3MROP412	Granulated Activated Carbon Filter for 3MRO401/ 3MRO501	Reverse Osmosis	Level 2&3	\$60.92	20	N/A	3MROP412-20A	70020323401
EP15	Everpure® H-100	Retrofit Replacements	Level 1	\$108.79	6	12/5.4	5631610	70020319623
EP25	Everpure® H-104	Retrofit Replacements	Level 2	\$146.71	6	12/5.4	5631611	70020319631
EP35R	Everpure® H-300	Retrofit Replacements	Level 3	\$175.16	6	12/5.4	5631616	70020319698

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product ordering information

Under Sink Water Filtration Replacements



Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm/lpm)	Filter Capacity (gallons)	Life (Months)
AP217	00051128888452	Sediment ¹ /CTO	5	1.75/6.6	2,000/7,571	6
AP Easy C-Cyst-FF	00016145102561	Particulate/CTO/Cyst	0.5	1.5/5.7	2,000/7,571	6
3MFF101	00016145233104	Particulate/CTO/Lead/Cysts/Select VOC's ²	0.2	2.52/7	6,000/22,712	12
AP Easy C-Complete	00051128889121	Particulate/CTO/Lead/Cyst/Mercury/Select VOC's ²	0.5	0.75/2.8	750/2,839	6
AP-DW80/90	00016145080906	Particulate/CTO/Lead/Cyst/VOC's ² /MTBE	0.5	0.6/2.3	625/2,366	6
3MDW311	00016145231940	Particulate/CTO/Chloramines/MTBE/VOC's ² /TTHM/Asbestos/Lead/Cysts	0.2	0.75/2.8	1,000/3785	12
3MROP316	00051128895412	CTO	N/A	8.28 gpd/ 31.3 lpd	N/A	12
3MROP310	00051128895412	Particulate	5	8.28 gpd/ 31.3 lpd	N/A	12
3MROM413	00051128895252	Lead/ Mercury/Cyst/Select VOC's ² /TDS	N/A	23.92 gpd/ 90.55 lpd	N/A	36
3MROP411	00051128895252	Particulate	5	23.92 gpd/ 90.55 lpd ³	N/A	12
3MROP416	00051128895764	Cyst	N/A	23.92 gpd/ 90.55 lpd	N/A	12
3MROP412	00051128895269	CTO	N/A	37.38 gpd/ 141.5 lpd	N/A	12
EP15	00051128890561	Particulate/CTO/Cyst	0.5	0.5/1.89	2,000/7,571	6
EP25	00051128890578	Particulate/CTO/Lead/Turbidity/Asbestos/Cyst	1.0	0.6/2.27	1,150/4,353	6
EP35R	00051128890585	Particulate/CTO/Chloramines/Lead/Cyst/TTHMs/MTBE	0.5	0.5/1.89	350/1,325	6

¹As tested and verified by manufacturer's laboratory. ²For additional performance claims please visit NSF.org.

³Flow rates and capacity as stated are based on complete systems.

Prices subject to change without notice.

Product Ordering Information

Under Sink Water Filtration Replacements for Discontinued Systems



Model Name	Replacement For	Segment	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP517	AP510	Full Flow	\$108.44	12	1.75/6.6	AP51711	70020320308
AP Easy C-CS-FF	AP Easy CS-FF	Full Flow	\$74.87	4	5.9/2.7	5632108	70020320191
AP Easy C-LC	AP Easy LC	Full Flow	\$87.89	6	5/2.4	5618046	70020321165
APDW85	AP-DWS700	Dedicated Faucet	85.73	6	6/2.7	5584408	70020002450
AP5527	APRO5500	Reverse Osmosis	\$139.82	6	18/8.2	5631201	70020320084
AP5500RM	APRO5500	Reverse Osmosis	\$212.04	1	3/1.4	5608401	70020019231

Dedicated Faucets for Under Sink Water Filtration Systems



Model Name	List Price*	Description	Case Lot Quantity
6221545	\$78.25	Stainless Steel Non- Air Gap, Long Reach Faucet — Polished Chrome Finish	1
6221544	\$97.81	Stainless Steel Air Gap, Long Reach Faucet — Polished Chrome Finish	1



In-line Water Filtration Systems

Model Name	Segment	Category	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
IL-IM-01	In-Line System	Level 2	\$30.34	10	12/5.4	5617202	70020109560
AP717	In-Line System	Level 3	\$46.97	12	7.6/3.5	5560222	70020318864

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product ordering information

Under Sink Water Filtration Replacements for Discontinued Systems



Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm/lpm)	Filter Capacity (gallons)	Life (Months)
AP517	00051128889329	Sediment ¹ /CTO/Scale ¹	5	1.75/6.6	2,000/7,571	6
AP Easy C-CS-FF	00051128889275	Particulate/CTO	5	2/7.6	2,000/7,571	6
AP Easy C-LC	00051128889046	Sediment ¹ /CTO/Lead/Cyst	0.5	0.75/2.8	750/2,839	6
APDW85	00016145603525	Sediment ¹ /CTO ¹	0.5	0.6/2.3	1,150/4,353	6
AP5527	00051128889343	Sediment ¹ /CTO	N/A	8.28 gpd/ 0.75gpm	2,500/9,463	12
AP5500RM	00016145008481	Lead/Cyst/TDS	N/A	8.28 gpd/ 0.75gpm	N/A	36

Dedicated Faucets for Under Sink Water Filtration Systems



Model Name	Part Number	3M ID	UPC
6221545	6221545	70020310176	00054007974925
6221544	6221544	70020303833	00054007971658



In-line Water Filtration Systems

Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm)	Filter Capacity (gallons)	Life (Months)
IL-IM-01	00016145066160	Sediment ¹ /CTO	5	0.5	2,500/9,463	6
AP717	00051128889947	Sediment ¹ /CTO/Scale ¹	5	0.5	1,500/ 5,678	6

¹As tested and verified by manufacturer's laboratory.

Prices subject to change without notice.

Product ordering information

Whole House Water Filtration SQC Systems



Model Name	Segment	Category	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP902	SQC	Level 1	\$420.83	1	9/4.1	5621101	70020204353
AP903	SQC	Level 2	\$501.05	1	10/3.4	5621102	70020204361
AP904	SQC	Level 3	\$569.46	1	7.5/3.4	5621104	70020284975



Whole House Water Filtration SQC Replacement Cartridges

Model Name	Segment	Category	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP910R	AP902	Level 1	\$237.52	1	9/4.1	5621001	70020204460
AP917HD	AP903	Level 2	\$298.74	1	6/2.8	5621006	70020269687
AP917HD-S	3M904	Level 3	\$367.15	1	7/2.9	5621008	70020273929

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.
Prices subject to change without notice.

Product Ordering Information

Whole House Water Filtration SQC Systems



Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm/lpm)	Filter Capacity (gallons)	Life (Months)
AP902	00016145191930	Particulate	5	20/75.7 ²	N/A	12
AP903	00016145191947	Particulate/CTO ¹	5	20/75.7 ²	100,000/ 378,541	12
AP904	00016145266997	Particulate/CTO ¹ /Scale ¹	5	10/37.9 ²	100,000/ 378,541	12



Whole House Water Filtration SQC Replacement Cartridges

Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm/lpm)	Filter Capacity (gallons)	Life (Months)
AP910R	00016145192043	Particulate	5	20/75.7 ²	N/A	12
AP917HD	00016145252303	Particulate/CTO ¹	5	20/75.7 ²	100,000/ 378,541	12
AP917HD-S	00016145256547	Particulate/CTO ¹ /Scale ¹	5	10/37.9 ²	100,000/ 378,541	12

¹As tested and verified by manufacturer's laboratory.
²Peak flow rate.

Prices subject to change without notice.

Product Ordering Information

Whole House Water Filtration Housings



Model Name	Cartridge Included	Segment	Tier	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP11T	Cartridge not included	Standard diameter sump style	1-High	\$147.10	4	13/5.9	5529902	70020005834
AP101T	Cartridge not included	Standard diameter sump style	1-High	\$182.32	4	13/5.9	5530002	70020002278
AP102T	Cartridge not included	Standard diameter sump style	2-High	\$250.77	2	10/4.5	5530008	70020014422
AP801	Cartridge not included	Large diameter sump style	1-High	\$156.41	2	14/6.4	5585701	70020007822
AP802	Cartridge not included	Large diameter sump style	2-High	\$203.63	2	17/7.7	5585704	70020002492
SST1HA	Cartridge not included	Standard diameter stainless steel	1-High	\$393.06	4	22/10	5592001	70020017524
SST2HB	Cartridge not included	Standard diameter stainless steel	2-High	\$681.16	2	55/24.9	5592010	70020017573
SS4 EPE-316L	Cartridge not included	Large diameter stainless steel	4 Filters	\$2,641.72	1	25/11.3	4808713	70020205673
SS8 EPE-316L	Cartridge not included	Large diameter stainless steel	8 Filters	\$2,858.09	1	30/13.6	4808714	70020204775
SS12 EPE-316L	Cartridge not included	Large diameter stainless steel	12 Filters	\$3,079.49	1	35/15.9	4808715	70020205681

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product ordering information

Whole House Water Filtration Housings



Model Name	UPC	Description
AP11T	00016145001116	1-high transparent sump, blue head with pressure relief valve
AP101T	00016145010118	1-high transparent sump, blue head with valve in head
AP102T	00016145001024	2-High transparent sump, blue head, head in valve
AP801	00016145607165	Blue 1-high sump, white head, pressure relief valve, includes mounting bracket and wrench
AP802	00016145802102	Blue 2-high sump, white head, pressure relief valve, includes mounting bracket and wrench
SST1HA	00016145601248	316 SS Head, 1-High 304 SS housing, 3/8" NPT Vertical inlet connection type
SST2HB	00016145603037	316 SS Head, 2-High 304 SS housing, 1" NPT Horizontal inlet connection type
SS4 EPE-316L	00016145193248	316L SS Electropolished 1 1/2" NPT male inlet
SS8 EPE-316L	00016145192357	316L SS Electropolished 2" NPT male inlet
SS12 EPE-316L	00016145193255	316L SS Electropolished 2" NPT male inlet

Prices subject to change without notice.

Product Ordering Information

Whole House Water Filtration Drop-in Replacement Cartridges



Model Name	Replacement For	Segment	Tier	List Price*	Unit of Measure	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP124	AP100 series and stainless steel housings	Standard diameter drop-in cartridge	Level 1	\$35.48	2 pk	5	5/2.3	5620601	70020162833
AP110	AP100 series and stainless steel housings	Standard diameter drop-in cartridge	Level 2	\$36.61	2 pk	5	5/2.3	5620404	70020162759
AP1001	AP100 series and stainless steel housings	Standard diameter drop-in cartridge	Level 3	\$112.29	2 pk	6	8/3.6	5566601	70020126358
AP117	AP100 series and stainless steel housings	Specialty standard diameter drop-in cartridge	Level 1	\$79.85	2 pk	5	13/5.9	5541731	70020318526
APS117	AP100 series and stainless steel housings	Specialty standard diameter drop-in cartridge	Level 2	\$100.68	2 pk	12	28/12.7	APS11706	70020318799
AP420	AP100 series and stainless steel housings	Specialty standard diameter drop-in cartridge	Level 3	\$152.61	2 pk	6	16/7.3	5560907	70020319292
AP811	AP800 series	Large diameter drop-in cartridge	Level 1	\$45.37	ea	4	5/2.3	5618904	70020170547
AP810	AP800 series	Large diameter drop-in cartridge	Level 2	\$46.91	ea	4	5/2.3	5618902	70020164177
AP817	AP800 series	Large diameter drop-in cartridge	Level 3	\$71.42	ea	4	7/3.2	5602719	70020315159

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product Ordering Information

Whole House Water Filtration Drop-in Replacement Cartridges



Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm)	Life (Months)
AP124	00016145157424	Sediment ¹	50	5/2.3	6
AP110	00016145157349	Sediment ¹	5	5/2.3	6
AP1001	00016145123405	Sediment ¹	1	8/3.6	6
AP117	00051128891759	Sediment ¹ /CTO ¹	5	3/11.4	6
APS117	00051128890554	Sediment ¹ /CTO ¹ /Scale ¹	5	3/11.4	6
AP420	00051128888414	Sediment ¹ /Scale ¹	5	10/37.9	6
AP811	00016145165108	Sediment ¹	25	20/75.7	6
AP810	00016145158766	Sediment ¹	5	20/75.7	6
AP817	00054007979715	Sediment ¹ /CTO ¹	25	10/37.9	6

¹As tested and verified by manufacturer's laboratory.

Prices subject to change without notice.

Product Ordering Information

Whole House Water Filtration Drop-in Cartridges, 2-highs

Model Name	Used In	Segment	Category	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP124-2C	AP100 series and stainless steel housings	Standard diameter drop-in cartridge	Level 1	\$32.14	15	12/5.4	5620603	70020162858
AP110-2	AP100 series and stainless steel housings	Standard diameter drop-in cartridge	Level 2	\$32.95	15	12/5.4	5620405	70020162767
AP811-2	AP800 series	Large diameter drop-in cartridge	Level 1	\$80.18	4	11/5	5618905	70020176742
AP810-2	AP800 series	Large diameter drop-in cartridge	Level 2	\$82.22	4	11/5	5618903	70020162437
AP817-2	AP800 series	Large diameter drop-in cartridge	Level 3	\$142.23	4	25/11.3	5602721	70020315167

Whole House Water Filtration Drop-in Cartridges, Bulk Packaging

Model Name	Used In	Segment	Category	List Price*	Unit of Measure	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	3M ID
AP124-BK	AP100 series and stainless steel housings	Standard diameter drop-in cartridge	Level 1	\$15.93	ea	36	13/5.9	5620605	70020162874
AP110-BK	AP100 series and stainless steel housings	Standard diameter drop-in cartridge	Level 2	\$16.27	ea	36	13/5.9	5620406	70020162775
AP117-BK	AP100 series and stainless steel housings	Specialty standard diameter drop-in cartridge	Level 1	\$1,329.28	blk	36	38/17.2	5541733	70020318542

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product Ordering Information

Whole House Water Filtration Drop-in Cartridges, 2-highs

Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm)	Life (Months)
AP124-2C	00016145157448	Sediment ¹	50	16/60.6	6
AP110-2	00016145157356	Sediment ¹	5	16/60.6	6
AP811-2	00016145171277	Sediment ¹	25	45/170.3	6
AP810-2	00016145157028	Sediment ¹	5	45/170.3	6
AP817-2	00054007979722	Sediment ¹ /CTO ¹	25	20/75.7	6

Whole House Water Filtration Drop-in Cartridges, Bulk Packaging

Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm)	Life (Months)
AP124-BK	00016145157462	Sediment ¹	50	8/30.3	6
AP110-BK	00016145157363	Sediment ¹	5	8/30.3	6
AP117-BK	00051128891773	Sediment ¹ /CTO ¹	5	3/11.4	6

¹As tested and verified by manufacturer's laboratory.

Prices subject to change without notice.



Product Ordering Information

Water Softening and Treatment Systems

Model Name	Segment	Tier	List Price*	Media Included	Case Lot Quantity
3MWTS100	Water softening	1.0 Cu ft	\$1,906.34	H-050P	1
3MWTS150	Water softening	1.5 Cu ft	\$2,078.22	H-050P	1
3MWTS200-125	Water softening	2.0 Cu ft	\$2,941.59	H-050P	1
3MCBF150	Backwashing	1.5 Cu ft	\$1,428.85	No	1
3MCBF200	Backwashing	2.0 Cu ft	\$1,548.36	No	1
3MAPIF150	Iron reduction	1.5 Cu ft	\$1,930.02	MC-050P	1
3MAPIF200	Iron reduction	2.0 Cu ft	\$2,124.14	MC-050P	1
3MAPPM150	Iron reduction	1.5 Cu ft	\$4,993.65	MC-050P	1
3MAPPM200	Iron reduction	2.0 Cu ft	\$5,106.79	MC-050P	1



Water Treatment Media

Model Name	List Price	Description	Part Number
H-050P	\$167.04	High capacity softening resin for 3MWTS series	H-050P
C-050P	\$61.03	Calcite Media-Acid Neutralizer for 3MCBF Series	C-050P
QFS-050P	\$74.22	Sediment reduction for 3MCBF series	QFS-50P
A-050P	\$135.73	Activated carbon - reduces CTO for 3MCBF series	A-050P
ACC-050P	\$556.32	Catalytic carbon-reduces CTO and Chloramines for 3MCBF series	ACC-050P
N-050P	\$100.81	Acid neutralizer for 3MCBF series	N-050P
MC-050P	\$85.54	Iron reduction media for 3MAPIF/3MAPPM series	MC-050P
PHPLUS	\$289.22	Magnesium Oxide media for 3MAPIF/3MAPPM Series	PHPLUS
QC-18P	\$57.79	Filter gravel for 3MCBF/3MAPIF/3MAPPM series	QC-18P
QC-25P	\$57.92	Filter gravel for 3MCBF/3MAPIF/3MAPPM series	QC-25P

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit. Prices subject to change without notice.



Product Ordering Information

Water Softening and Treatment Systems

Model Name	Case Weight (lbs/kg)	Part Number	3M ID	UPC	Flow Rate (gpm/lpm)
3MWTS100	90/40.8	3MWTS100-01	70020233386	00016145231841	7.93/29.9
3MWTS150	119/54.0	3MWTS150-01	70020233394	00016145231858	11.1/42.0
3MWTS200-125	113/51.3	3MWTS200-125-01	70020333566	00051128899878	10.9/41.3
3MCBF150	45/20.4	3MCBF150-01	70020241827	00016145231919	7/26.5
3MCBF200	53/23.9	3MCBF200-01	70020241835	00016145231926	9/34.1
3MAPIF150	186/84.4	APIF150DM	70020303585	00054007971405	7/26.5
3MAPIF200	243/110.2	APIF200DM	70020303627	00054007971443	9/34.1
3MAPPM150	229/91.2	3MAPPM150-01	70020233444	00016145231889	7/26.5
3MAPPM200	257/116.6	3MAPPM200-01	70020233451	00016145231896	9/34.1



Water Treatment Media

Model Name	3M ID	Quantity (Cu ft)	Unit of Measure	Package
H-050P	70020095439	0.5	1	Pail
C-050P	70020092758	0.5	1	Pail
QFS-50P	70020055029	0.5	1	Pail
A-050P	70020092139	0.5	1	Pail
ACC-050P	70020047265	0.5	1	Pail
N-050P	70020097955	0.5	1	Pail
MC-050P	70020097054	0.5	1	Pail
PHPLUS	70020100411	N/A	6	4 lb. Bottles
QC-18P	70020100841	0.5	1	Pail
QC-25P	70020100866	0.5	1	Pail

Prices subject to change without notice.

Product Ordering Information

Scale Inhibition System



Model Name	Description	List Price*	Case Lot Quantity	Case Weight (lbs/kg)	Part Number	Case Weight (lbs/kg)	Part Number	3M ID
AP430SS	Scale inhibition system	\$120.21	6	14/6.4	AP43011	12/5.4	5620603	70020319268
AP431	Scale inhibition replacement cartridge	\$49.38	10	11/5	AP43111	12/5.4	5620405	70020319276

Replacement Parts



Model Name	List Price*	Application	Description
25-63131	\$97.23	Under Sink Filtration	Transformer for 3MRO501
52-35138	\$172.85	Under Sink Filtration	1.9 Gallon RO Tank - can be used with all 3 RO's
50-1265	\$12.60	Under Sink Filtration	Sanitizing Plug for 3MRO401/501
60-125201	\$165.57	Under Sink Filtration	Electronic Valve for 3MRO501
47-234825	\$33.42	Under Sink Filtration	SQC Sanitizing Service Cartridge
6875601	\$81.31	Under Sink Filtration	Head Bracket for AP200
3685135	\$6.40	Under Sink Filtration	Gasket for AP200
89-1331202	\$365.37	Under Sink Filtration	RO Pump For 3MRO401 and 3MRO501
89-521106	\$467.51	Under Sink Filtration	Pump 3MRO501/SQC Pro
50-94101	\$165.57	Under Sink Filtration	Adapter kit for 3MRO501
6843432C	\$11.59	Whole House Filtration	Wrench - AP100 Series Housings
63597174C	\$6.92	Whole House Filtration	O-ring - AP100 Series Housings
6981502	\$126.41	Whole House Filtration	Head Assy (AP101/AP102)
6981131C	\$73.83	Whole House Filtration	Housing (1-high opaque)
6493201C	\$106.21	Whole House Filtration	Housing (2-high opaque) w/post
6890033	\$13.75	Whole House Filtration	AP800 Series Wrench
6889832	\$4.47	Whole House Filtration	Gasket - AP800 Series Housings
AP-MB801	\$40.16	Whole House Filtration	Mounting bracket kit for the AP800 series housings
APSLTANK	\$305.07	Water Treatment	15 gallon solution tank required for use with metering pump
APMP100	\$1,036.43	Water Treatment	115 volt/60Hz Metering Pump
V3108	\$220.89	Water Treatment	5 button clack replacement control board for water softening systems
CWSPK-1	\$1,123.04	Water Treatment	Maintenance kit for 1" backwashing and softening system platform
V3818TC	\$149.50	Water Treatment	3 button clack replacement control board for backwashing systems
V3007-02	\$44.01	Water Treatment	Brass sweat assembly 1", adapter kit
FS1	\$509.08	Water Treatment	Flow switch to activate the air compressor on 3MAPPM150
HC10	\$174.49	Water Treatment	Hydrocharger for 3MAPIF150
HC10-10	\$22.77	Water Treatment	Duckbill for hydrocharger unit

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product Ordering Information

Scale Inhibition System



Model Name	UPC	Reduction Claims	Micron Rating (um)	Flow Rate (gpm/lpm)	Filter Capacity (gal/lit)	Life (Months)
AP430SS	00016145004308	Scale ¹	N/A	10/37.9	N/A	6
AP431	00016145004308	Scale ¹	N/A	10/37.9	N/A	6

Replacement Parts



Model Name	Case Lot Quantity	Part Number	3M ID
25-63131	1	25-63131	70020024165
52-35138	1	52-35138	70020042951
50-1265	1	25-63131	70020024165
60-125201	1	60-125201	N/A
47-234825	12	47-234825	70020322916
6875601	1	6875601	70020008028
3685135	1	3685135	70020014190
89-1331202	1	89-1331202	70020030642
89-521106	1	89-521106	70020144591
50-94101	1	50-94101	70020335744
6843432C	1	6843432C	70020028430
63597174C	1	63597174C	70020008242
6981502	1	6981502	70020022318
6981131C	1	6981131C	70020028505
6493201C	24	6493201C	70020043124
6890033	1	6890033	70020021930
6889832	1	6889832	70020021906
AP-MB801	1	6890131	70020021948
APSLTANK	8	APSLTANK	70020047364
APMP100	1	APMP100	70020041391
V3108	1	V3108	70020024165
CWSPK-1	1	CWSPK-1	70020189786
V3818TC	1	V3818TC	70020286012
V3007-02	1	V3007-02	70020120872
FS1	1	FS1	70020050830
HC10	1	HC10	70020050970
HC10-10	1	HC10-10	70020163435

¹As tested and verified by manufacturer's laboratory.

Prices subject to change without notice.

Product Ordering Information

Replacement Parts



Model Name	List Price*	Application	Description
H4615	\$1.37	Water Treatment	Locking Elbow Clip
JCP-P-6	\$0.76	Water Treatment	3/8" Poly Insert
V3003	\$196.49	Water Treatment	Meter Assembly
V3005	\$116.47	Water Treatment	Spacer Stack Assembly
V3006	\$107.06	Water Treatment	1" Bypass Assembly
V3011	\$32.80	Water Treatment	Piston Assembly
V3107-01	\$40.87	Water Treatment	Drive Motor
V3158-01	\$11.37	Water Treatment	3/4" Male Drain Elbow
V3162-017	\$5.82	Water Treatment	Drain Line Flow Control Button 1.7 gpm
V3162-053	\$6.10	Water Treatment	Drain Line Flow Control Button 5.3 gpm
V3162-075	\$6.10	Water Treatment	Drain Line Flow Control Button 7.5 gpm
V3174	\$22.80	Water Treatment	Regeneration Piston
V3182	\$2.97	Water Treatment	0.5 gpm Brine Flow Control Button
V3186	\$46.70	Water Treatment	AC Adapter
V3192	\$3.41	Water Treatment	3/4" Drain Line Elbow Nut
V3193-01	\$38.19	Water Treatment	Wrench

*All list prices are for a single unit (unit of measure = each) unless noted with a unit of measure column indicating a different unit.

Prices subject to change without notice.

Product Ordering Information

Replacement Parts



Model Name	Case Lot Quantity	Part Number	3M ID
H4615	1	H4615	70020190826
JCP-P-6	1	JCP-P-6	70020220987
V3003	1	V3003	70020249242
V3005	1	V3005	70020225507
V3006	1	V3006	70020120856
V3011	1	V3011	70020177526
V3107-01	1	V3107-01	70020177534
V3158-01	1	V3158-01	70020225549
V3162-017	1	V3162-017	70020225564
V3162-053	1	V3162-053	70020182997
V3162-075	1	V3162-075	70020296672
V3174	1	V3174	70020225580
V3182	1	V3182	70020190925
V3186	1	V3186	70020225614
V3192	1	V3192	70020120906
V3193-01	1	V3193-01	70020120914

How to Order Products in this Catalog

Authorized 3M Purification (PI) Distributors may place orders directly through 3M PI customer service team by calling 1-800-222-7880. Authorized 3M PI Distributor Terms and Condition as referenced in the Authorized 3M PI Distributor agreement apply.

Product Use:

Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer:

Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability:

Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



**Attracting customers is easy when
3 out of 4 households
know and trust your brand***

Let the familiarity of the 3M Brand and the expertise of 3M Purification do the work for you.



3M Purification Inc.
400 Research Parkway
Meriden, CT 06450 USA

Phone 1-800-222-7880
1-203-237-5541
Fax 1-203-238-8701
Web 3mpurification.com

*2013 3M Corporate Brand Study

Please recycle. Printed in U.S.A.

3M and Aqua-Pure are trademarks of 3M Company.

All other trademarks are the property of their respective owners.

© 2015 3M Company. All rights reserved.

70020338045 REV 1215