

Sure-Stick

Safety Data Sheet (SDS)

Created on: 30 December 2014
Revised on: 30 December 2014

SECTION 1: Identification

(1a) Product identifier (trade name):

Product Name : Sure-Stick Spray Adhesive

(1b) Other means of identification:

Generic Name or Description : Multipurpose adhesive

(1c) Recommended use and restrictions on use:

FOR INDUSTRIAL/INSITUATIONAL USE ONLY. NOT INTENDED FOR CONSUMER USE.
Please read label for appropriate directions for use.

(1d) Name, address, and telephone number of the responsible party:

Company : DiversiTech
Address : 6650 Sugarloaf Parkway
Duluth, GA 30097
Toll-Free : +1.800.995.2222
Website : <http://www.diversitech.com/>

(1e) Emergency phone number:

CHEM-TEL : +1.800.255.3924

SECTION 2: Hazard Identification

(2a) Classification of the product:

Physical Hazards : Flammable Aerosol, category 1
Gas Under Pressure, dissolved
Health Hazards : Aspiration Hazard, category 1
Germ Cell Mutagenicity, category 2
Eye Irritation, category 2A
Skin Irritation, category 2
Specific Target Organ Toxicity - Single Exposure, category 3
Other Hazards :

(2b) Labeling elements:

Hazard Pictograms :



Signal Word :

DANGER

Hazard Statement(s) :

Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.
May be fatal if swallowed and enters airways.
Suspected of causing genetic defects.
Causes serious eye irritation.
Causes skin irritation.
May cause drowsiness or dizziness.

Precautionary Statement(s)

Prevention :

Do not handle until all safety precautions have been read and understood.
Obtain special instructions before use.
Wear protective gloves.
Wash hands thoroughly after handling.
Avoid breathing spray.
Use only outdoors or in a well-ventilated area.
Keep away from heat, open flames, and hot surfaces.-No smoking.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.

Response :

KEEP OUT OF REACH OF CHILDREN
If exposed or concerned: Get medical advice.
IF SWALLOWED: Immediately call a POISON CONTROL CENTER.
Do **NOT** induce vomiting.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.
 If eye irritation persists: Get medical advice.
 IF ON SKIN: Wash with plenty of water.
 Specific treatment in FIRST AID section on label.
 If skin irritation occurs: Get medical advice.
 Take off contaminated clothing and wash it before reuse.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 Call a doctor if you feel unwell.

Storage : Protect from sunlight.
 Do not expose to temperatures exceeding 122°F (50°C).
 Store in a well-ventilated place.
 Store locked up.

Disposal : Dispose of container to recyclables when completely emptied.

***Note: Labeling elements found on the SDS may be different from actual hazards listed on product label. Safety Data Sheets are regulated by OSHA (29 CFR, 1910.1200 (Hazard Communication)) while the actual product and product label may be regulated by a different government entity. Please contact the responsible party (as listed in Section 1) if you have any questions.**

(2c) Hazards not otherwise classified:


No other hazards are associated with this product or mixture

(2d) Unknown acute toxicity components:

No unknown acute toxicity components are associated with this product or mixture.

(2e) NFPA & HMIS Ratings:

NFPA
 (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme (Scale 0-4))



HEALTH: 3
 FLAMMABILITY: 4
 REACTIVITY: 0

HMIS® III
 (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme (Scale 0-4))

| | |
|------------------------|------------|
| HEALTH | * 3 |
| FIRE | 4 |
| PHSYICAL HAZARD | 2 |

SECTION 3: Composition and Information on Ingredients

(3a) Classification of the product:

| Chemical Name: | Identifier (CAS No.): | Concentration: | Specific Hazards: |
|--------------------------|-----------------------|----------------|-------------------|
| Hexane | 110-54-3 | 3-7% | |
| Acetone | 67-64-1 | 10-30% | |
| Cyclohexane | 110-82-7 | 10-30% | |
| Propane & n-Butane blend | 68476-86-8 | 15-40% | |

(3b) Trade Secret Claims and Notes:

Trade Secret Claim : When applicable, the specific concentration of each hazardous ingredient is considered a TRADE SECRET. Chemical names and identifiers are released to ensure that each user has entitlements of “right to know” and concentration ranges are selected to ensure that the appropriate hazard classification applies to the mixture. Ingredients not subject to Trade Secret claims are listed at an exact concentration. For more information please contact the responsible party as listed in Section 1.

Notes : This product may contain other ingredients that are not required to be disclosed on the label or safety data sheet. Any ingredient that is not listed on either the SDS or label is not considered hazardous and poses no risk to the user.

SECTION 4: First Aid Measures

(4a) Necessary measures if exposed:

| | | |
|----------------------------|---|---|
| GENERAL INFORMATION | : | Have SDS or product label if medical advice is needed. Seek a medical professional or doctor if you feel unwell or if any irritation persists. Specific hazard information can be found in Section 2 of this SDS. |
| IF ON SKIN (or hair) | : | Wash with soap and water. Take off any contaminated clothing and launder before reuse. |
| IF IN EYES | : | Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for at least 10 minutes or until satisfied. |
| IF INHALED | : | Move to fresh air. Administer oxygen if breathing is difficult. If breathing has stopped give artificial respiration and seek medical attention immediately. |
| IF INGESTED (or swallowed) | : | Do not induce vomiting unless instructed to do so by a medical professional. Never give anything by mouth to an unconscious person. |

(4b) Most important exposure symptoms and effects, both acute and delayed:

| | | |
|-----------------------|---|---|
| Skin contact symptoms | : | Product may dry and crack skin. If irritation/corrosion occurs skin will turn red and will feel itchy or uncomfortable. |
| Eye contact symptoms | : | Eye sight may become blurry on contact. Redness, irritation, and tearing may also be associated with exposure. |
| Inhalation symptoms | : | Excessive inhalation may cause respiratory irritation, dizziness, drowsiness, fatigue, nausea, headache, possible unconsciousness, shortness of breath, or vertigo. |
| Ingestion symptoms | : | May cause intestinal irritation, nausea, diarrhea, or vomiting. Aspiration may be fatal in some situations. |

(4c) Indication of immediate medical attention if necessary:

Aspiration of mixture is cause for immediate medical attention.

Refer to Section 2b-Response to determine when immediate medical attention is necessary. Most immediate emergencies result from over-exposure, inhalation, or ingestion of product.

SECTION 5: Fire Fighting Measures

(5a) Extinguishing media:

| | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | Dry chemical, sand, or carbon dioxide after spray has stopped If extinguishing methods are unavailable cool the container with water if exposed to heat or flame. Remove the container from fire area if it can be done without further risk. |
| Unsuitable extinguishing media | : | None known |

(5b) Specific hazards pertaining to product:

| | | |
|-----------------------------|---|---|
| Fire Hazard | : | Product concentrate is considered flammable and will act as a fuel to fire even if Section 2 does not explicitly state that the product is flammable. |
| Explosion/Combustion Hazard | : | Contents under pressure. May explode if exposed to heat greater than 122°F or 50°C |

(5c) Special protective equipment and precautions for fire-fighters:

| | | |
|--------------------------------|---|--|
| Suggested protective equipment | : | No suggested equipment is available for recommendation |
| Precautions for fire-fighters | : | Contents may be heavier than air if released. Containers may explode and rapidly release pressure resulting in the potential for additional hazards. |

SECTION 6: Accidental Release Measures

(6a) Personal precautions, protective equipment, and emergency procedures:

| | | |
|----------------------------------|---|--|
| If released or spilled | : | Remove or eliminate all sources of ignition. Establish ventilation to keep atmospheric concentrations below limits. Avoid breathing vapors. Wear protective equipment. Remove and keep all unprotected persons away from area. |
| Recommended protective equipment | : | See section 8 for appropriate personal protection gear for safe handling in case of accidental release or spillage. |

(6b) Methods and materials for containment and clean up:

| | | |
|-----------------------|---|--|
| Neutralizing chemical | : | Absorb into clay-like absorbent material |
| Waste disposal method | : | Do not release into sewage or waterways. Contact a professional waste removal company to dispose of chemical in accordance with state, local, and federal regulations. |

SECTION 7: Handling and Storage

(7a) Precautions for safe handling:

Wear protective equipment. Follow specific instructions found on label and in Section 2 of this SDS. Proper protective equipment information can be found in Section 8 of this SDS.

(7b) Conditions for safe storage:

Storage conditions : Store locked up in a well-ventilated area. Protect container from sunlight. **Never** store in a vehicle. Do not expose to temperatures above 122°F or 50°C. Keep away from heat and other sources of ignition. Keep away from oxidizing agents and watery environments. Store upright without excessive load on top.

Specific hazards for storage : Contents are under pressure; may explode if heated.

SECTION 8: Exposure Controls & Personal Protection




(8a) Exposure Limits:

| Chemical Name: | Identifier (CAS No.): | PEL: | ACGIH: | NIOSH: |
|----------------|-----------------------|----------|---------|---------|
| Hexane | 110-54-3 | 500 ppm | 50 ppm | 50 ppm |
| Acetone | 67-64-1 | 1000 ppm | 500 ppm | 250 ppm |
| Cyclohexane | 110-82-7 | 300 ppm | 100 ppm | 300 ppm |

(8b) Appropriate engineering controls:

Good mechanical ventilation may be adequate for maintain airborne concentrations below established exposure limits for large uncontrolled releases. If exposure limits are exceeded and inhaled: use a NOISH approved respirator.

(8c) Individual protection measures and personal protective equipment:

| | | |
|-----------------|---|---|
| Skin protection | :  | Handle material with gloves and protective clothing. Inspect gloves prior to use. Use proper glove removal techniques so that no skin comes into contact with the outside of the glove. Gloves must be chemically resistant (such as rubber). |
| Eye protection | :  | Use NIOSH/OSHA or EN 166 approved eye protection |
| General Hygiene | :  | Practice good industrial hygiene. Wash hands before breaks and at the end of the workday. Keep product away from foodstuffs, beverages, and feed. Wash and launder all contaminated clothing before reuse. |

SECTION 9: Physical and Chemical Properties

(9a) General characteristics:

| | |
|---------------------------------|--|
| Appearance | : Yellow semi-solid web spray |
| Odor | : Hexane-like |
| Odor threshold | : No data are available or specific property is not applicable to product. |
| pH | : No data are available or specific property is not applicable to product. |
| Melting point/freezing point | : No data are available or specific property is not applicable to product. |
| Initial boiling point and range | : No data are available or specific property is not applicable to product. |
| Flash point | : No data are available or specific property is not applicable to product. |
| Evaporation rate | : No data are available or specific property is not applicable to product. |
| Flammability | : Flammable liquid and gas |
| Flame extension distance | : >15 cm |
| Upper/lower explosive limits | : No data are available or specific property is not applicable to product. |
| Vapor pressure | : No data are available or specific property is not applicable to product. |
| Vapor density | : No data are available or specific property is not applicable to product. |
| Relative density | : No data are available or specific property is not applicable to product. |
| Solubility | : No soluble in water |

| | | |
|---------------------------|---|--|
| Partition coefficient | : | No data are available or specific property is not applicable to product. |
| Auto-ignition temperature | : | No data are available or specific property is not applicable to product. |
| Decomposition temperature | : | No data are available or specific property is not applicable to product. |
| Viscosity | : | No data are available or specific property is not applicable to product. |

(9b) Other information:

VOC percentage / g/L : <53.5% / 388 g/L

SECTION 10: Stability and Reactivity

(10a) Reactivity:

Not determined or not applicable.

(10b) Chemical stability:

Stable under normal conditions.

(10c) Possibly of hazardous reactions:

Can not occur.

(10d) Conditions to avoid:

Heat, sparks, open flames, ignition sources, sunlight, and watery or moist environments.

(10e) Incompatible materials:

Strong oxidizing agents.

(10f) Hazardous decomposition:

Not determined or not applicable.

SECTION 11: Toxicological Information

(11a) Likely routes of exposure:

Toxicological exposure may occur via inhalation, ingestion, oral contact, and dermal contact based on the area exposed during use. Symptoms are more likely to increase the longer the exposure to the chemical.

(11b) Symptoms related to the physical, chemical, and toxicological characteristics:

| | | |
|-----------------------------|---|---|
| Hexane (CAS: 110-54-3) | : | Eye and throat irritation; Central nervous system depression, slight nausea, headache; Narcosis. |
| Acetone (CAS: 67-64-1) | : | Headache, dizziness, light-headedness, weakness, incoordination, sleepiness; Eye, skin, and respiratory irritation. |
| Cyclohexane (CAS: 110-82-7) | : | Mild throat and eye irritation; |

(11c) Delayed, chronic, and immediate effects of short- and long-term exposure:

Not determined or not applicable.

(11d) Numerical measures of toxicity:

| | | |
|-----------------------------|---|--|
| Hexane (CAS: 110-54-3) | : | LD50 Oral - Rat : 25,000 mg/kg |
| Acetone (CAS: 67-64-1) | : | LD50 Oral - Rat : 5,800 mg/kg LC50 Inhalation - Rat : 50,100 mg/m ³ 8h LD50 Dermal - Guinea pig : 7,426 mg/kg |
| Cyclohexane (CAS: 110-82-7) | : | LD50 Oral - Rat : 12,705 mg/kg LC50 Inhalation - Rat : 34,000 mg/L 4h LD50 Dermal - Rabbit : >2,000 mg/kg |

(11e) Hazardous chemicals listings:

| | | |
|---|---|---------------------------|
| National Toxicology Program Report | : | No ingredients are listed |
| International Agency for Research on Cancer | : | No ingredients are listed |

SECTION 12: Ecological Information

(12a) Ecotoxicity:

Product is not considered an environmental hazard. Avoid release of mixture in sewage or waterways.

| | | |
|-----------------------------|---|--|
| Hexane (CAS: 110-54-3) | : | LC50 - Fathead minnow : 2.5 mg/L 96h EC50 - Water flea : 3,878 mg/L 48h |
| Acetone (CAS: 67-64-1) | : | LC50 - Rainbow trout : 5,540 mg/L 96h |
| Cyclohexane (CAS: 110-82-7) | : | LC50 - Fathead minnow : 4.53 mg/L 96h EC50 - Water flea : 3.78 mg/L 48h |

(12b) Persistence and degradability:

Not determined or not applicable.

(12c) Bioaccumulative potential:

Not determined or not applicable.

(12d) Mobility in soil:

Not determined or not applicable.

(12e) Other adverse effects:

Not determined or not applicable.

SECTION 13: Disposal Considerations**(13a) Precautions for proper disposal:**

Container may be recycled. Before recycling: ensure container is completely emptied by pressing, and holding, the nozzle button until all the contents of the container are released. Continue to hold button down until any remaining gas has escaped the container. Never open an aerosol container. Contact your local waste removal company before recycling to ensure compliance with local regulations.

(13b) Other information:

Consult with a licensed waste removal company for proper disposal considerations. Dispose of product in accordance to local, state, and federal regulations.

SECTION 14: Transport Information**(14a) United Nations shipping information:**

UN shipping number : 1950
 UN proper shipping name : Aerosol
 IMO Packaging Group : 3

(14b) United States Department of Transportation information:

Transport hazard class : 2.1
 D.O.T. shipping name : Flammable Gas
 D.O.T. classification : ORM-D (Until 2020) or Limited Quantity
 Flammability group : Level 3 Aerosol
 Shipping placards :

**(14c) Other information:**

Environmental hazards : Is not hazardous to aquatic environments
 International bulk chemical code : Not determined
 Special precautions : Ship container upright without excessive load on top

SECTION 15: Regulatory Information**(15a) United States federal regulations:**

SARA 302 components : No ingredients are subject to reporting
 SARA 313 components : Hexane (CAS: 110-54-3)
 Cyclohexane (CAS: 110-82-7)

(15b) Specific state regulations:

Massachusetts Right to Know : Hexane (CAS: 110-54-3)
 Acetone (CAS: 67-64-1)
 Cyclohexane (CAS: 110-82-7)
 New Jersey Right to Know : Hexane (CAS: 110-54-3)
 Acetone (CAS: 67-64-1)
 Cyclohexane (CAS: 110-82-7)
 Pennsylvania Right to Know : Hexane (CAS: 110-54-3)
 Acetone (CAS: 67-64-1)
 Cyclohexane (CAS: 110-82-7)
 California Prop 65 components : This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.
 California ARB classification : Aerosol Adhesive, Web Spray Adhesive

(15c) Regulating government agencies:

| | | |
|---------------------------|---|--|
| Safety Data Sheet | : | OSHA, 29 CFR 1910.1200 of the United States Code. |
| Product and Product Label | : | OSHA, 29 CFR 1910.1200 of the United States Code. |
| Note | : | The product label and its wording and symbols may differ from the hazard categories, statements, and wording that are presented in this SDS. This might occur if the product is not subject to OSHA labeling requirements or if the product is regulated by a different government agency (such as the Consumer Product Safety Commission, Food and Drug Administration, or the Environmental Protection Agency). The label may also indicate additional hazards or precautions that are not listed on this safety data sheet—this is done at the discretion of the responsible party and only serves to ensure that the user's safety is prioritized above government regulation. |

SECTION 16: Other Information

(16a) Statement of warranty:

This SDS was completed using the most up-to-date information available at the time of its completion using a variety of credited information sources and scientific databases on chemical hazards—however; no representation, warranty, or guarantee is made to the SDS's accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself/herself as to the suitability and completeness of such information for his or her particular use. We do not accept any liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement. The SDS does not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship: explicit or implied. The product associated with this SDS has undergone limited testing and all hazards, besides flammability testing, are assumed from the individual ingredients in the mixture, diluted for potency. For a list of hazardous ingredients please refer to Section 3 of this SDS. It is the SDS's objective to provide as much information on the mixture as possible so that users can become more educated to the specific hazards associated with the product's use; however, this does not imply that the SDS is finalized as to its hazard classifications—as such, it is imperative that users ensure that this SDS is updated when a new version becomes available. For more information please contact the responsible party which can be found in Section 1 of this SDS.

(16b) Date of preparation and revision:

Please refer to the top right corner of the first page of this SDS for appropriate creation and revision dates. It is the user's responsibility to ensure that the SDS kept on file is the most up-to-date version of the SDS.