

WATER CHANGES THE WAY

WE SEE THE WORLD.



MOEN





If the average human body is made up of 70 percent water, then experiences with water are like becoming whole. Moen® believes that water designs our life, and that's why we design for water. With every product we create, we empower audiences to look at water, and thus the world, differently. Through the thoughtful convergence of smart technology, beautiful style and inspiring experience, Moen allows water to become seamlessly integrated within our lives.

Because the world is shaped by water, so are we.

Contents



Weymouth Pulldown Featured in Lifeshine® Polished Nickel **NEW**

INNOVATION AND STYLE

- 6 Flo by Moen™ **NEW**
- 8 U by Moen™ Shower
- 10 MotionSense Wave™
- 12 Doux™ in Matte Black **NEW**
- 14 Voss™ in Brushed Gold

KITCHEN AND BAR

- 18 MotionSense™
- 19 MotionSense Wave
- 20 Waterhill®
- 22 90°™
- 24 Nio™ **NEW**
- 26 STō®
- 28 Weymouth®
- 30 Etch®
- 32 Paterson™ **NEW**
- 34 Aberdeen™
- 35 Woodmere®
- 36 Tilt™
- 37 Voss
- 38 Notch®
- 40 Align®
- 42 Brantford®
- 44 Genta™
- 46 Arbor®
- 48 Camerist®
- 50 Sleek™
- 51 Method™
- 52 Belfield™
- 53 Integra®
- 54 Chateau®
- 56 Torrance™
- 57 Banbury®
- 58 Pot Fillers
- 59 Sip™ Beverage Faucets
- 60 Soap Dispensers

KITCHEN SINKS

- 64 Granite **NEW**
- 66 1600™ Professional Series
- 67 1800™ Series
- 70 2000™ Series
- 72 2200™ Series
- 73 Sink Accessories

DISPOSALS

- 74 GX Series
- 75 GT Series **NEW**
- 75 GX Pro Series

BATH FAUCETS AND ACCESSORIES

- 78 Weymouth
- 82 Arris®
- 86 Waterhill
- 90 90°
- 94 Doux™ **NEW**
- 98 Via®
- 102 Rothbury®
- 106 Icon™
- 110 Wynford®
- 114 Align
- 118 Voss
- 122 Belfield
- 126 Kingsley®
- 130 Rizon®
- 132 Dartmoor™
- 136 Glyde™
- 138 Vichy™
- 140 Brantford
- 144 Eva®
- 148 Method™
- 152 Gibson
- 154 Genta
- 156 Chateau

CUSTOM SHOWERING


- 164 Digital Showering
- 167 U by Moen™ Shower
- 168 Shower Spa
- 176 Annex™
- 176 Tub Fillers
- 178 Rainshowers
- 180 Showerheads
- 181 Handshowers
- 182 Handheld Showers
- 183 Handshower Accessories
- 183 Body Sprays
- 184 Tub Spouts and Drains

BATH ACCESSORIES AND SAFETY

- 186 Iso™ Bath Accessories
- 188 Triva™ Bath Accessories **NEW**
- 189 Preston™ Bath Accessories®
- 190 Retreat® Bath Accessories
- 191 Kyvos™ Bath Accessories
- 192 Sage® Bath Accessories
- 194 Shower Rods & Bath Safety

REFERENCE

- 198 Premium Kitchen Finishes
- 200 Kitchen Finishes
- 202 Premium Kitchen and Bar/Prep Platforms
- 202 Sinks Series Options
- 203 Kitchen and Bar/Prep Platforms
- 204 Premium Bath and Shower Finishes
- 205 Bath and Shower Finishes
- 206 Premium Bath and Shower Platforms
- 207 Bath and Shower Platforms
- 208 Bath-Matching Accessories Finishes
- 209 Coordinating Accessories Finishes
- 210 Premium Bath-Matching Accessories
- 210 Coordinating Accessories
- 211 Bath-Matching Accessories
- 212 Valve Choices
- 214 Valve Flow Rate Chart





Secure your home and conserve your water, from anywhere.

Introducing Flo by Moen™, the smart, whole-home water security system.

Whole-Home Water Security

Flo by Moen monitors your entire water system for big leaks, micro-leaks and even invisible leaks behind your walls.

Proactive Protection

Daily health tests help keep your home leak-free and alert you when there's an issue.

Water Shutoff

Remote water shutoff from your phone and automatic water shutoff for protection even when you're offline.

Microleak™ Technology

Advanced sensors detect leaks as small as one drop of water per minute.

Support

On-call experts to help you identify and troubleshoot detected leaks.

Savings

Save water and money while protecting your home and possessions from water damage.

Contact your Moen sales representative or visit moen.com/flo for additional information.

Compatible with:



(All Available Q2)



The power of water is in your hands — and in your voice.

U by Moen™ is the digital showering experience that forever transformed showering with the power of personalization. With three ways to control your smart shower — voice, phone and controller — this is water your way. Time your shower to create room in your schedule. Start and pause to control water use. Control the temperature to create the perfect shower before you even step in.

Download U by Moen app:



Compatible with:



(Available Q1)

(Available Q2)








Water on your wavelength.


Start the flow of water with just the wave of a hand. Even during the messiest and busiest moments in the kitchen, you're still in control with MotionSense Wave™. Stay on the move, and your water will move when you want it to.



Bold design takes water to new depths.

Dive deep into a dramatic finish that takes your room to new depths. Doux™ in matte black translates to any style by adding an alluring modern element that creates a striking focal point full of grace and luxury. This full premium bath suite redefines modern in the language of great design.







Water's moment in the sun.

By combining bright innovations with gilded hues, Moen® brushed gold brings water into its golden era. We've thoughtfully leveraged the opinions of designers, architects and consumers to create a sophisticated finish that complements any style. Discover the products available in Moen brushed gold and bring stunning sophistication to any environment. From kitchen to bath, every experience with water should be brilliant.

Kitchen and Bar



Paterson™ Featured in Chrome Finish




MotionSense™





FAUCETS



STō®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 S72308E  



Align®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 7565E  



Brantford®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 7185E  



Arbor®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 7594E  

FINISH OPTIONS



Chrome **(C)**, Spot Resist® Stainless **(SRS)**,
 Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
 chart on pages 198-202.

Not all platforms available in all finishes.

KITCHEN FAUCETS WITH

***motion*sense®**

PRODUCT INNOVATIONS:

MotionSense® | Spot Resist® | Power Clean® | Reflex®

-  ADA-Compliant
-  Power Clean



FAUCETS



Align®
One-Handle Pulldown Kitchen
Faucet with MotionSense Wave
5923EW ●○



Sleek™
One-Handle Pulldown Kitchen
Faucet with MotionSense Wave
7864EW ●○



Arbor®
One-Handle Pulldown Kitchen
Faucet with MotionSense Wave
7594EW ●○



NEW

Brantford®
One-Handle Pulldown Kitchen
Faucet with MotionSense Wave
7185EW ●○

FINISH OPTIONS



Chrome (C), Matte Black (BL),
Spot Resist® Stainless (SRS),
Oil Rubbed Bronze (ORB)

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 198-202.

KITCHEN FAUCETS WITH

***motion*sense**
WAVE

PRODUCT INNOVATIONS:

MotionSense Wave® | Spot Resist® | Power Clean® | Reflex®

- ADA-Compliant
- Power Clean



FAUCETS



Two-Handle Kitchen Faucet
S713



One-Handle Kitchen Faucet
S711
Not available in Wrought Iron



Two-Handle Kitchen Faucet
S712
Not available in Wrought Iron

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB9818



Towel Ring
YB9886




Drawer Knob
YB9805



Drawer Pull
YB9807



Traditional Soap Dispenser
S3945



Bottom Grid
GA780B
29" x 16"



Sip[®] One-Handle Beverage Faucet
S5510 



Traditional Pot Filler
S664 



Single bowl
G18180
31" x 18" x 8½"

FINISH OPTIONS



Chrome **(C)**, Matte Black **(BL)**,
Spot Resist[™] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 198-202.

PRODUCT INNOVATIONS:

Spot Resist[™]

 ADA-Compliant

90°™



FAUCETS



One-Handle Pullout Kitchen Faucet
S7597



One-Handle Bar Faucet
S5170

MATCHING AND
COORDINATING ACCESSORIES



18" Towel Bar
YB8818



Hand Towel Bar
YB8886



Drawer Knob
YB8805



Drawer Pull
YB8807



Modern Soap Dispenser
S3947



Sip™ One-Handle Beverage Faucet
S5530 ♻️



Modern Pot Filler
S665 ♻️



Bottom Grid
GSA403
25⁷/₈" x 13³/₈"



Single bowl
GS18110
30¹/₂" x 18¹/₄" x 10"

FINISH OPTIONS



Chrome, Spot Resist™ Stainless (SRS)

To view ordering instructions, see reference chart on pages 198-202.

PRODUCT INNOVATIONS:

Spot Resist™

♻️ ADA-Compliant



FAUCETS



One-Handle Pulldown Kitchen Faucet
S75005 ♻️



One-Handle Bar Faucet
S55005 ♻️

COORDINATING ACCESSORIES



18" Towel Bar
YB8818



Drawer Knob
YB8805



Modern Soap Dispenser
S3947



Sip One-Handle Beverage Faucet
S5530 ♻️



Modern Pot Filler
S665 ♻️



Single Bowl
G18180
31" x 18" x 8½"



Bottom Grid
GA780B
29" x 16"

FINISH OPTIONS



Chrome **[C]**, Matte Black **[BL]**,
Spot Resist[®] Stainless **[SRS]**

To view ordering instructions, see
reference chart on pages 198-202.

Secondary two-tone handle option
included:



-Chrome faucet: Chrome and Chrome/
Matte Black handle options

-Spot Resist Stainless faucet: Spot
Resist Stainless and Spot Resist
Stainless/Matte Black handle options

-Matte Black faucet: Matte Black and
Matte Black/Brushed Gold handle
options

PRODUCT INNOVATIONS:

Spot Resist[®] | Power Clean[™] | Reflex[™]

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense™
S72308E 🌱 🌱



One-Handle Pulldown Bar Faucet
S62308 🌱 🌱



One-Handle Pulldown Kitchen Faucet
S72308 🌱 🌱

COORDINATING ACCESSORIES



Modern Soap Dispenser
S3947



Sip™ One-Handle Beverage Faucet
S5530 🌱



Modern Pot Filler
S665 



Bottom Grid
GA760
30" x 18"



Single bowl
G16100
32" x 20" x 10"

FINISH OPTIONS






Chrome **(C)**, Matte Black **(BL)**,
Spot Resist[™] Stainless **(SRS)**,
Lifeshine[™] Brushed Gold **(BG)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 198-202.

PRODUCT INNOVATIONS:

MotionSense[™] | Spot Resist[™] | Power Boost[™]
Power Clean[™] | Reflex[™]

-  ADA-Compliant
-  Power Boost
-  Power Clean

SELECT FAUCETS
WITH NEW

POWERBOOST[™]

COMING Q3 2019



FAUCETS



One-Handle Kitchen Faucet
S72101



NEW

One-Handle Pulldown Kitchen Faucet
S73004



One-Handle Bar Faucet
S62101



NEW

One-Handle Pulldown Bar Faucet
S53004

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB8418



Towel Ring
YB8486



Drawer Knob
YB8405



Drawer Pull
YB8407



Traditional Soap Dispenser
S3945



Bottom Grid
GA726
14" x 16"



Sip™ One-Handle Beverage Faucet
S5510 



Double Bowl
G18252
32½" x 18⅛" x 9"



Traditional Pot Filler
S664 

FINISH OPTIONS






Chrome, Spot Resist™ Stainless (**SRS**), Lifeshine™ Polished Nickel (**NL**), Oil Rubbed Bronze (**ORB**), Lifeshine™ Brushed Gold (**BG**)

To view ordering instructions, see reference chart on pages 198-202.

PRODUCT INNOVATIONS:

Spot Resist™ | Power Boost™ | Power Clean™ | Reflex™

-  ADA-Compliant
-  Power Boost
-  Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet
S72608



One-Handle Pulldown Bar Faucet
S62608

COORDINATING ACCESSORIES



18" Towel Bar
DN8318



Sip One-Handle Beverage Faucet
S5520



Towel Ring
DN8386



**Apron Front Double
Equal Bowl**
G18220
30" x 21" x 9"



Bottom Grid
GA772
13³/₅" x 16³/₅"

FINISH OPTIONS



Chrome, Spot Resist[™] Stainless (SRS)

To view ordering instructions, see reference chart on pages 198-202.

PRODUCT INNOVATIONS:
Spot Resist[™] | Power Clean[™] | Reflex[™]

- ADA-Compliant
- Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet
S72003



One-Handle Pulldown Bar Faucet
S52003

COORDINATING ACCESSORIES



Traditional Soap Dispenser
S3945



Bottom Grid
GA772
13³/₅" x 16³/₅"



**Apron Front
Double Bowl**
G18220
30" x 21" x 9"



FINISH OPTIONS



Chrome **(C)**, Matte Black **(BL)**,
Spot Resist[®] Stainless **(SRS)**

To view ordering instructions, see reference
chart on pages 198-202.

PRODUCT INNOVATIONS:

Spot Resist[®] | Power Boost[™]
Power Clean[™] | Reflex[™]

- ADA-Compliant
- Power Boost
- Power Clean

Secondary handle option included.
Choose between a lever or wheel handle.



FAUCETS



One-Handle Pulldown Kitchen Faucet
7590  

COORDINATING ACCESSORIES



Towel Ring
DN6886



NEW

Single bowl
GGB3026B
33" x 22" x 9⁷/₁₆"



NEW

Bottom Grid
GGA52B
28⁵/₁₆" x 14⁵/₁₆"

FINISH OPTIONS




Chrome **(C)**, Lifeshine® Classic Stainless **(CSL)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 200-203.

PRODUCT INNOVATIONS:

Power Clean™ | Reflex™

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet
7615  



One-Handle Pulldown Bar Faucet
6615SRS  

COORDINATING ACCESSORIES



18" Towel Bar
DN6818



Traditional Soap Dispenser
S3945

FINISH OPTIONS





Chrome **(C)**, Spot Resist™ Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 200-203.

PRODUCT INNOVATIONS:

Spot Resist™ | Power Clean™ | Reflex™

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Pullout Kitchen Faucet
7626

COORDINATING ACCESSORIES



Towel Ring
DN0786



Transitional Soap Dispenser
3942



Sip™ One-Handle Beverage Faucet
S5530

FINISH OPTIONS



Chrome (C), Spot Resist™ Stainless (SRS)

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:
Spot Resist™

ADA-Compliant



FAUCETS



One-Handle Pullout Kitchen Faucet
9125  

MATCHING AND COORDINATING ACCESSORIES



Towel Ring
YB5186



Transitional Soap Dispenser
S3948


FINISH OPTIONS



Chrome **(C)**, Spot Resist[®] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:
Spot Resist[®] | Power Clean[™] | Reflex[™]

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet
9124



One-Handle Pulldown Bar Faucet
6124

COORDINATING ACCESSORIES



18" Towel Bar
YB2818



Transitional Soap Dispenser
S3946



Towel Ring
YB2886



Sip One-Handle Beverage Faucet
S5520



Double Bowl
G18252
32½" x 18⅛" x 9"

FINISH OPTIONS



Chrome **(C)**, Spot Resist[®] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 200-203.

PRODUCT INNOVATIONS:

Spot Resist[®] | Power Boost[™] | Power Clean[™] | Reflex[™]

- Ⓐ ADA-Compliant
- Ⓢ Power Boost
- Ⓞ Power Clean



FAUCETS



One-Handle Pulldown Spring Kitchen Faucet with MotionSense Wave™
5923EW 🌐🌐



One-Handle Pulldown Kitchen Faucet with MotionSense™
7565E 🌐🌐



One-Handle Kitchen Faucet
7165 🌐



One-Handle Pre-Rinse Spring Pulldown Faucet
5923 🌐🌐🌐



One-Handle Pulldown Kitchen Faucet
7565 🌐🌐



One-Handle Kitchen Faucet
7365 🌐



One-Handle Pulldown Bar Faucet
5965 🌐🌐



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB0418



Sip™ One-Handle Beverage Faucet
S5530



Double Bowl
GS18231
31 3/4" x 20 1/2" x 10"



Hand Towel Bar
YB0486



Modern Soap Dispenser
S3947



Modern Pot Filler
S665

FINISH OPTIONS



Chrome **(C)**, Matte Black **(BL)**,
Spot Resist™ Stainless **(SRS)**,
Lifeshine™ Brushed Gold **(BG)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:

MotionSense™ | MotionSense Wave™ | Spot Resist™
Power Boost™ | Power Clean™ | Reflex™

- ADA-Compliant
- Power Boost
- Power Clean

SELECT FAUCETS WITH NEW

POWERBOOST™

COMING Q3 2019

Brantford®



FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense™
7185E



One-Handle Pulldown Kitchen Faucet with MotionSense Wave™
7185EW



One-Handle Kitchen Faucet
7735



One-Handle Pulldown Kitchen Faucet
7185



One-Handle Pullout Kitchen Faucet
7295



One-Handle Pulldown Bar Faucet
5985



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB2218




Traditional Soap Dispenser
S3945



Towel Ring
YB2286



Sip® One-Handle Beverage Faucet
S5510 

FINISH OPTIONS






Chrome, Spot Resist[™] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:

MotionSense[™] | MotionSense Wave[™] | Spot Resist[™]
Power Boost[™] | Power Clean[™] | Reflex[™]

-  ADA-Compliant
-  Power Boost
-  Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet
7882

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
BH3818



Modern Soap Dispenser
S3947



Sip™ One-Handle Beverage Faucet
S5530



NEW

Single bowl
GGB3026B
33" x 22" x 97/16"



NEW

Bottom Grid
GGA52B
28⁵/₁₆" x 14⁵/₁₆"

FINISH OPTIONS



Chrome **(C)**, Matte Black **(BL)**,
Spot Resist™ Stainless **(SRS)**

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 200-203.

PRODUCT INNOVATIONS:

Spot Resist™ | Power Boost™ | Reflex™

- ADA-Compliant
- Power Boost

SELECT FAUCETS
WITH NEW

POWERBOOST™

COMING Q3 2019



FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense™
7594E



One-Handle Pulldown Kitchen Faucet with MotionSense Wave™
7594EW



One-Handle Kitchen Faucet
7790



One-Handle Pulldown Kitchen Faucet
7594



One-Handle Pullout Kitchen Faucet
7294



One-Handle Pulldown Bar Faucet
5995



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB2818



Modern Soap Dispenser
S3946



Towel Ring
YB2886



Sip™ One-Handle Beverage Faucet
S5520 ♿

FINISH OPTIONS



Chrome **(C)**, Matte Black **(BL)**,
Spot Resist[™] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:

MotionSense[™] | MotionSense Wave[™] | Spot Resist[™]
Power Boost[™] | Power Clean[™] | Reflex[™]

- ♿ ADA-Compliant
- ⦿ Power Boost
- Power Clean

Camerist®



FAUCETS



One-Handle Pullout Kitchen Faucet
7545



One-Handle Kitchen Faucet
7840



One-Handle Bar Faucet
4905



One-Handle Kitchen Faucet
7835



One-Handle Kitchen Faucet
7825



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB2818




Modern Soap Dispenser
S3946



Towel Ring
YB2886



Sip[®]One-Handle Beverage Faucet
S5520 

FINISH OPTIONS



Chrome, Spot Resist[®] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:

Spot Resist[®] | Power Clean[™] | Reflex[™]

 ADA-Compliant

 Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense Wave™
7864EW   



One-Handle Pulldown Kitchen Faucet
7864   

COORDINATING ACCESSORIES



Towel Ring
YB2386




FINISH OPTIONS



Chrome, Matte Black **(BL)**,
Spot Resist™ Stainless **(SRS)**

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:
MotionSense Wave™ | Spot Resist™ | Power Boost™
Power Clean™ | Reflex™

-  ADA-Compliant
-  Power Boost
-  Power Clean

SELECT FAUCETS
WITH NEW

POWERBOOST™

COMING Q3 2019



FAUCETS



One-Handle Pullout Kitchen Faucet
7585  

MATCHING ACCESSORIES



18" Towel Bar
YB2418



Hand Towel Bar
YB2486


FINISH OPTIONS



Chrome **(C)**, Spot Resist™ Stainless **(SRS)**

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:
Spot Resist™ | Power Clean™

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Kitchen Faucet
7240



Two-Handle Kitchen Faucet
7250



One-Handle Kitchen Faucet
7245



Two-Handle Kitchen Faucet
7255

MATCHING AND COORDINATING ACCESSORIES



Towel Ring
YB9886



D-Shape Double Bowl
G18252
3 1/2" x 1 1/8" x 9"



18" Towel Bar
YB9818



Traditional Soap Dispenser
S3945



Sip™ One-Handle Beverage Faucet
S5510

FINISH OPTIONS



Chrome (C), Spot Resist™ Stainless (SRS), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:

Spot Resist™

ADA-Compliant



FAUCETS



**One-Handle Pullout
Kitchen Faucet**
67315  

MATCHING AND COORDINATING ACCESSORIES



Towel Ring
YB2386



Soap Dispenser
3944



18" Towel Bar Only
YB8098



FINISH OPTIONS



Chrome **(C)**, Spot Resist® Stainless **(SRS)**

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:
Spot Resist® | Power Clean™

-  ADA-Compliant
-  Power Clean



LEVER- HANDLE KITCHEN FAUCETS



One-Handle Kitchen Faucet
7437



One-Handle Kitchen Faucet
7434



One-Handle Kitchen Faucet
7425



One-Handle Kitchen Faucet
7423



One-Handle Kitchen Faucet
7430

TWO-HANDLE KITCHEN FAUCETS



Two-Handle Kitchen Faucet
7907



Two-Handle Kitchen Faucet
7906



Two-Handle Kitchen Faucet
7910



Two-Handle Kitchen Faucet
7900

ONE-HANDLE BAR/PREP FAUCET



One-Handle Bar Faucet
4904

TWO-HANDLE HI-FILL BAR FAUCET



Two-Handle Bar Faucet
4903

TWO-HANDLE LAUNDRY FAUCET



Two-Handle Laundry Faucet
4975



Two-Handle Laundry Faucet
74998

COORDINATING ACCESSORIES



Soap Dispenser
3944



Soap Dispenser
3942

FINISH OPTIONS



Chrome, Spot Resist[®] Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:

Spot Resist[®]

ADA-Compliant

Torrance™



FAUCETS



One-Handle Kitchen Faucet
7081 



One-Handle Kitchen Faucet
7082 



One-Handle Kitchen Faucet
7083 

FINISH OPTIONS



Chrome, Spot Resist™ Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:
Spot Resist™

 ADA-Compliant



FAUCETS



One-Handle Kitchen Faucet
7050 



One-Handle Kitchen Faucet
7051 



One-Handle Kitchen Faucet
7052 

FINISH OPTIONS




Chrome, Spot Resist® Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 200-203.

PRODUCT INNOVATIONS:
Spot Resist™

 ADA-Compliant

Pot Fillers



POT FILLERS



Traditional Pot Filler
S664 



Modern Pot Filler
S665 

FINISH OPTIONS



Chrome, Lifeshine® Polished Nickel (**NL**), Matte Black (**BL**), Spot Resist® Stainless (**SRSS**), Lifeshine® Brushed Gold (**BG**) Oil Rubbed Bronze (**ORB**).

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 199.

PRODUCT INNOVATIONS:

Spot Resist®

 ADA-Compliant

Sip™ Beverage Faucet



BEVERAGE FAUCETS



Traditional One-Handle Beverage Faucet
S5510



Modern One-Handle Beverage Faucet
S5530



Transitional One-Handle Beverage Faucet
S5520

REPLACEMENT FILTER



Filtration System
S5500

FINISH OPTIONS



Chrome, Lifeshine® Polished Nickel (**NL**), Matte Black (**BL**), Spot Resist® Stainless (**SRS**), Lifeshine® Brushed Gold (**BG**) Oil Rubbed Bronze (**ORB**).

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 199.

PRODUCT INNOVATIONS:

Spot Resist®

ADA-Compliant

Soap Dispensers



SOAP DISPENSERS



Traditional Soap Dispenser
S3945



Transitional Soap Dispenser
S3948



Transitional Soap Dispenser
S3946



Modern Soap Dispenser
S3947



FINISH OPTIONS



Chrome, Lifeshine® Polished Nickel **(NL)**, Matte Black **(BL)**,
Spot Resist® Stainless **(SRS)**, Lifeshine® Brushed Gold **(BG)**
Oil Rubbed Bronze **(ORB)**,

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 199.

PRODUCT INNOVATIONS:

Spot Resist®



Soap Dispenser
3944



Soap Dispenser
3942

Kitchen Sinks



Align® One-Handle Pre-Rinse Spring Pulldown Kitchen Faucet Featured in Chrome Finish

Sip™ Modern One-Handle High-Arc Beverage Faucet

Modern Soap Dispenser

1800™ Series Undermount Single Bowl Stainless Steel Sink



Moen Granite Offset 60/40 Double Bowl Low Divide Sink
Align One-Handle High-Arc Pulldown Kitchen Faucet Featured in Matte Black
1800™ Series Undermount Single Bowl Stainless Steel Sink

Granite Sinks

NEW COLLECTION



SINGLE BOWL DUAL MOUNT



Single Bowl Bar/Prep Sink

GGB3018B - Black
GGR3018B - Gray
GGM3018B - Mocha
GGW3018B - White
15³/₄" x 15³/₄" x 7¹/₁₆"



Single Bowl Sink

GGB3019B - Black
GGR3019B - Gray
GGM3019B - Mocha
GGW3019B - White
25" x 22" x 9¹/₂"



Single Bowl Sink

GGB3026B - Black
GGR3026B - Gray
GGM3026B - Mocha
GGW3026B - White
33" x 20⁷/₈" x 9⁷/₁₆"

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

Page 73 Available Accessories



DOUBLE BOWL DUAL MOUNT



Offset Double Bowl Sink
GGB3024B - Black
GGR3024B - Gray
GGM3024B - Mocha
GGW3024B - White
33" x 22" x 9 1/2"



**Double Equal Bowl Sink
Low Divide**
GGB3027B - Black
GGR3027B - Gray
GGM3027B - Mocha
GGW3027B - White
33" x 22" x 9 1/2"



Double Equal Bowl Sink
GGB3028B - Black
GGR3028B - Gray
GGM3028B - Mocha
GGW3028B - White
33" x 22" x 9 1/2"



**Offset 60/40 Double Bowl
Low Divide**
GGB3029B - Black
GGR3029B - Gray
GGM3029B - Mocha
GGW3029B - White
33" x 22" x 10"



Black (B), Gray (R), Mocha (M), White (W)

1600™ Series Professional Style



UNDERMOUNT SINKS: ZERO RADIUS



Double Offset Bowl
G16221
Center Drain
34" x 20" x 10"



Single Bowl
G16100
Center Drain
32" x 20" x 10"



Double Equal Bowl
G16200
Center Drain
31" x 20" x 10"



Bar/Prep
G16430
Center Drain
16" x 20" x 10"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability.

Please see moen.com/consumer-support/warranty for complete product warranty information.

Page 73 Available Accessories



**PROFESSIONAL STYLE UNDERMOUNT SINKS:
ZERO RADIUS**



Double Offset Bowl
G18287
Rear Drain
31½" x 18" x 8½"



Double Equal Bowl
G18288
Rear Drain
28" x 18" x 8½"



Single Bowl
G18180
Rear Drain
31" x 18" x 8½"



Single Bowl
G18185
Rear Drain
22" x 18" x 8½"

**UNDERMOUNT SINKS:
APRON FRONT**



**Apron Front
Double Equal Bowl**
G18220
Rear Drain
30" x 21" x 9"



**Apron Front
Single Bowl**
G18121
Rear Drain
31½⅙" x 20⅝" x 9"

**UNDERMOUNT SINKS:
LOW MIDDLE DIVIDE**



**Low Middle Divide
Double Offset Bowl**
G18253
Center Drain
32" x 20⅝" x 9"



**Low Middle Divide
Double Equal Bowl**
G18252
Center Drain
32½" x 18⅞" x 9"

1800™ Series

UNDERMOUNT SINKS: D-SHAPE BOWLS



D Shape Double Offset Bowl
GS18246B
Rear Center Drain
31¼" x 20" x 8" & 10"



D Shape Double Offset Bowl
GS18264B
Rear Center Drain
31¼" x 20" x 8" & 10"



D Shape Single Bowl
GS18160
Rear Center Drain
23½" x 21¾" x 8"

UNDERMOUNT SINKS: DOUBLE BOWLS



Double Offset Bowl
GS18231
Center Drain
31¾" x 20½" x 10" & 8"



Double Equal Bowl
GS18212
Center Drain
31¾" x 18¼" x 9"



Double Equal Bowl
GS18211
Center Drain
31¼" x 18¼" x 8"



Double Equal Bowl
GS18242
Center Drain
31¾" x 18¼" x 10" & 8"



Double Equal Bowl
GS18215B **ADA** **FHA**
Rear Center Drain
31¾" x 18¼" x 7"



Double Equal Bowl
GS18210
Center Drain
31¾" x 18¼" x 7"

UNDERMOUNT SINKS: SINGLE BOWLS



Single Bowl
GS18110
Center Drain
30½" x 18¼" x 10"



Single Bowl
GS18190
Center Drain
23½" x 18¼" x 9"



Single Bowl
GS18195B **ADA** **FHA**
Rear Center Drain
GS18195L **ADA** **FHA**
Rear Left Drain
23½" x 18¼" x 5½"



Single Bowl
GS18161 **ADA** **FHA**
Rear Center Drain
30½" x 18¼" x 6"



Single Bowl
GS18191
Center Drain
23½" x 18¼" x 8"



Single Bowl
GS18165B
Rear Center Drain
30½" x 18¼" x 9"



Single Bowl
GS18192
Center Drain
GS18192B **ADA** **FHA**
Rear Center Drain
GS18192L **ADA** **FHA**
Rear Left Drain
23½" x 18¼" x 7"

DROP-IN SINKS



Double Equal Bowl
GS182154Q
Center Drain
31³/₄" x 18¹/₄" x 7"



Single Bowl Drop-in
GS182114Q
Center Drain
33" x 22" x 9"



Double Equal Bowl
GS182133Q
Center Drain
GS182134Q
Center Drain
33" x 22" x 8"



Single Bowl Drop-in
GS181631BQ **ADA** **FHA**
Rear Center Drain
33" x 22" x 7"



Single Bowl
GS181953Q
Center Drain
GS181954Q
Center Drain
25" x 22" x 10"



Single Bowl
GS18163B
Rear Center Drain
30¹/₂" x 18¹/₄" x 7"



UNDERMOUNT SINKS:
BAR/PREP



Bar/Prep
GS18440
Center Drain
16" x 20¹/₂" x 8"



Bar/Prep
GS18443
Center Drain
16¹/₂" x 18¹/₄" x 8"



Bar/Prep
GS181873
Center Drain
13" x 16" x 5.5"



Bar/Prep
GS18442
Center Drain
16¹/₂" x 18¹/₄" x 10"



Bar/Prep
GS18450
Center Drain
14¹/₂" x 12¹/₂" x 6"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability

Please see moen.com/consumer-support/warranty for complete product warranty information.

Page 73 Available Accessories

Q Model numbers ending in Q feature QuickMount™ installation hardware.

ADA/FHA ADA/FHA-Compliant

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



2000™ Series



UNDERMOUNT SINKS



Double Equal Bowl

GS20210
Center Drain
GS20210B
Rear Center Drain
31³/₄" x 18¹/₄" x 7¹/₂"





Single Bowl

GS20192
Center Drain
23¹/₂" x 18¹/₄" x 7¹/₂"





Single Bowl

GS20194B  
Rear Center Drain
23¹/₂" x 18¹/₄" x 5¹/₂"



Double Equal Bowl

GS20214
Center Drain
GS20214B  
Rear Center Drain
31³/₄" x 18¹/₄" x 6"



Single Bowl

GS20193
Center Drain
GS20193B
Rear Center Drain
23¹/₂" x 18¹/₄" x 6¹/₂"



Bar/Prep

GS204502
Center Drain
14¹/₂" x 12¹/₂" x 5¹/₂"

DROP-IN SINKS



Double Offset Bowl
GS202334Q 4-hole
Center Drain
33" x 22" x 9" & 7"



Double Equal Bowl
GS202153BQ 3-hole
Rear Center Drain
GS202154BQ 4-hole
Rear Center Drain
33" x 22" x 7"



Single Bowl
GS201961BQ 1-hole
Rear Center Drain
GS201962BQ 2-hole
Rear Center Drain
GS201963BQ 3-hole
Rear Center Drain
GS201964BQ 4-hole
Rear Center Drain
GS201963Q 4-hole
Center Drain
GS201964Q 4-hole
Center Drain
25" x 22" x 7"



Double Offset Bowl
GS202861Q 1-hole
Center Drain
GS202864Q 4-hole
Center Drain
33" x 22" x 5 1/2" & 8"



Double Equal Bowl
GS202173BQ **ADA** **FHA** 3-hole
Rear Center Drain
GS202174BQ **ADA** **FHA** 4-hole
Rear Center Drain
33" x 22" x 5 1/2"



Double Equal Bowl
GS202131Q 1-hole
Center Drain
GS202133Q 3-hole
Center Drain
GS202134Q 4-hole
Center Drain
GS202134 4-hole
Center Drain
33" x 22" x 8"



Single Bowl
GS201974BQ **ADA** **FHA** 4-hole
Rear Center Drain
GS201974LQ **ADA** **FHA** 4-hole
Rear Left Drain
GS201974RQ **ADA** **FHA** 4-hole
Rear Right Drain
25" x 22" x 5 1/2"

DROP-IN BAR SINKS



Bar/Prep
GS204571BQ 1-hole
Rear Center Drain
GS204573BQ 3-hole
Rear Center Drain
17" x 21 1/4" x 6 1/2"



Bar/Prep
GS201673 3-hole
Rear Center Drain
20" x 20" x 10 1/7"



Bar/Prep
KGS2045622BQ 2-hole
Rear Center Drain
15" x 15" x 5 1/2"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability

Please see moen.com/consumer-support/warranty for complete product warranty information.

Page 73 Available Accessories
Q Model numbers ending in Q feature QuickMount™ installation hardware.

ADA/FHA ADA/FHA-Compliant

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



2200™ Series



DROP-IN SINKS



Double Equal Bowl
GS222133 3-hole
Center Drain
33" x 22" x 8"



Single Bowl
GS221963B **FHA** 3-hole
Rear Center Drain
GS221964B **FHA** 4-hole
Rear Center Drain
25" x 22" x 7"



Double Equal Bowl
GS222163 3-hole
Center Drain
GS222164 4-hole
Center Drain
33" x 22" x 6½"



Single Bowl
GS221983B **ADA** **FHA** 3-hole
Rear Center Drain
GS221984B **ADA** **FHA** 4-hole
Rear Center Drain
25" x 22" x 6½"

DROP-IN BAR SINKS



Bar/Prep
GS2245622 2-hole
Center Drain
15" x 15" x 5½"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability.

Please see moen.com/consumer-support/warranty for complete product warranty information.

Page 73 Available Accessories

Q Model numbers ending in Q feature QuickMount™ installation hardware.

ADA/FHA ADA/FHA-Compliant

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



RINSE BASKETS



GA841 13" x 16 1/2"



GA821 14" x 16"

DRAIN ASSEMBLIES



3 1/2" Stainless Strainer
22037



3 1/2" Stainless Strainer
22036



2" Stainless Strainer
22174

SOAP DISPENSERS



Traditional Soap Dispenser
S3945



Transitional Soap Dispenser
S3948



Transitional Soap Dispenser
S3946



Modern Soap Dispenser
S3947



Soap Dispenser
3942



Soap Dispenser
3944

BOTTOM GRIDS



GA726 14" x 16"
GSA401 12 7/16" x 10 11/16"
GSA401B 12 7/16" x 10 11/16"
GSA409B 12" x 13 1/2"
GSA405 10 5/8" x 15 3/16"
GSA405B 10 5/8" x 15 3/16"



GA749B 29" x 16"
GSA431B 18 1/4" x 16"
GSA406B 8 7/8" x 12 7/16"
GSA404B 13 7/16" x 15 1/16"



GGA55B 12" x 13 3/4"
GGA50B 11 1/2" x 11 1/2"



GGA57B 11" x 14 5/8"
GGA58B 12" x 15 3/4"



GA760 30" x 18"
GA763 13" x 18"
GA768 18" x 18"



GA780B 29" x 16"
GA7802B 12 1/2" x 16"
GA781B 20" x 16"
GA785B 16" x 16"
GSA403B 25 7/16" x 13 3/8"



GGA56B 15 1/16" x 17 3/16"



GGA53B 12 1/4" x 15 1/16"
GGA54B 12 1/4" x 15 1/16"



GA771 28" x 16"
GA772 13 3/5" x 16 3/5"



GSA402 17 1/2" x 12 1/4"
GSA402B 17 1/2" x 12 1/4"
GSA402L 17 1/2" x 12 1/4"
GSA402R 17 1/2" x 12 1/4"



GGA51B 19 13/16" x 13 13/16"
GGA52B 28 5/16" x 14 5/16"

CUTTING BOARDS



GA944 13" x 16 1/2"



GA922 14" x 16"



GSA30 12 7/8" x 10 1/8"



GSA31 15" x 16 3/4"

Garbage Disposals



GX SERIES GARBAGE DISPOSALS

Enhanced series of garbage disposals built with high-quality features, a streamlined design and the promise of the Moen brand.



1 Horsepower
GXL1000C



1 Horsepower
GX100C



¾ Horsepower Batch Feed
GXB75C



¾ Horsepower
GXS75C



¾ Horsepower
GX75C



½ Horsepower
GX50C

Features:





GT SERIES NEW GARBAGE DISPOSALS

Series of garbage disposals featuring Fast Track™ installation enhancements. Includes the standard features and reliable performance of the GX Pro series with added installation benefits; an ideal choice for professionals and consumers alike.



¾ Horsepower
GT75C



½ Horsepower
GT50C



⅓ Horsepower
GT33C



Fast Track™ Installation,
-Simple Snap Tool quickly secures mounting assembly
-Easy Open Dishwasher Inlet. No additional tools required.

Other Features:



GX PRO SERIES GARBAGE DISPOSALS

Packs all of the standard features and reliable performance into a more sleek and compact form; making it an ideal choice for professionals and consumers alike.



½ Horsepower
GXP50C



⅓ Horsepower
GXP33C

Features:



Moen's Limited Warranty with In-Home Service guarantees help is there when you need it.

If service is requested during the warranty period, Moen® will have a service agent repair or replace the disposal in your home at no charge. Our garbage disposal portfolio includes warranties that vary from 2 to 10 years.

Please see moen.com/consumer-support/warranty for complete product warranty information. Browse the full collection at moen.com/garbage-disposals

Features:



Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies



Permanent magnet motor designed to help reduce jamming



SoundSHIELD™ designed to provide sound deadening insulation*



Continuous feed grinds as long as power is on



High-speed VORTEX POWER™ motor provides fast, powerful grinding



Pre-installed power cord is a savings over other models where cord must be purchased separately; cord removes easily for optional hardwiring



Batch Feed Stopper activates disposal for safer operation; no wall switch required (only for batch feed disposals)

*SoundSHIELD™ available on select models

Bath and Shower



Doux™ Featured in Matte Black Finish





LAVATORY FAUCETS



One-Handle Bathroom Faucet
S42107 † ♻️



Two-Handle Widespread Bathroom Faucet
TS42114 * † ♻️



Two-Handle Wallmount Bathroom Faucet
TS42112 * † ♻️



Two-Handle Widespread Bathroom Faucet
TS42108 * † ♻️ ♻️



Two-Handle Wallmount Bathroom Faucet
TS42106 * † ♻️ ♻️

TUB FILLERS



Freestanding Tub Filler

Cross Handle S22105
TS25105 * ♻️

Lever Handle S22110
TS25105 * ♻️ ♻️



ROMAN TUB FAUCETS



Two-Handle Wallmount Tub Filler with Handshower
Cross Handle S22105 *
Lever Handle S22110 *



Two-Handle Roman Tub with Handshower
Cross Handle TS21102 *
Lever Handle TS21104 *



Two-Handle Roman Tub
Cross Handle TS22101 *
Lever Handle TS22103 *

EXACTTEMP® 3/4"



ExactTemp Valve Only
 TS32110 *



ExactTemp Volume Control
 TS52104 *

For showerhead options, see page 180

TRANSFER VALVES



Three Independent Function Transfer Valve Trim
 TS32206 *
 Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
 TS32205 *
 Use with valves 3372 or 3375

Weymouth®



MOENTROL®



Moentrol Tub/Shower
TS33103NH*

Moentrol Shower Only
TS33102NH*

Moentrol Valve Only
TS33101*

POSI-TEMP®



Posi-Temp Tub/Shower
TS32104*
TS32104EP*

Posi-Temp Shower Only
TS32102*
TS32102EP*

Posi-Temp Valve Only
TS3210*

MATCHING ACCESSORIES



Tank Lever
YB8401



Double Robe Hook
YB8403



18" Towel Bar
YB8418

24" Towel Bar
YB8424



Drawer Knob
YB8405



Drawer Pull
YB8407



Pivoting Paper Holder
YB8408



Towel Bar
YB8486



COORDINATING ACCESSORIES



Rothbury® One Globe Bath Light
YB8261



Rothbury Two Globe Bath Light
YB8262



Rothbury Three Globe Bath Light
YB8263

WEYMOUTH FINISH OPTIONS



Chrome, Brushed Nickel (BN), LifeShine® Brushed Gold (BG), Lifeshine® Polished Nickel (NL) Oil Rubbed Bronze (ORB), Matte Black (BL) (Ships Q2)

Not all platforms available in all finishes.


To view ordering instructions, see reference chart on pages 204-210.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓟ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

 All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



**One-Handle Bathroom
Faucet**
S43001 † ♻️



**Two-Handle Wallmount
Bathroom Faucet**
TS43003 * † ♻️ ♻️



**Two-Handle Widespread
Bathroom Faucet**
TS43002 * † ♻️ ♻️

TUB FILLER



Freestanding Tub Filler
S93005 * ♻️ ♻️

ROMAN TUB FAUCETS



**Two-Handle Roman Tub
with Handshower**
TS93004 * ♻️ ♻️



Two-Handle Roman Tub
TS93003 * ♻️ ♻️



EXACTTEMP® 3/4"



ExactTemp Valve Only
TS33002 * ♿ ♻



ExactTemp Volume Control
TS33003 * ♿ ♻

For showerhead options, see page 180

TRANSFER VALVES



Three Independent Function Transfer Valve Trim
TS23006 * ♿ ♻
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
TS23005 * ♿ ♻
Use with valves 3372 or 3375

MOENTROL®



Moentrol Tub/Shower
TS32003NH * ♿ ♻
Moentrol Shower Only
TS32002NH * ♿ ♻
Moentrol Valve Only
TS32001 * ♿ ♻

POSI-TEMP®



Posi-Temp Tub/Shower
TS22003 * ♿ ♻ ♻
TS22003EP * ♿ ♻ ♻
Posi-Temp Shower Only
TS22002 * ♿ ♻ ♻
TS22002EP * ♿ ♻ ♻
Posi-Temp Valve Only
TS22001 * ♿ ♻



MATCHING ACCESSORIES



Tank Lever
YB0801



Double Robe Hook
YB0803



Pivoting Paper Holder
YB0808



5x Magnifying Mirror
YB0892



12" Designer Grab Bar
YG0812

18" Designer Grab Bar
YG0818

24" Designer Grab Bar
YG0824

36" Designer Grab Bar
YG0836

42" Designer Grab Bar
YG0842



18" Towel Bar
YB0818

24" Towel Bar
YB0824



Towel Ring
YB0886

COORDINATING ACCESSORIES



Iso™ Drawer Knob
DN0705



Iso™ Drawer Pull
DN0707



COORDINATING ACCESSORIES



Iso™ One Globe Bath Light
DN0761



Iso Three Globe Bath Light
DN0763



Iso Two Globe Bath Light
DN0762



Iso Four Globe Bath Light
DN0764

ARRIS FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL) (Ships Q2)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 204-210.

- ⌘ Immersion Rainshower Technology
- ⌚ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- ⌚ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.
- Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S411 † ♻️



Two-Handle Widespread Bathroom Faucet
TS418 * † ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub
TS214 * ♻️ ♻️



EXACTTEMP® ¾"



ExactTemp Valve Only
TS3110 *  



ExactTemp Volume Control
TS514 *  

For showerhead options, see page 180







TRANSFER VALVES




Two- or Three-Function Transfer Valve Trim
TS325 *  
Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower
TS314*  
Posi-Temp Shower Only
TS312*  
Posi-Temp Valve Only
TS310*  

Waterhill®



MATCHING ACCESSORIES



Tank Lever
YB9801



Drawer Knob
YB9805



Double Robe Hook
YB9803



Drawer Pull
YB9807



18" Towel Bar
YB9818



Pivoting Paper Holder
YB9808 (P)



Towel Ring
YB9886

24" Towel Bar
YB9824



One Globe Bath Light
YB9861



Three Globe Bath Light
YB9863



Two Globe Bath Light
YB9862



Four Globe Bath Light
YB9864

WATERHILL FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 204-210.

☒ Immersion Rainshower Technology

Ⓜ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

Ⓟ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet

S6700 † ♻️
Deckplate sold separately / 147204



One-Handle Bathroom Faucet

S6705 † ♻️
Deckplate sold separately / 147204



One-Handle Vessel Bathroom Faucet

S6711 † ♻️
Deckplate sold separately / 147204



Two-Handle Widespread Bathroom Faucet

TS6720 * † ♻️ ♻️



Two-Handle Wallmount Bathroom Faucet

TS6730 * † ♻️ ♻️

TUB FILLER

NEW



Freestanding Tub Filler

S905 * ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower

TS904 * ♻️ ♻️



Two-Handle Roman Tub

TS903 * ♻️ ♻️



EXACTTEMP® 3/4"



ExactTemp Valve Only
TS3100 *



ExactTemp Volume Control
TS3300 *



For showerhead options, see page 180

TRANSFER VALVES







Three Independent Function Transfer Valve Trim
TS4173 *
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
TS4172 *
Use with valves 3372 or 3375

MOENTROL®



Moentrol Tub/Shower
TS3713*
TS3713NH*






Moentrol Shower Only
TS3715*
TS3715NH*









Moentrol Valve Only
TS3711*

POSI-TEMP®



Posi-Temp Tub/Shower
TS2713*
TS2713EP*
TS2713NH*



Posi-Temp Shower Only
TS2712*
TS2712EP*
TS2712NH*



Posi-Temp Valve Only
TS2711*

90°™



MATCHING ACCESSORIES



Tank Lever
YB8801



Drawer Knob
YB8805



Hand Towel Bar
YB8886



12" Designer Grab Bar
YG8812



Single Robe Hook
YB8803



Drawer Pull
YB8807



18" Towel Bar
YB8818

18" Designer Grab Bar
YG8818

24" Designer Grab Bar
YG8824



Pivoting Paper Holder
YB8808 (P)

24" Towel Bar
YB8824

36" Designer Grab Bar
YG8836

42" Designer Grab Bar
YG8842



One Globe Bath Light
YB8861



Three Globe Bath Light
YB8863




Two Globe Bath Light
YB8862



Four Globe Bath Light
YB8864

90° FINISH OPTIONS



Chrome, Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 204-210.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓢ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

UL LISTED US All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S6910 †



Two-Handle Widespread Bathroom Faucet
TS6925 * †

TUB FILLER



Freestanding Tub Filler
S3105 *



ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
TS984 *



Two-Handle Roman Tub
TS983 *



EXACTTEMP® ¾"



ExactTemp Valve Trim
TS3101 *  



ExactTemp Volume Control
TS3102 *  

For showerhead options, see page 180

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
TS9204 *  

Use with valves 3372 or 3375

MOENTROL®



Moentrol Tub/Shower
TS3203NH*  







Moentrol Shower Only
TS3202NH*  







Moentrol Valve Only
TS3201*  

POSI-TEMP®



Posi-Temp Tub/Shower
TS2203*  
TS2203NH*  



Posi-Temp Shower Only
TS2202*  
TS2202NH*  



Posi-Temp Valve Only
TS2201*  



MATCHING ACCESSORIES



Tank Lever
YB0201



Single Robe Hook
YB0203



18" Towel Bar
YB0218



Pivoting Paper Holder
YB0208 (F)



Hand Towel Bar
YB0286

24" Towel Bar
YB0224



DOUX FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Matte Black **(BL)**

To view ordering instructions, see reference chart on pages 204-210.

☒ Immersion Rainshower Technology

☒ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

⌚ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S8000 † ♻️



Two-Handle Widespread Bathroom Faucet
TS8002 * † ♻️ ♻️



One-Handle Low Profile Bathroom Faucet
S8001 † ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub
TS955 * ♻️



EXACTTEMP® ¾"



ExactTemp Valve Only
TS9711 * ♻️ ♿



ExactTemp Volume Control
TS9712 * ♻️ ♿

For showerhead options, see page 180

TRANSFER VALVES



Three Independent Function Transfer Valve Trim
TS2172 * ♻️ ♿
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
TS2171 * ♻️ ♿

Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower
TS8713* ♻️ ♿ ♻️ ♿
TS8713EP* ♻️ ♿ ♻️ ♿ ♻️ ♿

Posi-Temp Shower Only
TS8712* ♻️ ♿ ♻️ ♿
TS8712EP* ♻️ ♿ ♻️ ♿ ♻️ ♿

Posi-Temp Valve Only
TS8711* ♻️ ♿



MATCHING ACCESSORIES



Single Robe Hook
YB5003



Hand Towel Bar
YB5086



Pivoting Paper Holder
YB5008 (P)



12" Towel Bar
YB5012

18" Towel Bar
YB5018

24" Towel Bar
YB5024

COORDINATING ACCESSORIES



90° Tank Lever
YB8801



90° Drawer Knob
YB8805



90° Drawer Pull
YB8807



90° 12" Designer Grab Bar
YG8812

90° 18" Designer Grab Bar
YG8818

90° 24" Designer Grab Bar
YG8824

90° 36" Designer Grab Bar
YG8836

90° 42" Designer Grab Bar
YG8842



90° One Globe Bath Light
YB8861



90° Three Globe Bath Light
YB8863



90° Two Globe Bath Light
YB8862



90° Four Globe Bath Light
YB8864

VIA FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 204-210.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- ↻ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S6202 †



Two-Handle Widespread Bathroom Faucet
TS6205 * †

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
TS925 *



Two-Handle Roman Tub
TS923 *

EXACTTEMP® 3/4"



ExactTemp Valve Only
TS3760 *



ExactTemp Volume Control
TS3820 *
For showerhead options, see page 180

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
TS5205 *
Use with valves 3372 or 3375



MOENTROL®



- Moentrol Tub/Shower**
TS3213* ♿ ♻
- Moentrol Shower Only**
TS3212* ♿ ♻
- Moentrol Valve Only**
TS3211* ♿ ♻



Moentrol with Transfer Valve
TS4211 * ♿ ♻

POSI-TEMP®



- Posi-Temp® Tub/Shower**
TS2213* ♿ ♻
TS2213EP* ⬠ ♿ ♻
- Posi-Temp Shower Only**
TS2212* ♿ ♻
TS2212EP* ⬠ ♿ ♻
- Posi-Temp Valve Only**
TS2211* ♿ ♻

Rothbury®



MATCHING ACCESSORIES



Tank Lever
YB8201



Double Robe Hook
YB8203



18" Towel Bar
YB8218



Pivoting Paper Holder
YB8208 (P)



Drawer Knob
YB8205



Hand Towel Bar
YB8286



Drawer Pull
YB8207



One Globe Bath Light
YB8261



Two Globe Bath Light
YB8262



Three Globe Bath Light
YB8263

ROTHBURY FINISH OPTIONS



Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 204-210.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓜ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

UL LISTED All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S6500 †



Two-Handle Widespread Bathroom Faucet
TS6520 * †



Two-Handle Centerset Bathroom Faucet
S6510 †

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
TS964 * *



Two-Handle Roman Tub
TS963 * *

EXACTTEMP® ¾"



ExactTemp Valve Only
TS3900 * *



ExactTemp Volume Control
TS3200 * *

For showerhead options, see page 180



MOENTROL®



Moentrol with Transfer Valve
TS4112 * ♿ ♻️

Moentrol® Tub/Shower
TS2156* ♿ ♻️

Moentrol Shower Only
TS2155* ♿ ♻️

Moentrol Valve Only
TS2154* ♿ ♻️

POSI-TEMP®



Posi-Temp Tub/Shower
TS2143* ♿ ♻️
TS2143EP* ♿ ♻️

Posi-Temp Shower Only
TS2142* ♿ ♻️
TS2142EP* ♿ ♻️

Posi-Temp Valve Only
TS2141* ♿ ♻️



MATCHING ACCESSORIES



Tank Lever
YB5801



Drawer Knob
YB5805



18" Towel Bar
YB5818




24" Double Towel Bar
YB5822



Double Robe Hook
YB5803



Drawer Pull
YB5807



24" Towel Bar
YB5824



Pivoting Paper Holder
YB5808 (P)



Towel Ring
YB5886



Vanity Shelf
YB5890



COORDINATING ACCESSORIES



Eva™ One Globe Bath Light
YB2861



Eva Three Globe Bath Light
YB2863



Eva Two Globe Bath Light
YB2862



Eva Four Globe Bath Light
YB2864

ICON FINISH OPTIONS



Chrome, Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 204-210.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓜ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
4500 †



One-Handle Bathroom Faucet
4507



Two-Handle Centerset Bathroom Faucet
4505



Two-Handle Widespread Bathroom Faucet
T4520 * †



Two-Handle Widespread Bathroom Faucet
T4524 * †

TUB FILLERS



NEW



Freestanding Tub Filler
Cross Handle 655 *
Lever Handle 655 *

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower

Cross Handle T654 *
Lever Handle T658 *



Two-Handle Roman Tub

Cross Handle T657 *
Lever Handle T653 *



TRANSFER VALVES



Three Independent Function Transfer Valve Trim

T4512 *
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim

T4511 *
Use with valves 3372 or 3375

BIDETS



Two-Handle Bidet
T5245 *

MOENTROL®



Moentrol® Tub/Shower

T5503*
T5503NH*

Moentrol Shower Only

T5502*
T5502NH*

Moentrol Valve Only

T5501*



Moentrol with Transfer Valve

T5500 *



Moentrol ExactTemp® Valve Only

T6601 *



Moentrol ExactTemp® Volume Control Valve Only

T6602 *

POSI-TEMP®



Posi-Temp® Tub/Shower

T4503*
T4503EP*
T4503NH*

Posi-Temp Shower Only

T4502*
T4502EP*
T4502NH*

Posi-Temp Valve Only

T4501*

Wynford®



MATCHING ACCESSORIES



Tank Lever
YB5201



Double Robe Hook
YB5203



24" Double Towel Bar
YB5222



Pivoting Paper Holder
YB5208 (P)



Shower Basket
YB5275



18" Towel Bar
YB5218

24" Towel Bar
YB5224



Towel Ring
YB5286

COORDINATING ACCESSORIES



Waterhill® Drawer Knob
YB9805



Waterhill Drawer Pull
YB9807



Waterhill® One Globe Bath Light
YB9861



Waterhill Three Globe Bath Light
YB9863



Waterhill Two Globe Bath Light
YB9862



Waterhill Four Globe Bath Light
YB9864

FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**,
Lifeshine® Polished Nickel **(NL)**, Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 205-211.

☒ Immersion Rainshower Technology

⚙ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

⌚ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



**One-Handle Bathroom
Faucet**
6190 † ♻️



**One-Handle Bathroom
Faucet**
6192 † ♻️



**One-Handle Bathroom
Faucet**
6191 † ♻️



**Two-Handle Widespread
Bathroom Faucet**
T6193 * † ♻️ ♻️

TUB FILLER



Freestanding Tub Filler
395 * ♻️ ♻️

ROMAN TUB FAUCETS



**Two-Handle Roman Tub
with Handshower**
T394 * ♻️ ♻️



Two-Handle Roman Tub
T393 * ♻️ ♻️



TRANSFER VALVES



Three Independent Function Transfer Valve Trim

T4192 *
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim

T4191 *
Use with valves 3372 or 3375

BIDETS



Two-Handle Bidet

T5191 *

MOENTROL®



Moentrol Tub/Shower

T3293*
T3293NH*



Moentrol Shower Only

T3292*
T3292NH*



Moentrol Valve Only

T3291*



Moentrol with Transfer Valve

T3290 *



ExactTemp® Valve Only

T4291 *



ExactTemp® Volume Control Valve Only

T4292 *

POSI-TEMP®



Posi-Temp Tub/Shower

T2193*
T2193EP*
T2193NH*



Posi-Temp Shower Only

T2192*
T2192EP*
T2192NH*



Posi-Temp Valve Only

T2191*

Align®



MATCHING ACCESSORIES



Swiveling Double Robe Hook
YB0402



Single Robe Hook
YB0403



18" Towel Bar
YB0418

24" Towel Bar
YB0424



Pivoting Paper Holder
YB0408



Single-Post Paper Holder
YB0409



Hand Towel Bar
YB0486



12" Designer Grab Bar
YG0412

18" Designer Grab Bar
YG0418

24" Designer Grab Bar
YG0424

36" Designer Grab Bar
YG0436

42" Designer Grab Bar
YG0442

COORDINATING ACCESSORIES



Iso™ Drawer Knob
DN0705



Iso Drawer Pull
DN0707



Iso™ One Globe Bath Light
DN0761



Iso Three Globe Bath Light
DN0763



Iso Two Globe Bath Light
DN0762



Iso Four Globe Bath Light
DN0764

ALIGN FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL),
Brushed Gold (BG)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 205-211.

- ☒ Immersion Rainshower Technology
 - ⚙ Moen M•PACT® Common Valve System
 - EP Eco-Performance
 - NH Without Showerhead
 - ♿ ADA-Compliant
 - ⌚ Pivoting Technology
 - † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
 - * Rough-in valve required. Please see price catalog for rough-in model numbers.
 - ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.
- Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.

UL LISTED All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6903 † ♻️



Two-Handle Widespread Bathroom Faucet
T6905 * † ♻️ ♻️



Two-Handle Centerset Bathroom Faucet
6901 † ♻️



Two-Handle Wallmount Bathroom Faucet
T6906 * † ♻️ ♻️

TUB FILLER



Freestanding Tub Filler
695 * ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
T694 * ♻️ ♻️



Two-Handle Roman Tub
T693 * ♻️ ♻️



EXACTTEMP® ¾"



ExactTemp Valve Only
T4691 * ♻️ ♻️



ExactTemp Volume Control
T4692 * ♻️ ♻️

BIDETS



Two-Handle Bidet
T5191 * ♻️ ♻️

TRANSFER VALVES



Three Independent Function Transfer Valve Trim
T4612 * ♻️ ♻️
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
T4611 * ♻️ ♻️
Use with valves 3372 or 3375

MOENTROL®



Moentrol Tub/Shower
T3693* ♻️ ♻️ ♻️
T3693NH* ♻️ ♻️ ♻️



Moentrol Shower Only
T3692* ♻️ ♻️ ♻️
T3692NH* ♻️ ♻️ ♻️



Moentrol Valve Only
T3691* ♻️ ♻️ ♻️

POSI-TEMP®




Posi-Temp Tub/Shower
T2693* ♻️ ♻️ ♻️
T2693EP* ♻️ ♻️ ♻️
T2693NH* ♻️ ♻️ ♻️



Posi-Temp Shower Only
T2692** ♻️ ♻️ ♻️
T2692EP* ♻️ ♻️ ♻️
T2692NH* ♻️ ♻️ ♻️



Posi-Temp Valve Only
T2691* ♻️ ♻️ ♻️



MATCHING ACCESSORIES



Tank Lever
YB5101



Pivoting Paper Holder
YB5108 (P)



One Globe Bath Light
YB5161



Double Robe Hook
YB5103



Hair Dryer Holder
YB5170



12" Designer Grab Bar
YG5112

18" Designer Grab Bar
YG5118

24" Designer Grab Bar
YG5124



Two Globe Bath Light
YB5162



18" Towel Bar
YB5118



Towel Ring
YB5186

24" Towel Bar
YB5124



Three Globe Bath Light
YB5163



Four Globe Bath Light
YB5164

COORDINATING ACCESSORIES



90°™ Drawer Knob
YB8805



90° Drawer Pull
YB8807

VOSS FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Brushed Gold **(BG)**, Lifeshine® Polished Nickel **(NL)** (Ships Q2), Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 205-211.

- ☒ Immersion Rainshower Technology
- ⚙ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓜ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

UL LISTED All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

Belfield™



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6402 † ♻️



Two-Handle Widespread Bathroom Faucet
T6405 * † ♻️ ♻️



Two-Handle Centerset Bathroom Faucet
6401 † ♻️

TUB FILLER



Freestanding Tub Filler
9025 * ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
T9024 * ♻️ ♻️



Two-Handle Roman Tub
T9023 * ♻️ ♻️



TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim

T4301 *
Use with valves 3372 or 3375

MOENTROL®



Moentrol Tub/Shower
T3313NH*

Moentrol Shower Only
T3312NH*

Moentrol Valve Only
T3311*



Moentrol with Transfer Valve
T3322 *



Moentrol with ExactTemp® Valve Only
T4411 *



Moentrol with ExactTemp® Volume Control Valve Only
T4412 *

POSI-TEMP®




Posi-Temp Tub/Shower
T2313*
T2313EP*
T2313NH*

Posi-Temp Shower Only
T2312*
T2312EP*
T2312NH*

Posi-Temp Valve Only
T2310*

Belfield™



MATCHING ACCESSORIES



Tank Lever
YB6401



Pivoting Paper Holder
YB6408



18" Towel Bar
YB6418



Hand Towel Bar
YB6486

24" Towel Bar
YB6424



24" Double Towel Bar
YB6422



Double Robe Hook
YB6403



12" Designer Grab Bar
YG6412

18" Grab Bar
YG6418

24" Grab Bar
YG6424



One Globe Bath Light
YB6461



Three Globe Bath Light
YB6463



Two Globe Bath Light
YB6462



Four Globe Bath Light
YB6464

BELFIELD FINISH OPTIONS



Chrome, Brushed Nickel (BN),
Lifeshine® Polished Nickel (NL) (Ships Q2),
Oil Rubbed Bronze (ORB)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 205-211.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

UL LISTED All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6102 † ♿



Two-Handle Widespread Bathroom Faucet
T6125 * † ♿ ♻



Two-Handle Centerset Bathroom Faucet
6121 * † ♿



Two-Handle Wallmount Bathroom Faucet
T6107 * † ♿ ♻

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
T922 * ♿ ♻



Two-Handle Roman Tub
T920 * ♿ ♻



TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim

T4311 * ♿ ♻

Use with valves 3372 or 3375

MOENTROL®



Moentrol Tub/Shower

T3113* ♿ ♻
T3113NH* ♿ ♻

Moentrol Shower Only

T3112* ♿ ♻
T3112NH* ♿ ♻

Moentrol Valve Only

T3111* ♿ ♻



Moentrol with Transfer Valve

T4111 * ♿ ♻

POSI-TEMP®



Posi-Temp Tub/Shower


T2113* ♿ ♻
T2113EP* ♿ ♻ ♻
T2113NH* ♿ ♻

Posi-Temp Shower Only

T2112* ♿ ♻
T2112EP* ♿ ♻ ♻
T2112NH* ♿ ♻

Posi-Temp Valve Only

T2111* ♿ ♻



MATCHING ACCESSORIES



Tank Lever
YB5401



Drawer Knob
YB5405



24" Double Towel Bar
YB5422



Vanity Shelf
YB5490



Double Robe Hook
YB5403



Drawer Pull
YB5407



18" Towel Bar
YB5418



Towel Shelf
YB5494



Pivoting Paper Holder
YB5408



Towel Ring
YB5486



- 12" Designer Grab Bar**
YG5412
- 18" Designer Grab Bar**
YG5418
- 24" Designer Grab Bar**
YG5424
- 30" Designer Grab Bar**
YG5430
- 36" Designer Grab Bar**
YG5436
- 42" Designer Grab Bar**
YG5442

COORDINATING ACCESSORIES



Waterhill® One Globe Bath Light
YB9861



Waterhill Three Globe Bath Light
YB9863



Waterhill Two Globe Bath Light
YB9862



Waterhill Four Globe Bath Light
YB9864

KINGSLEY FINISH OPTIONS





Chrome, Brushed Nickel (BN), Polished Brass (P), Oil Rubbed Bronze (ORB), Wrought Iron (WR)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 205-211.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓢ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

 All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6900 † ♻️



Two-Handle Widespread Bathroom Faucet
T6920 * † ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
T936 * ♻️



Two-Handle Roman Tub
T935 * ♻️

TRANSFER VALVES



Three Independent Function Transfer Valve Trim
T2082 * ♻️
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
T2081 * ♻️
Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower
T2813 * ♻️
T2813EP * ♻️
T2813NH * ♻️

Posi-Temp Shower Only
T2812 * ♻️
T2812EP * ♻️
T2812NH * ♻️

Posi-Temp Valve Only
T2811 * ♻️



COORDINATING ACCESSORIES



Method™ Tank Lever
YB2401



Method Pivoting Paper Holder (P)
YB2408



Method 18" Towel Bar
YB2418

Method 24" Towel Bar
YB2424



Method Double Robe Hook
YB2403



Method Hand Towel Bar
YB2486



Method 18" Double Towel Bar
YB2422

Method 24" Double Towel Bar
YB2423

RIZON FINISH OPTIONS



Chrome, Brushed Nickel (BN),
Matte Black (BL) (Ships Q2)

Not all platforms available in all finishes.

To view ordering instructions, see
reference chart on pages 205-211.

- ⊗ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- (P) Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



**Two-Handle Centerset
Bathroom Faucet**
6802 * 



**Two-Handle Widespread
Bathroom Faucet**
T6805 *  

ROMAN TUB FAUCETS



Two-Handle Roman Tub
T683 *  



TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
T2031 * ♻️ ♿

Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower with Rainshower
T2283EP* ♻️ ♿ ♿

Posi-Temp Shower Only with Rainshower
T2282EP* ♻️ ♿ ♿

Posi-Temp Tub/Shower
T2183* ♻️ ♿ ♿
T2183EP* ♻️ ♿ ♿

Posi-Temp Shower Only
T2182* ♻️ ♿ ♿
T2182EP* ♻️ ♿ ♿

Posi-Temp Valve Only
T2181* ♻️ ♿

Dartmoor™



MATCHING ACCESSORIES



Tank Lever
YB2101



Double Robe Hook
YB2103



Paper Holder
YB2108



18" Towel Bar
YB2118



Towel Ring
YB2186

24" Towel Bar
YB2124

COORDINATING ACCESSORIES



Rothbury® Drawer Knob
YB8205



Belfield™ 12" Grab Bar
YG6412



Rothbury Drawer Pull
YB8207

Belfield 18" Grab Bar
YG6418

Belfield 24" Grab Bar
YG6424



Belfield™ One Globe Bath Light
YB6461



Belfield Three Globe Bath Light
YB6463



Belfield Two Globe Bath Light
YB6462



Belfield Four Globe Bath Light
YB6464

DARTMOOR FINISH OPTIONS




Chrome, Brushed Nickel **(BN)**, Oli Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 205-211.

- ⌘ Immersion Rainshower Technology
- ⌚ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- ⌚ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

UL **US** LISTED All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



Two-Handle Centerset Bathroom Faucet
6172 *+ ♻️



Two-Handle Widespread Bathroom Faucet
T6173 *+ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub
T373 * ♻️

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
T2721 * ♻️
Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower with Rainshower
T2843EP* ♻️ ♻️ ♻️



Posi-Temp Shower Only with Rainshower
T2842EP* ♻️ ♻️ ♻️



Posi-Temp Tub/Shower
T2743* ♻️ ♻️
T2743EP* ♻️ ♻️ ♻️



Posi-Temp Shower Only
T2742* ♻️ ♻️
T2742EP* ♻️ ♻️ ♻️



Posi-Temp Valve Only
T2741* ♻️ ♻️



MATCHING ACCESSORIES



Double Robe Hook
YB2303




18" Towel Bar
YB2318



Paper Holder
YB2308



Towel Ring
YB2386



24" Towel Bar
YB2324

COORDINATING ACCESSORIES



Icon™ Tank Lever
YB5801



Icon Drawer Knob
YB5805



Icon Drawer Pull
YB5807

GLYDE FINISH OPTIONS



Chrome, Brushed Nickel (BN)
To view ordering instructions, see reference chart on pages 205-211.

- ⊗ Immersion Rainshower Technology
- ⊕ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ⊙ ADA-Compliant
- ⊖ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6710 †

POSI-TEMP®



Posi-Temp Tub/Shower

T2663EP* †

T2663NH* †

Posi-Temp Shower Only

T2662EP* †

T2662NH* †

Posi-Temp Valve Only

T2661* †

COORDINATING ACCESSORIES



Genta™ Single Robe Hook
BH3803



Genta Pivoting Paper Holder
BH3808 †



Genta 18" Towel Bar
BH3818

Genta 24" Towel Bar
BH3824



Genta Hand Towel Bar
BH3886

VICHY FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 205-211.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



**One-Handle Bathroom
Faucet**
6600 † ♻️



**Two-Handle Widespread
Bathroom Faucet**
T6620 * † ♻️ ♿



**Two-Handle Centerset
Bathroom Faucet**
6610 † ♿

GARDEN TUB FAUCETS



Two-Handle Garden Tub
T4943 * ♻️ ♿

ROMAN TUB FAUCETS



**Two-Handle Roman Tub
with Handshower**
T924 * ♻️ ♿





Two-Handle Roman Tub
T933 * ♻️ ♿



TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
T2021 *
Use with valve 3372 or 3375

BIDETS



Two-Handle Bidet
T5225 *







POSI-TEMP®










Posi-Temp Tub/Shower with Rainshower
T2253EP*

Posi-Temp Shower Only with Rainshower
T2252EP*



Posi-Temp Tub/Shower
T2153*
T62153EP*
T62153NH*


Posi-Temp Shower Only
T2152*
T62152EP*
T62152NH*

Posi-Temp Valve Only
T2151*



Posi-Temp Tub/Shower with Remodel Valve Trim
T2157*

Brantford®



MATCHING ACCESSORIES



Tank Lever
YB2201



Paper Holder
YB2208



18" Towel Bar
YB2218

24" Towel Bar
YB2224



One Globe Bath Light
YB2261



Double Robe Hook
YB2203



Towel Ring
YB2286



12" Designer Grab Bar
YG2212

18" Designer Grab Bar
YG2218

24" Designer Grab Bar
YG2224



Two Globe Bath Light
YB2262



Three Globe Bath Light
YB2263



Four Globe Bath Light
YB2264

COORDINATING ACCESSORIES



Waterhill® Drawer Knob
YB9805



Waterhill Drawer Pull
YB9807


BRANTFORD FINISH OPTIONS



Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 205-211.

- ⌘ Immersion Rainshower Technology
- ⌚ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ⦿ ADA-Compliant
- ⌚ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

 All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6400 † ♻️



Two-Handle Widespread Bathroom Faucet
T6420 * † ♻️ ♻️



Two-Handle Centerset Bathroom Faucet
6410 † ♻️


ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
T944 * ♻️ ♻️



Two-Handle Roman Tub
T943 * ♻️ ♻️



TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
T2011 *
Use with valves 3372 or 3375

BIDETS



Two-Handle Bidet
T5220 *

POSI-TEMP®



Posi-Temp Tub/Shower with Rainshower
T2233EP*

Posi-Temp Tub/Shower with Rainshower
T2232EP*



Posi-Temp Tub/Shower with Remodel Valve
T2137EP*



Posi-Temp Tub/Shower
T2133*
T62133EP*
T62133NH*

Posi-Temp Shower Only
T2132*
T62132EP*
T62132NH*

Posi-Temp Valve Only
T2131*



MATCHING ACCESSORIES



Tank Lever
YB2801



Single Robe Hook
YB2803



Paper Holder
YB2808



Towel Ring
YB2886



Towel Shelf
YB2894



18" Towel Bar
YB2818

24" Towel Bar
YB2824



12" Designer Grab Bar
YG2812

18" Designer Grab Bar
YG2818

24" Designer Grab Bar
YG2824



One Globe Bath Light
YB2861



Two Globe Bath Light
YB2862



COORDINATING ACCESSORIES



Icon™ Drawer Knob
YB5805



Icon Drawer Pull
YB5807



Three Globe Bath Light
YB2863



Four Globe Bath Light
YB2864

EVA FINISH OPTIONS



Chrome, Brushed Nickel (**BN**),
Oil Rubbed Bronze (**ORB**)

To view ordering instructions, see reference chart on pages 205-211.

- ⌘ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

UL LISTED us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6810 † ♻️



Two-Handle Widespread Bathroom Faucet
T6820 * † ♻️ ♻️



One-Handle Bathroom Faucet with Vessel Extension
6810 † + A2020

ROMAN TUB FAUCETS



Two-Handle Roman Tub with Handshower
T987 * ♻️ ♻️



Two-Handle Roman Tub
T986 * ♻️ ♻️











POSI-TEMP®



- Posi-Temp Tub/Shower**
T2803*
T2803EP*
T2803NH*
- Posi-Temp Shower Only**
T2802*
T2802EP*
T2802NH*
- Posi-Temp Valve Only**
T2801*

MATCHING ACCESSORIES

- 
Tank Lever
YB2401
- 
Double Robe Hook
YB2403
- 
Pivoting Paper Holder
YB2408
- 
Hand Towel Bar
YB2486
- 
18" Towel Bar
YB2418
- 
18" Double Towel Bar
YB2422
- 
24" Towel Bar
YB2424
- 
24" Double Towel Bar
YB2423

Method™



MATCHING ACCESSORIES



Tank Lever
YB2401



Double Robe Hook
YB2403



Pivoting Paper Holder
YB2408



9" Hand Towel Bar
YB2486



18" Towel Bar
YB2418

24" Towel Bar
YB2424



18" Double Towel Bar
YB2422

24" Double Towel Bar
YB2423

COORDINATING ACCESSORIES



Iso™ Drawer Knob
DN0705



Iso Drawer Pull
DN0707



90°™ 12" Designer Grab Bar
YG8812

90° 18" Designer Grab Bar
YG8818

90° 24" Designer Grab Bar
YG8824

90° 36" Designer Grab Bar
YG8836

90° 42" Designer Grab Bar
YG8842



Iso™ One Globe Bath Light
DN0761



Iso Three Globe Bath Light
DN0763




Iso Two Globe Bath Light
DN0762



Iso Four Globe Bath Light
DN0764

METHOD FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**

To view ordering instructions, see reference chart on pages 205-211.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.

cULus LISTED All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6145



Two-Handle Widespread Bathroom Faucet
T6142 *



Two-Handle Centerset Bathroom Faucet
6150 *

ROMAN TUB FAUCET



Two-Handle Widespread Roman Tub
T961 *

TRANSFER VALVES



Three Independent Function Transfer Valve Trim
T2922 *
Use with valve 3362 only




Two- or Three-Function Transfer Valve Trim
T2921 *
Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower with Rainshower
T3003EP*
Use with valve 3362 only

Posi-Temp Tub/Shower with Rainshower
T3002EP*
Use with valves 3372 or 3375




POSI-TEMP®



- Posi-Temp Tub/Shower**
T2903EP*◇♻️♻️
T2903NH*♻️♻️
- Posi-Temp Shower Only**
T2902EP*◇♻️♻️
T2902NH*♻️♻️
- Posi-Temp Valve Only**
T2901*♻️♻️

COORDINATING ACCESSORIES



- Iso™ Single Robe Hook**
DN0703
- Iso Towel Ring**
DN0786
- Iso Pivoting Paper Holder**
DN0708 Ⓟ
- Iso 18" Towel Bar**
DN0718
- Iso 24" Towel Bar**
DN0724

GIBSON FINISH OPTIONS



Chrome, Brushed Nickel (BN),
Matte Black (BL)

Not all platforms available in all finishes.
To view ordering instructions, see reference chart on pages 205-211.

- ☒ Immersion Rainshower Technology
- ♻️ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♻️ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



**One-Handle Bathroom
Faucet**
6702

NEW



**Two-Handle Widespread
Bathroom Faucet**
T6708 *

ROMAN TUB FAUCET



**Two-Handle Roman Tub
Faucet**
T908 *

TRANSFER VALVES



**Three Independent Function
Transfer Valve Trim**
T2402 *
Use with valve 3362 only



**Two- or Three-Function
Transfer Valve Trim**
T2401 *
Use with valves 3372 or 3375


POSI-TEMP®



Posi-Temp Tub/Shower
T2473EP*
T2473NH*

Posi-Temp Shower Only
T2472EP*
T2472NH*

Posi-Temp Valve Only
T2471*



MATCHING ACCESSORIES



Single Robe Hook
BH3803



Pivoting Paper Holder
BH3808 (P)



Hand Towel Bar
BH3886



18" Towel Bar
BH3818

24" Towel Bar
BH3824

GENTA FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 205-211.

- ⌘ Immersion Rainshower Technology
- ⌚ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ⊕ ADA-Compliant
- (P) Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Chateau®

LAVATORY FAUCETS



One-Handle Bathroom Faucet
L4601 †



One-Handle Bathroom Faucet
L4635 †



One-Handle Bathroom Faucet
L4605 †



Two-Handle Centerset Bathroom Faucet
4925 †



One-Handle Bathroom Faucet
L4621 †



Two-Handle Widespread Bathroom Faucet
4945 * †



One-Handle Bathroom Faucet
L4625 †



Two-Handle Widespread Bathroom Faucet
4962 * †

ROMAN TUB FAUCETS



Two-Handle Roman Tub
T999 * Ⓜ



Two-Handle Roman Tub with Handshower
T991 * Ⓜ Ⓟ



Two-Handle Roman Tub
T990 * Ⓜ Ⓟ

GARDEN TUB FAUCETS



Two-Handle Garden Tub
4902 *



Two-Handle Garden Tub
T994 * Ⓜ Ⓟ



POSI-TEMP®



- Tub/Shower**
L2353* / L2353EP*◇
- Tub/Shower with Stops**
L2363*
- Tub/Shower Trim Only**
TL183* / TL183EP*◇
TL183NH*
- Shower Only**
L2352* / L2352*
- Shower Only with Stops**
L2362*
- Shower Only with Trim Only**
TL182* / TL182EP*◇
TL182NH*
- Valve Only**
L2361*
- Valve Trim Only**
TL181*



- Tub/Shower with Remodel Valve Trim**
L2369EP*◇
- Tub/Shower with Remodel Valve Trim Only**
TL2369EP*◇
- Shower Only**
L2368EP*◇
- Shower Remodel Valve Trim Only**
TL2368EP*◇
- Tub/Shower**
2353*
- Tub/Shower with Valve and Stops**
2363*
- Shower Only**
2352*

STANDARD



- Standard Tub/Shower**
T471* / T471EP*◇
- Standard Shower Only**
T473* / T473EP*◇
- Standard Tub/Shower**
TL471* / TL471EP*◇
- Standard Shower Only**
TL473* / TL473EP*◇



- Standard Tub/Shower with Valve**
2995 / 2995EP*◇
- Standard Tub/Shower with Valve**
CC 2919 / 2919EP*◇
IPS 2982 / 2982EP*◇



BIDETS



Two-Handle Bidet
TL5265 * 

COORDINATING ACCESSORIES



Mason® Double Robe Hook
YB8003



Mason Towel Ring
YB8086



**Mason Paper Holder
(Roller Only)**
YB8099
+
Mason Mounting Posts (Pair)
YB8000



Mason Double Paper Holder
YB8088
(3 mounting posts, roller not included)
+
Mason Mounting Posts (Pair)
YB8000



Mason 24" Towel Bar (Bar Only)
YB8094

+
Mason Mounting Posts (Pair)
YB8000



Mason 18" Towel Bar (Bar Only)
YB8098

+
Mason Mounting Posts (Pair)
YB8000

CHATEAU FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 205-211.


- ⌘ Immersion Rainshower Technology
- ⌚ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓒ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Custom Showering



U by Moen™ Four-Outlet Controller / TS3304BL
Mosaic™ Multi-Function Body Sprays / TS1422BL
Eco-Performance Handheld Shower / 3558EPBL
One-Function 8" Rainshower Showerhead / S6360BL
Arris® Wallmount Bathroom Faucet / TS43003BL

Arris 18" Towel Bar / YB0818BL
Arris Double Robe Hook / YB0803BL
Arris Hand Towel Ring / YB0886BL
Arris Tank Lever / YB0801BL







Voss™ Tub Filler
695



Mosaic™ Body Spray
TS1322



**Overhead-Mount
Rainshower Showerhead**
S1004

Now there's a shower to go with every body.

With expanded lines of tub fillers, body jets, rainshowers, handheld showers and the U by Moen™ showering system, an at-home spa is right at your fingertips. Experience the ultimate in customization and transform any bathroom into a personalized escape, no matter the size and space.

There are numerous configurations for pairing products to create the perfect system for you. Combine a four-outlet U by Moen system with a showerhead, rainshower, handshower and body sprays, and bring the spa home. From soothing aching muscles to overindulging in self-care, there's a combination for every need.

Digital Showering



Once upon a time, people turned a handle to start their shower.

That was before Moen® made it possible to start your shower with the sound of your voice or a tap on your smartphone. Smart home assistants, such as Amazon's Alexa, allow us to adjust lighting to fit our mood, play our favorite music and even order late-night pizza. So why not use the same technology to make an everyday shower amazing?

Compatible with Amazon Alexa, Apple HomeKit and Google Home, U by Moen™ connects to your Wi-Fi for a customizable shower experience for your whole smart home portfolio. U by Moen remembers personalized settings by name and offers elegant finishes to fit harmoniously with any shower design. Make your shower work for you — all at the sound of your voice or the touch of an app.

With U by Moen, the wave of the future starts with a shower designed just for you.



- Personalized setting for every occasion
- Remote activation with Amazon Alexa, Apple HomeKit, Google Home and U by Moen smartphone apps
- Digital controller with LCD display
- Water-saving warm-up and pause
- Flexible installation with two- and four-outlet valves and controllers



[Available Q1]



[Available Q2]



Digital Showering



Digital Showering for Every Space



U by Moen™ with Two- and Four-Outlet Controller and Valve

From cozy showers to spacious spas, U by Moen combines luxuries such as body sprays and hand showers that turn a shower into an escape. Available with a two-outlet digital controller and valve for smaller spaces and a four-outlet digital controller and valve for larger spaces, make any shower you get in feel like getting away.

Two- and Four-Outlet Controllers

- Wi-Fi connected shower controller
- Easy-to-read 5-inch non-touch LCD screen
- Soft-touch buttons for each outlet and power, temperature and present buttons
- Stylish matte black and terra beige finishes coordinate with any shower design
- Five-Year Limited Warranty

Two- and Four-Outlet Valves

- Thermostatic digital valve with precise temperature and outlet control
- Compact valve design and 30-foot data cable for flexibility in install locations
- Easy servicing with accessible filter screens
- Optional battery backup kit (179573) for continued operation during power outages
- Four-outlet valve uses 3/4" inlets and 1/2" outlets; 16.0 gpm flow rate
- Two-outlet valve uses 1/2" inlets and 1/2" outlets; 10.3 gpm flow rate
- Five-Year Limited Warranty

Smartphone App

- Operates U by Moen shower remotely and allows customization and personalization of many additional preferences

Voice Activation

- Compatible with Amazon Alexa, Apple HomeKit and Google Home



**U by Moen
Two-Outlet Controller**
TS3302TB, TS3302BL



**U by Moen
Two-Outlet Valve**
S3102



**U by Moen
Four-Outlet Controller**
TS3304TB, TS3304BL



**U by Moen
Four-Outlet Valve**
S3104

Compatible with:



(Available Q1)

(Available Q2)

Visit moen.com/u.

Shower Spa



Weymouth Featured in Lifeshine® Polished Nickel Finish

¾" THERMOSTATIC SHOWERING

Choose up to four showering products — rainshowers, handshowers or body sprays — in any combination you desire.



**Weymouth®
Valve Trim**
TS32110 *



**Waterhill®
Valve Trim**
TS3110 *



**Rothbury®
Valve Trim**
TS3760 *



**Moen®
Valve Trim**
TS3411 *



**Arris®
Valve Trim**
TS33002 *



**90™
Valve Trim**
TS3100 *



**Weymouth
Volume Control**
TS52104 *



**Waterhill
Volume Control**
TS514 *



**Rothbury
Volume Control**
TS3820 *




**Moen
Volume Control**
TS3600 *



**Arris
Volume Control**
TS33003 *



**90°
Volume Control**
TS3300 *





Weymouth Featured in Chrome Finish

The **ExactTemp®** valve uses thermostatic technology for precise temperature control while delivering the high-volume capability to feed multiple showering devices. Its thermostatic cartridge automatically compensates for fluctuations in hot and cold water supply to ensure comfort and pinpoint temperature accuracy. There's no need to readjust temperature as your hot water tank begins to cool. In addition, the handle position sets maximum water temperature and temperature memory, so you can easily dial up the same experience day after day.



NEW





**Wynford®
Valve Trim**
T6601 *

NEW





**Belfield™
Valve Trim**
T4411 *





**Wynford
Volume Control**
T6602 *



**Belfield
Volume Control**
T4412 *



**Icon™
Valve Trim**
TS3900 *





**Icon
Volume Control**
TS3200 *

NEW





**Doux™
Valve Trim**
TS3101 *



**Doux
Volume Control**
TS3102 *

NEW





**Via®
Valve Trim**
TS9711 *





**Via
Volume Control**
TS9712 *

NEW





**Align®
Valve Trim**
T4291 *



**Align
Volume Control**
T4292 *



NEW



**Voss™
Valve Trim**
T4691 *



**Voss™
Volume Control**
T4692 *

-  Moen M•PACT® Common Valve System
-  ADA-Compliant
- * Rough-in valve required. Please see price catalog for rough-in model numbers.

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 204-207.

Shower Spa



Align® Featured in Chrome Finish





Arris® Featured in Chrome Finish



MOENTROL®

Operate one function at a time, such as showerhead or handshower, or operate two functions simultaneously.



**Weymouth®
Valve Trim**
TS33101 * 



**90°™
Valve Trim**
TS3711 * 



**Icon™
Valve Trim**
TS2154 * 





**Doux™
Valve Trim**
TS3201 * 

NEW





**Align®
Valve Trim**
T3291 * 





**Belfield™
Valve Trim**
T3311 * 





**Weymouth
Two- Or Three-
Function Transfer
Valve Trim**
TS32205 * 
Use with valves 3372 or 3375





**90°
Two- Or Three-
Function Transfer
Valve Trim**
TS4172 * 
Use with valves 3372 or 3375



**Icon
Two- Or Three-
Function Transfer
Valve Trim**
T4171 * 
Use with valves 3372 or 3375



**Doux
Two- Or Three-
Function Transfer
Valve Trim**
TS9204 * 
Use with valves 3372 or 3375

NEW



**Align
Two- Or Three-
Function Transfer
Valve Trim**
T4191 * 
Use with valves 3372 or 3375



**Belfield
Two- Or Three-
Function Transfer
Valve Trim**
T4301 * 
Use with valves 3372 or 3375




Belfield™ Featured in Chrome Finish



Our **Moentrol®** and **Posi-Temp®** valves offer the ability to incorporate two- or three-function transfer valves for exactly the shower experience you want. Both valves let you select from a broad range of modern, transitional and traditional suites.

- Two-function design offers two distinct operations, such as a showerhead or handshower.
- Three-function design permits the operation of one showering device at a time (i.e., showerhead or handshower) or the combination of both.
- Three independent functions allow for singular operation of any one of three showering devices (i.e., showerhead, handshower or tub spout).



**Arris®
Valve Trim**
TS32001 *  





**Rothbury®
Valve Trim**
TS3211 *  





**Wynford®
Valve Trim**
T5501 *  





**Voss™
Valve Trim**
T3691 *  





**Kingsley®
Valve Trim**
T3111 *  





**Arris
Two- Or Three-
Function Transfer
Valve Trim**
TS23005 *  
Use with valves 3372 or 3375





**Rothbury
Two- Or Three-
Function Transfer
Valve Trim**
TS5205 *  
Use with valves 3372 or 3375





**Wynford
Two- Or Three-
Function Transfer
Valve Trim**
T4511 *  
Use with valves 3372 or 3375





**Voss
Two- Or Three-
Function Transfer
Valve Trim**
T4611 *  
Use with valves 3372 or 3375



**Kingsley
Two- Or Three-
Function Transfer
Valve Trim**
T4311 *  
Use with valves 3372 or 3375

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 204-207.

-  Moen M•PACT® Common Valve System
-  ADA-Compliant
- * Rough-in valve required. Please see price catalog for rough-in model numbers.

Shower Spa



Align® Featured in Chrome Finish



90™ Featured in LifeShine® Brushed Nickel Finish

MOENTROL® THREE-FUNCTION

Choose up to two spray outlets — handshowers, showerheads or two body sprays — in addition to tub shower.



**Weymouth®
Valve Trim**
TS33101 *



**Arris®
Valve Trim**
TS32001 *



**90™
Valve Trim**
TS3711 *



**Doux™
Valve Trim**
TS3201 *

NEW



**Wynford®
Valve Trim**
T5501 *



**Align®
Valve Trim**
T3291 *



**Voss™
Valve Trim**
T3691 *



**Weymouth
Three
Independent
Function
Transfer
Valve Trim**
TS32206 *
Use with valve 3362 only



**Arris
Three
Independent
Function
Transfer
Valve Trim**
TS23006 *
Use with valve 3362 only



**90°
Three
Independent
Function
Transfer
Valve Trim**
TS4173 *
Use with valve 3362 only



**Doux™
Three
Independent
Function
Transfer
Valve Trim**
TS9205 *
Use with valve 3362 only

NEW



**Wynford
Three
Independent
Function
Transfer
Valve Trim**
T4512 *
Use with valve 3362 only



**Align
Three
Independent
Function
Transfer
Valve Trim**
T4192 *
Use with valve 3362 only



**Voss
Three
Independent
Function
Transfer
Valve Trim**
T4612 *
Use with valve 3362 only



Icon™ Featured in Chrome Finish



MOENTROL MULTI-FUNCTION

With built-in two- or three-function transfer valve.

Choose up to two showering products — handshowers, showerheads or two body sprays — in any combination you desire.

 <p>Rothbury® TS4211 *</p>	 <p>Icon™ TS4112 *</p>	 <p>Kingsley® T4111 *</p>	<p>NEW</p>  <p>Belfield™ T3322 *</p>	<p>NEW</p>  <p>Align® T3290 *</p>	<p>NEW</p>  <p>Wynford® T5500 *</p>
--	--	---	--	---	---

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 204-207.

-  Moen M•PACT® Common Valve System
-  ADA-Compliant
- * Rough-in valve required. Please see price catalog for rough-in model numbers.

Shower Spa

POSI-TEMP®

Choose up to two showering products — handshowers, showerheads or two body sprays — in addition to tub spout if desired.

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375



**Weymouth®
Valve Trim**
TS3210 *



**Weymouth
Transfer Valve Trim**
TS32206 *



**Weymouth
Transfer Valve Trim**
TS32205 *



**Rothbury®
Valve Trim**
TS2211 *



**Rothbury
Transfer Valve Trim**
TS5205 *



**Arris®
Valve Trim**
TS22001 *



**Arris
Transfer Valve Trim**
TS23006 *



**Arris
Transfer Valve Trim**
TS23005 *



**Icon™
Valve Trim**
TS2141 *



Transfer Valve Trim
T4171 *



**Waterhill®
Valve Trim**
TS310



**Waterhill
Transfer Valve Trim**
TS325 *



**Wynford®
Valve Trim**
T4501 *



**Wynford
Transfer Valve Trim**
T4512 *



**Wynford
Transfer Valve Trim**
T4511 *



**90°™
Valve Trim**
TS2711 *



**90°
Transfer Valve Trim**
TS4173 *



**90°
Transfer Valve Trim**
TS4172 *



**Align®
Valve Trim**
T2191 *



**Align
Transfer Valve Trim**
T4192 *



**Align
Transfer Valve Trim**
T4191 *



**Via®
Valve Trim**
TS8711 *



**Via
Transfer Valve Trim**
TS2172 *



**Via
Transfer Valve Trim**
TS2171 *



**Voss™
Valve Trim**
T2691



**Voss
Transfer Valve Trim**
T4612 *



**Voss
Transfer Valve Trim**
T4611 *



NEW

**Doux™
Valve Trim**
TS2201 *



NEW

**Doux
Transfer Valve Trim**
TS9204 *



NEW

**Doux
Transfer Valve Trim**
TS9205 *



**Belfield™
Valve Trim**
T2311 *



**Belfield
Transfer Valve Trim**
T4301 *

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375



**Kingsley®
Valve Trim**
T2111 *



**Kingsley
Transfer Valve Trim**
T4311 *



**Rizon®
Valve Trim**
T2811 *



**Rizon
Transfer Valve Trim**
T2082 *



**Rizon
Transfer Valve Trim**
T2081 *



**Dartmoor™
Valve Trim**
T2181 *



**Dartmoor
Transfer Valve Trim**
T2031 *



**Glyde™
Valve Trim**
T2741 *



**Glyde™
Transfer Valve Trim**
T2721 *



**Brantford®
Valve Trim**
T2151 *



**Brantford
Transfer Valve Trim**
T2021 *

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375



**Eva®
Valve Trim**
T2131 *



**Eva
Transfer Valve Trim**
T2011 *



**Method™
Valve Trim**
T2801 *



Transfer Valve Trim
T4171 *



**Vichy™
Valve Trim**
T2661 *



Transfer Valve Trim
T4171 *



**Genta™
Valve Trim**
T2471 *



**Genta
Transfer Valve Trim**
T2402 *



**Genta
Transfer Valve Trim**
T2401 *



**Gibson™
Valve Trim**
T2901 *



**Gibson
Transfer Valve Trim**
T2922 *



**Gibson
Transfer Valve Trim**
T2921 *

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 204-207.

Moen M•PACT® Common Valve System
 ADA-Compliant

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Shower Spa/Tub Fillers



Annex™ Featuring Moen Eco-Performance Rainshower and Handshower



Voss™ Featured in Lifeshine® Polished Nickel Finish



Annex Shower Rail
TS366NH

Showerhead and handheld shower sold separately

ANNEX™

With industrial-inspired sophistication, Moen's Annex Shower Rail combines fashion and function, letting you enjoy both the showerhead and handshower of your choice.

Versatile Annex installs without disturbing existing tile or having to change the height of the showerhead, so you can easily add a handshower to your shower design.

With 2½" adjustability between the shower rail and wall, Annex installs easily against any surface. In addition, it mounts directly to a flush wall or a wall with up to a 1" offset. The secure Annex mounting system meets ADA pull-force requirements, up to 250 lbs. Annex pairs with Moentrot® or Posi-Temp® valves and corresponding trims.

To order, combine the model number with one of these finish letter(s): Chrome **(CH)**, LifeShine® Brushed Nickel **(BN)**, Oil Rubbed Bronze **(ORB)**, Matte Black **(BL)**.

TUB FILLERS





Weymouth®
Freestanding or
Wallmount Tub Filler

Cross Handle
S22105 / TS25105* 

Lever Handle
S22110 / TS25105* 





Arris®
Freestanding
Tub Filler
S93005 *  





Arris™ Featured in Chrome Finish





**Voss™
Freestanding
Tub Filler**
695 *  





**90°™
Freestanding
Tub Filler**
S905*  





**Belfield™
Freestanding
Tub Filler**
9025*  



**Wynford®
Freestanding
Tub Filler**
655 *  

Includes cross and lever handle options.



**Align®
Freestanding
Tub Filler**
395 *  

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 204-207.

 Moen M•PACT® Common Valve System

 ADA-Compliant

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Rainshowers



S6345 Featured in Chrome Finish



S1004 Featured in Chrome Finish



One-Function 10" Showerhead
S112 ✕
S112EP ✕✕



Two-Function 9" Showerhead
S1311 ✕
S1311EP ✕✕



Two-Function 8 1/2" Showerhead
S6345 ✕
S6345EP ✕✕



Two-Function 8" Showerhead
S6320 ✕
S6320EP ✕✕



One-Function 7" Showerhead
S176 ✕
S176EP ✕✕




One-Function 7" Showerhead
S6310 ✕
S6310EP ✕✕



One-Function 6" Showerhead
S6340 ✕
S6340EP ✕✕
S6340EP15 ✕✕



One-Function 6" Showerhead
S6365 ✕
S6365EP ✕✕



S6340 Featured in Brushed Nickel Finish



One-Function 8" Showerhead
S6360 ✂
S6360EP ✂✂



One-function 10" Diameter Spray Head Rainshower
S1001
S1001EP◇



One-function 10" Diameter Spray Head Rainshower
S1003
S1003EP◇



One-function 8" Diameter Spray Head Rainshower
S1005
S1005EP◇



One-Function 8" Showerhead
6345 ◇



One-function 12" Diameter Spray Head Rainshower
S1002
S1002EP◇



One-function 12" Diameter Spray Head Rainshower
S1004
S1004EP◇



One-function 8" Diameter Spray Head Rainshower
S1006
S1006EP◇

✂ Immersion® Rainshower Technology

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Showerheads



23026 Featured in Chrome Finish

STANDARD AND ECO-PERFORMANCE SHOWERHEADS



**One-Function
6" Showerhead**
S6335
S6335EP ◇
S6335EP15 ◇



**One-Function
5 7/8" Showerhead**
S6312
S6312EP ◇



**One-Function
4 3/8" Showerhead**
6302
6302EP ◇
6302EP15 ◇



**Four-Function
4 3/8" Showerhead**
3638
3638EP ◇



**One-Function
4 1/16" Showerhead**
6325
6325EP ◇



**Five-Function
4" Showerhead**
3855
3855EP ◇



**Three-Function
Eco-Performance
4" Showerhead**
3233EP ◇



**One-Function
4" Showerhead**
6371
6371EP



**Three-Function
Eco-Performance
3 3/4" Showerhead**
20001 ◇



**One-Function
3 3/4" Showerhead**
6370
6370EP



**One-Function
3 3/4" Showerhead**
6322
6322EP ◇



**One-Function
3 5/8" Showerhead**
6399
6399EP ◇
6399EP15 ◇



**One-Function
Eco-Performance
3 1/2" Showerhead**
6313 ◇



**One-Function
3 1/2" Showerhead**
6303
6303EP ◇



**Four-Function
3" Showerhead**
23026



**One-Function
2 1/2" Showerhead**
6300
6300EP ◇
6300EP15 ◇



**Six-Function
Eco-Performance
4 1/2" Showerhead**
6512EP

ECO-PERFORMANCE HANDSHOWERS



**Weymouth®
One-Function
Eco-Performance
Handheld Shower**
S12107EP◇



**Four-Function
Eco-Performance
Handheld Shower**
3667EP◇



**One-Function
Eco-Performance
Handheld Shower**
3668EP◇



**One-Function
Eco-Performance
Round Handheld
Shower**
3861EP◇



**Twist
Four-Function
Eco-Performance
Handheld Shower**
S3870EP◇



**Four-Function
Eco-Performance
Handheld Shower**
3669EP◇



**One-Function
Eco-Performance
Handheld Shower**
3868EP◇



**One-Function
Eco-Performance
Handheld Shower**
S11705EP◇



**90°™
One-Function
Eco-Performance
Handheld Shower**
S3879EP◇



**One-Function
Eco-Performance
Round Handheld
Shower**
3887EP◇



**Four-Function
Eco-Performance
Handheld Shower**
3636EP◇



**One-Function
Eco-Performance
Handheld Shower**
3865EP◇



**One-Function
Eco-Performance
Handheld Shower**
3869EP◇



**MAGNETIX®
Six-Function
Eco-Performance
Handheld Shower**
26100EP◇



**MAGNETIX®
Six-Function
Eco-Performance
Handheld Shower**
3662EP◇



**Five-Function
Eco-Performance
Handheld Shower**
3558EP◇



**One-Function
Eco-Performance
Soft Square
Handheld Shower**
3988EP◇



**One-Function
Eco-Performance
Square Handheld
Shower**
3880EP◇

☒ Immersion® Rainshower Technology

EP Eco-Performance

Drop ell sold separately

♿ ADA-Compliant

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Handheld Showers

ECO-PERFORMANCE HANDHELD SHOWERS



**Five-Function
Eco-Performance
4^{3/8}" Handheld Shower**
189315



**Five-Function
Eco-Performance
4" Handheld Shower**
180238



**Four-Function
Eco-Performance
4" Handheld Shower**
164927



**Four-Function
Eco-Performance
4" Handheld Shower**
164928



**Twist Four-Function
Eco-Performance
3^{3/4}" Handheld Shower**
160042



**Three-Function
Eco-Performance
4" Handheld Shower**
147913



**One-Function
Eco-Performance
4" Handheld Shower**
157276
157276EP15



**One-Function
Eco-Performance
4" Handheld Shower**
155747



**One-Function
Eco-Performance
4" Handheld Shower**
164929



**One-Function
Eco-Performance
3" Handheld Shower**
147547



**One-Function
Eco-Performance
3" Handheld Shower**
176257



**One-Function
Eco-Performance
2" Handheld Shower**
176015



**One-Function
Eco-Performance
3^{3/8}" Handheld Shower**
154305



**One-Function Eco-
Performance 1 1/8"
Round Handheld shower**
155891



**One-Function Eco-
Performance 1" Soft
Square Handheld
Shower**
189318



**One-Function Eco-
Performance 1" Square
Handheld Shower**
189575

Handshower Accessories and Body Sprays

HANDSHOWER ACCESSORIES



Drop Ell
A721



Shower Arm Diverter
A720



Drop Ell
A725



Shower Arm Diverter
CL703



Drop Ell Handshower Bracket
A755



Shower Arm Diverter with Handshower Bracket
CL707



Handshower Bracket
A701



Handshower Bracket
114348



Handshower Bracket
A730



Handshower Bracket
155694

MOSAIC™ FLUSHMOUNT BODY SPRAYS



Multi-Function Body Spray
TS1420*



One-Function Body Spray
TS1320*



Multi-Function Body Spray
TS1422*



One-Function Body Spray
TS1322*

EXPOSED BODY SPRAYS



One-Function Body Spray
A501

☒ Immersion® Rainshower Technology

EP Eco-Performance

Drop ell sold separately

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Tub Spouts and Drains

DIVERTER TUB SPOUTS



Weymouth®
Slip Fit / S12104



Arris®
Slip Fit / 165914



Waterhill®
Slip Fit / S114



90°™
IPS / S3894
Slip Fit / S3896



Via®
Slip Fit / S3900



Rothbury®
Slip Fit / S3859



Icon™
Slip Fit / S3840



Doux™
IPS / 3800
Slip Fit / S3835



Wynford®
Slip Fit / 175385



Align®
IPS / 172657
Slip Fit / 172656



Voss™
Slip Fit / 161955



Belfield™
Slip Fit / 185820



Kingsley®
Slip Fit / 3808



Rizon®
Slip Fit / 3839



Dartmoor™
Slip Fit / 3737



Glyde™
Slip Fit / 179791



Brantford®
IPS / 3814
Slip Fit / 3814



Eva®
Slip Fit / 3853



Method™
Slip Fit / 152027



Chateau®
IPS / 3931
Slip Fit / 3931



Moen®
IPS / 3800
Slip Fit / 3801



Long-Reach
Slip Fit / 3830



Level
Slip Fit / 3890



Legend®
IPS / 3911
Slip Fit / 3960

NON-DIVERTER TUB SPOUTS



Weymouth®
Slip Fit / S12105



Arris®
Slip Fit / S16900



90°™
Slip Fit / S3898



Via®
Slip Fit / S3901



NEW

Doux™
IPS / S3836
Slip Fit / S3836



Rothbury®
Slip Fit / S3860



Icon™
Slip Fit / S3842



Wynford®
Slip Fit / 195386



Voss®
Slip Fit / 191956



Brantford®
Slip Fit / 3858



Chateau®
IPS / 3804
Slip Fit / 3805



Moen®
IPS / 3828
Slip Fit / 3829



Legend®
Slip Fit / 3959




Level
Slip Fit / 3892

TUB/SHOWER
DRAIN COVERS




**3" Tub/Shower
Drain Covers**
101663BN

Refer to price
catalog for finishes



**2 5/8" Tub/Shower
Drain Covers**
101664BN

Refer to price
catalog for finishes



**3 3/8" Tub/Shower
Drain Covers**
102763BN

Refer to price
catalog for finishes



COORDINATING ACCESSORIES



Single Robe Hook
DN0703



Towel Ring
DN0786



Mirror
DN0792



12" Designer Grab Bar
YG0712



Pivoting Paper Holder
DN0708 (P)



Towel Shelf
DN0794



Vanity Shelf
DN0790

18" Designer Grab Bar
YG0718

24" Designer Grab Bar
YG0724

36" Designer Grab Bar
YG0736

42" Designer Grab Bar
YG0742



Single-Post Paper Holder
DN0709



24" Double Towel Bar
DN0722



18" Towel Bar
DN0718

24" Towel Bar
DN0724



Drawer Knob
DN0705



One Globe Bath Light
DN0761



Three Globe Bath Light
DN0763



Drawer Pull
DN0707



Two Globe Bath Light
DN0762



Four Globe Bath Light
DN0764

ISO FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN),
Brushed Gold (BG), Matte Black (BL)

To view ordering instructions, see
reference chart on pages 209-210.

 Pivoting Technology



All lighting fixtures can be
mounted facing either upward
or downward (rings need to be
removed if mounted up). Bulbs
not included.



COORDINATING ACCESSORIES



Single Robe Hook
BP1803



Hand Towel Bar
BP1886



Single-Post Paper Holder
BP1808



Rectangular Mirror
BP1892



18" Towel Bar
BP1818

24" Towel Bar
BP1824



Single-Post Double Paper Holder
BP1888



24" Double Towel Bar
BP1822

PREMIUM MODERN
FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN),
Matte Black (BL)

To view ordering instructions, see
reference chart on pages 209-210.



COORDINATING ACCESSORIES



Double Robe Hook
DN8403



Vanity Shelf
DN8490



European Paper Holder
DN8408



24" Double Towel Bar
DN8422



Towel Ring
DN8486



18" Towel Bar
DN8418

24" Towel Bar
DN8424

PRESTON FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 209-210.

Retreat®



COORDINATING ACCESSORIES



Single Robe Hook
DN8303



Pivoting Paper Holder
DN8308 (P)



Towel Ring
DN8386



Vanity Shelf
DN8390



24" Double Towel Bar
DN8322



18" Towel Bar
DN8318

24" Towel Bar
DN8324

RETREAT FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 209-210.

(P) Pivoting Technology



COORDINATING ACCESSORIES



Double Robe Hook
BP3703



Paper Holder
BP3708



Towel Ring
BP3786



18" Towel Bar
BP3718



24" Towel Bar
BP3724

KYVOS FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**

To view ordering instructions, see reference chart on pages 209-210.



COORDINATING ACCESSORIES



Tank Lever
DN6801



Towel Ring
DN6886



Vanity Shelf
DN6890



Single Robe Hook
DN6803




Freestanding Paper Holder
DN6850



Mirror
DN6892



Paper Holder
DN6808



24" Double Towel Bar
DN6822



18" Towel Bar
DN6818
24" Towel Bar
DN6824

SAGE FINISH OPTIONS



Chrome **[CH]**, Brushed Nickel **[BN]**,
Oil Rubbed Bronze **[ORB]**

To view ordering instructions, see reference chart
on pages 209-210.

Shower Rods and Bath Safety



SHOWER RODS



Adjustable Curved Shower Rod
CSR2160



Adjustable Double Curved Shower Rod
DN2141



Adjustable Curved Shower Rod
CSR2168



Curved Shower Rod
CSR2165



Adjustable Curved Shower Rod
CSR2164



Shower Basket
YB0275

FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN), Brushed Gold (BG), Oil Rubbed Bronze (ORB), Matte Black (BL)



GRAB BARS



24" Grab Bar With Towel Bar
LR2350D



9" Grab Bar With Corner Shelf
LR2354D



8" Grab Bar With Paper Holder
LR2352D



16" Grab Bar With Shelf
LR2356D

FINISH OPTIONS



Chrome [CH], Brushed Nickel [BNI], Old World Bronze [OWB].

BATH SAFETY



Shower Seat
DN7025



Transfer Bench
DN7065



Teak Folding Shower Seat
DN7110

To view ordering instructions, see reference chart on pages 209-210.

Reference


















Genta™ Featured in Brushed Nickel



Premium Kitchen Finishes



Weymouth® Featured in LifeShine® Brushed Gold Finish

FAUCETS								
		Chrome [C]	Spot Resist™ Stainless [SRS]	LifeShine® Polished Nickel [NL]	Oil Rubbed Bronze [ORB]	Matte Black [BL]	Wrought Iron [WR]	LifeShine® Brushed Gold [BG]
Waterhill®		●	●		●		●	
Weymouth®		●	●	●	●			●
90°™		●	●					
STō® with MotionSense™		●	●					
STō®		●	●			●		●
Etch®		●	●					
NEW Nio™ <small>*Secondary handle is packed in the kit.</small>		●	●			●		
NEW Paterson™ <small>*Secondary handle is packed in the kit.</small>		●	●			●		

BEVERAGE FAUCETS & SOAP DISPENSERS



Chrome
(C)



Spot Resist™
Stainless
(SRS)



LifeShine®
Polished Nickel
(NL)



Oil Rubbed
Bronze
(ORB)



Matte Black
(BL)



Wrought Iron
(WR)



LifeShine®
Brushed Gold
(BG)

Sip™ Traditional
Beverage Faucet



Sip™ Transitional
Beverage Faucet



Sip™ Modern
Beverage Faucet



Traditional
Soap Dispenser



Transitional
Soap Dispenser



Transitional
Soap Dispenser



Modern
Soap Dispenser



POT FILLERS

Modern
Pot Filler



Traditional
Pot Filler
























To order, combine the product model number with one of the available finish letters.

Please see moen.com/consumer-support/warranty for complete product warranty information.



LifeShine Finish

Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.

Kitchen Finishes

									
		Chrome (C)	Spot Resist™ Stainless (SRS)	LifeShine® Classic Stainless (CSL)	LifeShine® Polished Nickel (NL)	Oil Rubbed Bronze (ORB)	Matte Black (BL)	Wrought Iron (WR)	LifeShine® Brushed Gold (BG)
Aberdeen™		●		●		●			
Woodmere®		●	●			●			
Tilt™		●	●						
Voss™		●	●			●			
Notch®		●	●			●			
Align® with MotionSense™		●	●						
Align Spring with MotionSense Wave™		●	●				●		
Align Spring		●	●				●		
Align		●	●				●		●
Brantford® MotionSense		●	●			●			
Brantford with MotionSense Wave		●	●			●			
Brantford		●	●			●			
Genta™		●	●				●		

FAUCETS CONTINUED

								
	Chrome (C)	Spot Resist™ Stainless (SRS)	LifeShine® Classic Stainless (CSL)	LifeShine® Polished Nickel (NL)	Oil Rubbed Bronze (ORB)	Matte Black (BL)	Wrought Iron (WR)	LifeShine® Brushed Gold (BG)
Arbor® with MotionSense		●	●		●			
Arbor with MotionSense Wave		●	●		●	●		
Arbor		●	●		●	●		
Camerist®		●	●		●			
Sleek™ with MotionSense Wave		●	●			●		
Sleek™		●	●			●		
Belfield™		●	●		●			
Integra®		●	●					
Method™		●	●					
Chateau®		●	●					
Torrance™		●	●					
Banbury®		●	●					








To order, combine the product model number with one of the available finish letters.

Please see moen.com/consumer-support/warranty for complete product warranty information.






LifeShine Finish

Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.



















Premium Kitchen and Bar/Prep Platforms

PREMIUM FAUCETS	MotionSense™ Handsfree	MotionSense™ Wave™	Pulldown	Pullout	Fixed	Bar/Prep
Waterhill® 					●	
Weymouth® 			●		●	●
90°™ 				●		●
STo® 	●		●			●
Etch® 			●			●
Nio™ <small>*Secondary handle is packed in the kit.</small> 			●			●
NEW Paterson™ <small>*Secondary handle is packed in the kit.</small> 			●			●

Sinks Series Options

SERIES	Description	Gauge	Undermount Options	Drop-In Options	Bar/Prep Options	Bowl Depth	Sound SHIELD™	Warranty
NEW Granite 	Alternative Colors	N/A	●	●	●	Up to 10"		Limited Lifetime
1600™ Professional Series 	Professional	16	●	●	●	10"	●	Limited Lifetime
1800™ Series 	High-Quality, Extensive Selection	18	●	●	●	Up to 10"	●	Limited Lifetime
2000™ Series 	Design & Functionality	20	●	●	●	Up to 8"	●	Limited Lifetime
2200™ Series 	Sturdy Valve	22		●	●	Up to 8"	●	Limited Lifetime

Kitchen and Bar/Prep Platforms

FAUCETS	MotionSense™ Handsfree	MotionSense™ Wave™	Pulldown	Pullout	Fixed	Bar/Prep
Aberdeen™ 			●			
Woodmere® 			●			●
Tilt™ 				●		
Voss™ 				●		
Notch® 			●			●
Align® Spring 		●	●			
Align 	●		●		●	●
Brantford® 	●	●	●	●	●	●
Genta™ 			●			
Arbor® 	●	●	●	●	●	●
Camerist® 				●	●	●
Sleek™ 		●	●			
Method™ 				●		
Belfield™ 					●	
Integra™ 				●		
Chateau® 					●	●
Torrance™ 					●	
Banbury® 					●	

Premium Bath and Shower Finishes



Doux™ Featured in Matte Black

FAUCETS



Chrome
(-)



Brushed
Chrome
(BC)



LifeShine®
Brushed Nickel
(BN)



LifeShine®
Polished Brass
(P)



LifeShine®
Polished Nickel
(NL)



Oil Rubbed
Bronze
(ORB)



Matte Black
(BL)



Wrought Iron
(WR)



LifeShine®
Brushed Gold
(BG)

Weymouth®



Arris®



Waterhill®



90™



NEW
Doux™



Via®



























Rothbury™



Icon™



Bath and Shower Finishes

									
	Chrome (-)	Brushed Chrome (BC)	LifeShine® Brushed Nickel (BN)	LifeShine® Polished Brass (P)	LifeShine® Polished Nickel (NL)	Oil Rubbed Bronze (ORB)	Matte Black (BL)	Wrought Iron (WR)	LifeShine® Brushed Gold (BG)
Wynford® 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
Align® 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
Voss™ 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
Belfield™ 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
Kingsley® 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
Rizon® 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
Dartmoor™ 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			
Glyde™ 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>						
Vichy™ 	<input checked="" type="checkbox"/>								
Brantford® 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			
Eva® 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			
Method™ 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>						
Gibson™ 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
Genta™ 	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
Chateau® 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							

To order, combine the product model number with one of the available finish letters.

Please see moen.com/consumer-support/warranty for complete product warranty information.

LifeShine Finish

Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.

Premium Bath and Shower Platforms



Weymouth™ Featured in Oil Rubbed Bronze




BATH	One-Handle, One-Hole Lavatory Faucet	One-Handle, Three-Hole Lavatory Faucet	Two-Handle Centerset Lavatory Faucet	Two-Handle Widespread Lavatory Faucet	Two-Handle Wallmount Lavatory Faucet	Floor Mount Tub Filler	Roman Tub Faucet without Handshower	Roman Tub Faucet with Handshower	Bidet	¾" Thermostatic Showering	Transfer Valve Trim	Moentrol® Showering	Posi-Temp® Showering	Rainshower Showerhead	Complementary Showerhead	Suite-Specific Handshower	Suite-Specific Showerhead	Matching Bath Accessories
Weymouth®	●			●	●	●	●	●		●	●	●	●	●		●	●	●
Arris®	●			●	●	●	●	●		●	●	●	●	●				●
Waterhill®	●			●			●			●	●		●	●	●			●
90™	●	●		●	●	●	●	●		●	●	●	●	●			●	●
NEW Doux™	●			●		●	●	●		●	●	●	●	●	●			●
Via®	●			●			●			●	●		●	●	●			●
Rothbury™	●	●		●			●	●		●	●	●	●				●	●
Icon™	●	●	●	●			●	●		●	●	●	●					●

Bath and Shower Platforms

BATH	One-Handle, One-Hole Lavatory Faucet	One-Handle, Three-Hole Lavatory Faucet	Two-Handle Centerset Lavatory Faucet	Two-Handle Widespread Lavatory Faucet	Two-Handle Wallmount Lavatory Faucet	Floor Mount Tub Filler	Roman Tub Faucet without Handshower	Roman Tub Faucet with Handshower	Bidet	¾" Thermostatic Showering	Transfer Valve Trim	Moentrol® Showering	Posi-Temp® Showering	Rainshower Showerhead	Complementary Showerhead	Suite-Specific Handshower	Suite-Specific Showerhead	Matching Bath Accessories
Wynford®	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●		●
Align®	●	●		●		●	●	●	●	●	●	●	●	●	●			●
Voss™	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Belfield™	●	●	●	●		●	●			●	●	●	●		●			●
Kingsley®	●	●	●	●	●		●	●	●		●	●	●			●		●
Rizon®	●			●			●	●			●	●	●			●		
Dartmoor™			●	●			●				●	●	●		●	●	●	●
Glyde™			●	●			●				●	●	●		●	●	●	●
Vichy™	●	●									●					●		
Brantford®	●	●	●	●			●	●	●		●	●	●		●	●	●	●
Eva®	●	●	●	●			●	●	●		●	●	●		●	●	●	●
Method™	●	●		●			●	●			●					●		●
Genta™	●	●		●			●				●	●	●			●		●
Gibson™	●	●	●	●			●				●	●	●		●	●	●	●
Chateau®		●	●	●			●	●	●		●					●		●

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.







Bath-Matching Accessories Finishes

	 Chrome (-)	 Brushed Chrome (BC)	 LifeShine® Brushed Nickel (BN)	 LifeShine® Polished Brass (P)	 LifeShine® Polished Nickel (NL)	 Oil Rubbed Bronze (ORB)	 Matte Black (BL)	 Wrought Iron (WR)	 LifeShine® Brushed Gold (BG)
PREMIUM COLLECTION									
Weymouth®	●		●		●	●	●		●
Arris®	●		●				●		
Waterhill®	●		●			●			
90 ^o ™	●		●						
Via®	●								
NEW Doux™	●		●				●		
Rothbury™	●		●			●			
Icon™	●		●						
	 Chrome (-)	 Brushed Chrome (BC)	 LifeShine® Brushed Nickel (BN)	 LifeShine® Polished Brass (P)	 LifeShine® Polished Nickel (NL)	 Oil Rubbed Bronze (ORB)	 Matte Black (BL)	 Wrought Iron (WR)	 LifeShine® Brushed Gold (BG)
COLLECTION									
Wynford™	●		●		●	●			
Align®	●		●				●		●
Voss™	●		●		●	●	●		●
Belfield™	●		●		●	●			
Kingsley®	●		●	●		●			
Dartmoor™	●		●			●			
Glyde™	●		●						
Brantford®	●		●			●			
Eva®	●		●			●			
Method™	●		●						
Genta™	●		●				●		
Mason®	●	●				●			

Coordinating Accessories Finishes



Iso™ Accessories Featured in Chrome Finish

COLLECTION						
	Chrome (C)	Brushed Nickel (BN)	Oil Rubbed Bronze (ORB)	Old World Bronze (OWB)	Matte Black (BL)	Brushed Gold (BG)
Sage®	●	●	●			
Iso™	●	●			●	●
NEW Triva™	●	●			●	
Preston™	●	●				
Retreat®	●	●				
Kyvos™	●	●				

To order, combine the product model number with one of the available finish letters.

Please see moen.com/consumer-support/warranty for complete product warranty information.

LifeShine Finish

Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.

Premium Bath-Matching Accessories

PREMIUM COLLECTION	Robe Hook	Paper Holder	Single Towel Bar	Double Towel Bar	Hand Towel Bar/Ring	Tank Lever	Grab Bar	Lighting	Knob & Pull	Additional Feature Items
Weymouth®	●	●	●		●	●	Coordinates with Kingsley	Coordinates with Rothbury	●	Magnifying Mirror
Arris®	●	●	●		●	●	●	Coordinates with Iso	Coordinates with Iso	
Waterhill®	●	●	●		●	●	Coordinates with Kingsley	●	●	
90°™	●	●	●		●	●	●	●	●	
Via®	●	●	●		●	Coordinates with 90°	Coordinates with 90°	Coordinates with 90°	Coordinates with 90°	
NEW Doux™	●	●	●		●	●				
Rothbury™	●	●	●		●	●	Coordinates with Kingsley	●	●	
Icon™	●	●	●	●	●	●		Coordinates with Eva	●	Glass Shelf

Coordinating Accessories

COLLECTION	Robe Hook	Paper Holder	Single Towel Bar	Double Towel Bar	Hand Towel Bar/Ring	Tank Lever	Grab Bar	Lighting	Knob & Pull	Additional Feature Items	Faucet Coordination
Sage®	●	●	●	●	●	●				Mirror Glass Shelf	Coordinates with Traditional Styles
Iso™	●	●	●	●	●	Coordinates with Arris	●	●	●	Mirror Glass Shelf Hotel Shelf	Coordinates with Align and Arris
NEW Triva™	●	●	●		●					Mirror Corner Shower Basket	Coordinates with 90°, Arris, and Align
Preston™	●	●	●	●	●					Glass Shelf	
Retreat®	●	●	●	●	●	Coordinates with Voss	Coordinates with Voss	Coordinates with Voss		Glass Shelf	Coordinates with Voss
Kyvos™	●	●	●		●	Coordinates with 90°	Coordinates with 90°	Coordinates with 90°	Coordinates with 90°		Coordinates with 90°

Bath-Matching Accessories

COLLECTION	Robe Hook	Paper Holder	Single Towel Bar	Double Towel Bar	Hand Towel Bar/Ring	Tank Lever	Grab Bar	Lighting	Knob & Pull	Additional Feature Items
Wynford®	●	●	●	●	●	●		Coordinates with Waterhill		Corner Shower Basket
Align®	●	●	●		●		●	Coordinates with Iso	Coordinates with Iso	Double Swiveling Robe Hook Single-Post Paper Holder
Voss™	●	●	●		●	●	●	●	Coordinates with 90°	Hair Dryer Holder
Belfield™	●	●	●	●	●	●	●	●	Coordinates with Waterhill	
Kingsley®	●	●	●	●	●	●	●	Coordinates with Voss	●	Glass Shelf Hotel Shelf
Rizon®	Coordinates with Via	Coordinates with Via	Coordinates with Via		Coordinates with 90°	Coordinates with 90°	Coordinates with 90°	Coordinates with 90°		
Dartmoor™	●	●	●		●	●	Coordinates with Belfield	Coordinates with Belfield	Coordinates with Rothbury	Glass Shelf
Glyde™	●	●	●		●	Coordinates with Icon			Coordinates with Icon	
Vichy™	Coordinates with Genta	Coordinates with Genta	Coordinates with Genta		Coordinates with Genta					
Brantford®	●	●	●		●	●	●	●	Coordinates with Waterhill	
Eva®	●	●	●		●	●	●	●	Coordinates with Icon	Hotel Shelf
Method™	●	●	●	●	●	●	Coordinates with 90°	Coordinates with 90°	Coordinates with 90°	
Gibson™	Coordinates with Iso	Coordinates with Iso	Coordinates with Iso	Coordinates with Iso	Coordinates with Iso	Coordinates with Iso	Coordinates with Iso	Coordinates with Iso	Coordinates with Iso	
Genta™	●	●	●		●					
Chateau®	Coordinates with Mason	Coordinates with Mason	Coordinates with Mason		Coordinates with Mason					Double Paper Holder

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

Choose the Right Moen® Shower Valve for Your Bathroom

How to choose the right valve



U by Moen™ Shower 2-Outlet Valve**



U by Moen Shower 4-Outlet Valve**



ExactTemp® ¾" Thermostatic Valve***

VALVE OPTIONS AT-A-GLANCE

	Thermostatic Valves		
COMFORT FEATURES			
Personalization Create settings for every occasion — post workouts, lazy mornings and more.	●	●	
Temperature consistency Water temperature won't fluctuate even as the hot water in your tank gets low.	●	●	●
Maximum-flow shower spa experience Provides the greatest balance of force, flow and coverage in a Moen shower spa.	●	●	●
Shower spa compatible Add an extra showerhead or handshower or design a complete shower spa experience.	●	●	●
CONVENIENCE FEATURES			
Remote activation Sync your shower to your smartphone to start, stop and pause remotely.	●	●	
Precision thermostatic control Dial up the same water temperature every day, just like a thermostat.	●	●	●
Voice activation Activate your shower with the sound of your voice.	●	●	
Volume control Lets you adjust the amount of water that flows through your tub/shower from a gentle stream to full force.			●
Temperature memory Dial stays in the same temperature position you last used and returns to that temperature within a few seconds.			●
Warm up and pause Save water by having the shower warm up to temperature and pause until you are ready to get in.	●	●	
SAFETY FEATURES			
Maximum temperature setting You can set the hottest temperature setting.	●	●	●
Meets applicable pressure-balancing or thermostatic safety codes	●	●	●
DEPENDABILITY FEATURES			
Limited Lifetime Warranty	●	●	●
Easy-to-replace cartridge	N/A	N/A	●

* Must be used with diverting valves 3372, 3362 or 3375 to obtain shower spa compatibility.

** U by Moen is warranted for 5 years against leaks, drips and operation defects to the original consumer purchaser; 1-year warranty if used in commercial applications. 5-year warranty on digital components, limited lifetime trim warranty.

*** Use with ExactTemp ¾" volume control valves.

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.



Moentrol®
Pressure-Balancing
Volume Control Valve



Moentrol
with Multi-Function
Transfer Valve



Posi-Temp®
Pressure-Balancing
Cycling Valve



ExactTemp
Volume Control



Two- or
Three-Function
Transfer Valve



Three Independent
Function
Transfer Valve



Annex™
Without disturbing the
existing wall, add on
to existing shower

Pressure-Balancing Valves

Transfer Valves and Diverter



N/A

N/A

N/A

N/A



N/A

N/A

N/A


N/A



N/A

Shower Valve Rates

Flow Rate vs. Flowing Inlet Pressure of Moen Showering Valves (Unrestricted)



- 1. 1/4" ExactTemp®**
S3371 1/4" ExactTemp: 18.0 gpm
- 2. U by Moen™ Shower – Four-Outlet**
S3104 Four-Outlet: 16.0 gpm
- 3. Volume Control**
S3600 Volume Control: 13+ gpm
- 4. U by Moen Shower – Two-Outlet**
S3102 Two-Outlet: 10.3 gpm
- 5. Moentrol® Tub Port**
Moentrol 3520/3510/3570
Flow at Tub: 7.2 gpm
- 6. Moentrol Shower Port**
Moentrol 3520/3510/3570
Flow at Shower: 6.3 gpm
- 7. Posi-Temp® Tub Port**
Posi-Temp 2520/2510/2570/2580/2590
Flow at Tub: 6.3 gpm
- 8. Posi-Temp 62345**
Moentrol 3520/3510: 6.3 gpm
- 9. Moentrol Two Outlets**
Moentrol 3320/3330/3350
Two-Outlets: 5.2 gpm
- 10. Posi-Temp Shower Port**
Posi-Temp 2520/2510/2570/2580/2590
Shower: 4.0 gpm

Shower Spa Installation Recommendations

Graph Line	Valve	Flow Rate through shower port (gpm) @ 20 PSI	Flow Rate through shower port (gpm) @ 40 PSI	Flow Rate through shower port (gpm) @ 60 PSI	Use with 2- or 3-function transfer	Maximum Components
1	1/4" ExactTemp® S3371	11.4	15.7	18.0	No	4 components: Any combination of showerheads, handshowers and body sprays (4 max)
2	U by Moen™ Four-Outlet S3104	9.0	13.0	16.0	No	4 components: Any combination of showerheads, handshowers and body sprays (4 max)
4	U by Moen Two-Outlet S3102	6.0	8.5	10.0	No	Showerhead, handshower or showerhead, 2 body sprays
6	Moentrol® 3520, 3510, 3570	3.5	5.0	6.3	Yes	Showerhead, handshower
8	Posi-Temp® 62345	3.6	5.1	6.3	Yes	Showerhead, handshower or showerhead, 2 body sprays
9	Moentrol Two Outlets 3320, 3330, 3350	3.0*	4.2*	5.2*	No	Showerhead, handshower or showerhead, 2 body sprays
10	Posi-Temp 2520, 2510, 2570, 2580, 2590	2.1	3.2	4.0	Yes	Showerhead, handshower

* 3-Function Moentrol flow is the total flow when used in the shared mode.

PRICE BAND IDENTIFICATION

Kitchen and Bar/Prep Collections

Waterhill® - TRADITIONAL
 Weymouth® - TRADITIONAL
 90°™ - MODERN
 STō® / STō® MS - MODERN
 Etch® - TRANSITIONAL
 Paterson™ - TRADITIONAL
 Nio™ - MODERN

Aberdeen® - TRADITIONAL
 Woodmere® - TRADITIONAL
 Tilt® - MODERN
 Voss® - TRANSITIONAL
 Notch™ - TRANSITIONAL
 Align® / Align® MS / Align® MS Wave - MODERN

Sleek™ / Sleek™ MS Wave - MODERN
 Genta™ - MODERN
 Belfield™ - TRADITIONAL
 Brantford® MS - TRADITIONAL
 Arbor® MS / Arbor® MS Wave - TRANSITIONAL

Brantford® - TRADITIONAL
 Arbor® - TRANSITIONAL
 Camerist® - TRANSITIONAL
 Belfield™ - TRADITIONAL
 Method™ - MODERN
 Core Soap Dispensers

Integra® - TRANSITIONAL
 Chateau® - TRANSITIONAL
 Banbury® - TRADITIONAL
 Torrance™ - TRANSITIONAL

Pot Fillers
 Sip™ Beverage Faucets
 Premium Soap Dispensers

Bath and Shower Collections

Weymouth®* - TRADITIONAL
 Arris®* - MODERN
 Waterhill®* - TRADITIONAL
 90°™* - MODERN
 Rothbury®* - TRADITIONAL
 Doux™* - MODERN
 Icon®* - MODERN
 Via®* - MODERN
 U by Moen™ Shower
 Premium Showerheads, Handshowers
 & Shower Rails
 Premium Accessories

Wynford®* - TRADITIONAL
 Align®* - MODERN
 Voss®* - TRANSITIONAL
 Belfield™* - TRADITIONAL
 Kingsley®* - TRADITIONAL
 Rizon® - MODERN

Dartmoor™* - TRADITIONAL
 Glyde™* - TRANSITIONAL

Brantford®* - TRADITIONAL
 Eva®* - TRANSITIONAL
 Method®* - MODERN
 Vichy™ - MODERN
 Genta™* - MODERN
 Gibson™ - MODERN

Chateau® - TRANSITIONAL

Kitchen Sinks

Granite
 1600® Professional Series
 1800® Series
 2000® Series

Garbage Disposals

GT Series - featuring Fast Track™ Installation
 GX Series
 GXPro Series

KEY

- Premium / Best - IMAP Protected
- 2nd Upgrade / Better - IMAP Protected
- 1st Upgrade / Good - IMAP Protected
- 1st Upgrade / Good - Not IMAP Protected
- Spec - Not IMAP Protected
- Sinks & Disposals - IMAP Protected

* Suite has Matching Accessories



Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed.

Moen reserves the right to make product specification changes from time to time, without notice or obligation, and to change or discontinue models.

Connect with us:
moen.com/social

U.S. Headquarters:
Moen Incorporated
25300 Al Moen Drive, North Olmsted, OH
44070-8022

Canada Headquarters:
Moen
2816 Bristol Circle, Oakville, Ontario
L6H 5S7

Visit our website at moen.com

1-800-BUY-MOEN

1-800-465-6130