



**D-Neo Washbasin, furniture washbasin # 2367100000 /
2367100060**

|< 1005 mm >|



Washbasin, furniture washbasin	Dimension	Weight	Order number
with overflow, with tap platform, underneath glazed, 1005 mm			
Colors			
00 White Alpin			
Variant			
●	1005 x 480 mm	27.000 kilogram	2367100000
⊗	1005 x 480 mm	27.000 kilogram	2367100060
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Push-open waste for washbasins with overflow 0.400 kilogram 005052			
Design Siphon 1.500 kilogram 005036			
Siphon for washbasin with outlet pipe 300 mm 32,75 mm 0.600 kilogram 005026			
Suitable products			

**D-Neo Washbasin, furniture washbasin # 2367100000 /
2367100060**

|< 1005 mm >|

Vanity unit wall-mounted 1 pull-out compartment, for D-Neo # 236710, 984 x 452 mm	984 x 452 mm	DE4256
Vanity unit wall-mounted 1 drawer, 1 pull-out compartment, upper drawer including cut-out for siphon and siphon cover, for D-Neo # 236710, 984 x 452 mm	984 x 452 mm	DE4356
Vanity unit wall-mounted 1 pull-out compartment, for D-Neo # 236710, 984 x 455 mm	984 x 455 mm	K25084
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for D-Neo # 236710, 984 x 455 mm	984 x 455 mm	K25284

Recommended faucets

Single lever basin mixer M ceramic cartridge, Projection 113 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, recommended operating pressure 1 - 5 bar, with pop-up waste set,	C11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	B11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	B21020001
Single lever basin mixer for concealed installation normal spray, ceramic cartridge, aerator adjustable, connection type: basic set for concealed installation, includes: visible parts, recommended operating pressure 1 - 5 bar, Projection 174 mm,	C11070003
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	B11020002
Single lever basin mixer for concealed installation normal spray, ceramic cartridge, aerator adjustable, connection type: basic set for concealed installation, includes: visible parts, recommended operating pressure 1 - 5 bar, Projection 225 mm,	C11070004
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	B21020002
Single lever basin mixer M ceramic cartridge, projection 107 mm, flexible connection hoses 9,53 mm (3/8"), normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	A11020001

**D-Neo Washbasin, furniture washbasin # 2367100000 /
2367100060**

|< 1005 mm >|

Single lever basin mixer M ceramic cartridge, projection 107 mm, flexible connection hoses 9,53 mm (3/8"), normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	A11020002
Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	DE1020001
Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	DE1020002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	DE1021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	DE1021002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished ceramic piece.