

Acid Test Kit™

SECTION 1. IDENTIFICATION

PRODUCT IDENTIFIER:

Acid Test Kit[™] for Poly Ester Oil OTHER MEANS OF IDENTIFICATION: ATK-1P RECOMMENDED USE OF THE CHEMICAL: Please see label for instruction RESTRICTIONS ON USE: None known

MANUFACTURED BY:

INFORMATION PHONE #: 1 800.995.2222 EMERGENCY PHONE #: 1 800.255.3924 (Chemical Emot

DiversiTech Corporation 3039 Premiere Parkway Suite 600 Duluth, GA 30097 1 800.995.2222 1 800.255.3924 Chem-Tel (Chemical Emergencies)

SECTION 2. HAZARD IDENTIFICATION

CLASSIFICATION OF THE CHEMICAL:

Flammable Liquid, category 2 Eye Irritation, category 2a STOT-SE, category 3 (drowsiness) Acute Toxicity, category 4 (dermal)

HAZARD SYMBOL(S):



SIGNAL WORD: Danger

HAZARD STATEMENT(S)

- H225 Highly flammable liquid and vapor.
- H312 Harmful in contact with skin.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H370 Causes damage to organs, eyes, skin, respiratory system, central nervous system.

PRECAUTIONARY STATEMENT(S)

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P235 Keep cool.
- P240 Ground or bond container and receiving equipment.
- P241 Use explosion-proof electrical, ventilating, lighting, and other equipment.

RESPONSE

P303+361+353	IF ON SKIN (or hair): Take off
P364	immediately all contaminated clothing and wash it before reuse.
P352	Wash with plenty of water.
P353	Rinse skin with shower.
P305+351+228	
	water for several minutes. Remove
	contact lenses, if present and easy to
P337+313	do. Continue rinsing. If eye irritation persists: Get medical
F 337 + 313	advice.
P304+340	IF INHALED: Remove person to fresh
1 00 1 0 10	air and keep comfortable for
	breathing.
P308+313	If exposed, call a poison control
	center.
P312	Call a poison control center if you feel
Deed	unwell.
P321	Specific treatment (see FIRST AID
D070,070	section on this label). IN CASE OF FIRE: Use foam or
P370+378	Carbon Dioxide extinguishing media
	to extinguish.
	to extinguism.

SDS# ACID TEST KIT™ Date: May 21, 2021 Total Pages: 7 DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700 PAGE





Acid Test Kit™

P242	Use	onlv	non-sparking tools.	
	000	OTTIY	non spunning tools.	

- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing mists or vapors.
- P264 Wash hands and exposed skin thoroughly after handling.
- P270 Do not eat, drink, or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves and eye protection.
- P403 Store in a well-ventilated place.
- P405 Store locked up.
- P501 Dispose of container in accordance with local regulations.

HAZARD(S) NOT OTHERWISE CLASSIFIED:

None known

0% of the chemical consists of ingredient(s) of unknown acute toxicity.

NOTE:

Labeling elements found on this SDS may be different from labeling elements found on the label. Safety Data Sheets are regulated by OSHA (29 CFR §1910.1200) while the actual product and its label may be regulated by a different government agency. Please contact the responsible party in Section 1 if you have any questions.

SECTION 3. INFORMATION ON INGREDIENTS

INGREDIENT	CAS No.	COMPOSITION, wt%	GHS CLASSIFICATION(S)
Isopropyl Alcohol	67-63-0	45-55%	Flam Liq. 2; Eye Irrit. 2a; STOT-SE3(d)
Methanol	67-56-1	45-55%	Flam Liq. 2; Acute Tox 3; STOT-SE1

TRADE SECRET CLAIM:

When applicable, the specific concentration of each hazardous ingredient is considered a TRADE SECRET. Chemical names and identifiers will be listed in exact composition weight and name when not subject to trade secret exemptions.

NOTE:

This product may contain other ingredients that are not required to be disclosed on this safety data sheet or product label in accordance with 19 CFR §1910.1200. Any ingredient not listed on either the SDS or label is not considered hazardous to health and shouldn't pose a risk to the user.

SECTION 4. FIRST AID MEASURES

GENERAL FIRST AID MEASURES:

If medical attention is required due to exposure then be sure to take product label or safety data sheet when seeking medical care.

SDS# ACID TEST KIT™ **Date:** May 21, 2021 **Total Pages:** 7 DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097

MOST IMPORTANT SYMPTOMS:

Burning sensation in nose and throat, stinging and watering in the eyes. Dizziness, nausea and vomiting. Defatting and drying of the skin.

Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700

PAGE 2



Acid Test Kit™

IF INHALED:

Move person to fresh air and keep at a comfortable position for breathing. Administer artificial respiration if person is not breathing. If breathing is difficult, give oxygen.

IF IN EYES:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper lids occasionally.

INDICATION OF IMMEDIATE MEDICAL ATTENTION:

Not anticipated to require immediate medical attention.

SECTION 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Apply alcohol-type or all-purpose foam by manufacturer's recommended techniques for large fires. Use carbon dioxide or dry chemical media for small fires.

SPECIFIC HAZARDS:

Vapors may travel to source of ignition and flash back. Vapors may settle in low or confined spaces or produce a floating fire hazard. Static ignition hazard can result from handling and use.

SPECIAL PROTECTIVE EQUIPMENT:

In case of fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face-piece operated in the pressure demand or other positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Remove non-emergency personnel from the area in an orderly fashion.

EMERGENCY PROCEDURE(S):

Eliminate all ignition sources. Ground all equipment. Do not walk through spill. Prevent entry into sewers, confined spaces, etc.

REFERENCES:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

IF ON SKIN:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

IF SWALLOWED:

DO NOT INDUCE VOMITING! Give large quantities of water or milk if available. Never give anything by mouth to an unconscious person.

UNSUITABLE EXTINGUISHING MEDIA: None known.

HAZARDOUS COMBUSTION PRODUCTS: Not determined.

PRECAUTIONS FOR FIRE-FIGHTERS:

Use water spray to keep fire-exposed containers and structures; Use water spray to disperse vapors – reignition is possible.

PROTECTIVE EQUIPMENT:

Use appropriate chemical-resistant gloves and eye protection.

METHODS FOR CONTAINMENT:

Cover drains and ventilate area to prevent vapor buildup.

METHODS FOR CLEAN UP:

For large spills, use a vapor suppressing foam to reduce vapors. Absorb spill with noncombustible matter and transfer to containers. Use non-sparking tools to collect absorbed material.

SDS# ACID TEST KIT™ Date: May 21, 2021 Total Pages: 7 DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700 PAGE 3



NIOSH 400 ppm 200 ppm

Acid Test Kit[™]

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Keep away from all ignition sources. Do not smoke while handling. Ensure there is sufficient ventilation of the area. Protect from physical damage.

STORAGE INCOMPATABILITIES:

Heat, sparks, and flame.

CONDITIONS FOR SAFE STORAGE: Keep cool in a cool, well-ventilated place away from

sunlight. Ensure local and adequate ventilation. Keep container tightly sealed in its original container. Sudden releases of hot organic vapors or mists from process equipment operating at elevated temperature may result in ignitions without the presence of obvious ignition sources. Observe all warnings and precautions listed for the product.

SECTION 8. EXPOSURE CONTROLS

INGREDIENT	CAS No.	PEL	AGCIH
Isopropyl Alcohol	67-63-0	400 ppm	200 ppm
Methanol	67-56-1	200 ppm	200 ppm

GENERAL NOTE:

Practice good industrial hygiene. Wash hands after handling and use.

EYE/FACE PROTECTION:

Use chemical safety goggles and/or a full-face shield where splashing is possible. Maintain eye wash fountain and guick-drench facilities or a source of running water in the work area.

RESPIRATORY PROTECTION:

Use in a well-ventilated area. If vapors are generated and exceed the exposure limits, use air-purifying respirators.

APPROPRIATE ENGINEERING CONTROLS:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

SKIN PROTECTION:

Wear rubber, neoprene, nitrile, Saranex® boots, gloves, lab coat, apron or coveralls, as necessary and appropriate, to prevent skin contact.

ENVIRONMENTAL PROTECTION:

No anticipated protective equipment is required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: pH: MELTING POINT: FLASHPOINT: FLAMMABILITY: VAPOR PRESSURE: 33 mm Hg. VAPOR DENSITY: SOLUBILITY: AUTO-IGNITION: VISCOSITY:

Maroon/purplish liquid. Not determined. Not determined. 12°C. Not determined. 2.1. Miscible. 399°C. Not determined.

ODOR: Alcohol-like. ODOR THRESHOLD: Not determined. 82°C. **BOILING POINT:** EVAPORATION RATE: 1.7. UPPER EXPLOSIVE %: 12.7°C. 2.0°C. LOWER EXPLOSIVE %: RELATIVE DENSITY: Not determined. PARTITION COEFFICIENT: Not determined. DECOMPOSITION TEMP: Not determined.

SDS# ACID TEST KIT™ Date: May 21, 2021 Total Pages: 7

DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097

Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700

PAGE



Acid Test Kit™

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY:

Not anticipated to be reactive.

HAZARDOUS REACTIONS: Will not occur.

INCOMPATIBLE MATERIALS: Avoid contact with strong oxidizing agents, and strong acids. CHEMICAL STABILITY:

Chemical is anticipated to be stable in normal storage conditions.

CONDITIONS TO AVOID: Extreme heat, incompatibles.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, Carbon dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY ESTIMATES:

Oral – 2158 mg/kg bw Dermal – 1816 mg/kg bw (acute toxicity 4) Inhalation – 233 mg/l

SENSITIZATION:

Respiratory: Contains no ingredient(s) applicable to this category. Skin: Contains no ingredient(s) applicable to this category.

REPRODUCTIVE TOXICITY:

Contains no ingredient(s) applicable to this category.

ASPIRATION HAZARD: Contains no ingredient(s) applicable to this category.

SYMPTOMS RELATED TO CHARACTERISTICS: Not determined.

NATIONAL TOXICOLOGY PROGRAM LISTING: No ingredients listed.

INTERNATIONAL AGENCY FOR RESEARCH ON CANCER LISTING:

No ingredients listed.

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Algae – Contains no ingredient(s) considered toxic. Fish – Contains no ingredient(s) considered toxic. Crustacea – Contains no ingredient(s) considered toxic.

SDS# ACID TEST KIT™ **Date:** May 21, 2021 **Total Pages:** 7 DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 SKIN CORROSION/IRRITATION: Contains no ingredient(s) applicable to this category.

EYE DAMAGE/IRRITATION: Contains an ingredient applicable to this category.

GERM CELL MUTAGENICITY: Contains no ingredient(s) applicable to this category.

CARCINOGENICITY: Contains no ingredient(s) applicable to this category.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:

Contains ingredients applicable to this category.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:

Contains no ingredient(s) applicable to this category.

DELAYED AND IMMEDIATE EFFECT FROM SHORT-AND LONG-TERM EXPOSURE:

Overexposure to methanol may cause eye damage and liver or kidney injury.

PERSISTENCE AND DEGRADEABILITY: Biodegradable.

BIOACCUMULATIVE POTENTIAL: No data available.

Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700 PAGE 5



Acid Test Kit™

MOBILITY IN SOIL:

From soil, substance evaporates and is microbially biodegraded.

OTHER ADVERSE EFFECTS:

None known.

SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL OF EMPTY CONTAINERS:

Vapors may collect in empty containers. Treat empty containers as hazardous. Please recycle container with a licensed recycling company.

DISPOSAL OF FULL OR PARTIALLY FULL CONTAINERS:

Dispose in accordance with all local regulations. Contact a licensed waste management company for questions on disposal procedures.

SECTION 14. TRANSPORT INFORMATION

HAZARD PLACARD:



UN PROPER SHIPPING NAME: Flammable Liquid,

HAZARD CLASS: PACKAGING GROUP: ENVIRONMENTAL HAZARD: TRANSPORT IN BULK: SPECIAL PRECAUTIONS: n.o.s. 3 II No. Not determined. Do not ship with excessive weight on top. Keep in original containers.

SECTION 15. REGULATORY INFORMATION

SARA:

311 – Isopropyl Alcohol; Methanol.
312 – Isopropyl Alcohol; Methanol.
313 – Isopropyl Alcohol; Methanol.

TSCA INVENTORY LIST:

Each ingredient is on the TSCA inventory list as ACTIVE.

HMIS®III: (higher numbers indicate higher risk) Health, 3 Flammability, 3 Physical Hazard, 0

SECTION 16. OTHER INFORMATION

REVISION: 3 REVISION DATE: May 21, 2021

RIGHT-TO-KNOW:

No applicable ingredient(s).

CALIFORNIA:

Prop 65: No applicable ingredient(s). ARB Designation: Testing agent. VOC Limit: Not applicable.

NFPA®: (higher numbers indicate higher risk) Health, 3 Flammability, 2 Instability, 0

REVISION PURPOSE:

Correction of document due to new information about ingredients.

SDS# ACID TEST KIT™ Date: May 21, 2021 Total Pages: 7

DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700 PAGE (





Acid Test Kit™

GENERAL DISCLAIMER:

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publications of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

SDS AUTHORED BY:

Cogwork Consulting Group www.cogworkconsulting.com

SDS# ACID TEST KIT™ Date: May 21, 2021 Total Pages: 7

DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700

