


# 2006 LIST PRICE CATALOG



DIVERSITECH 



# The people in this house prefer this A/C pad.

When customers specify a pad, it's almost always concrete. And for a lot of good reasons. It looks great today, and it'll look great years from now. Because concrete resists the weather and UV rays better than plastic. It provides better vibration dampening — and that means a quieter AC unit. And it won't bend or warp — while you're installing it or years down the road.

Your customers deserve the quality of concrete, and you deserve the ease of installation and handling of today's concrete pad, UltraLite by DiversiTech. It weighs just 2.9 pounds per square foot. It doesn't sink. It doesn't warp. And it doesn't let the unit slip. It just sits there and does its job. Beautifully.

UltraLite. Today's concrete pad. It looks good. And it'll make you look good.

DiversiTech Corporation  
6650 Sugarloaf Parkway  
Duluth, GA 30097  
678.542.3600  
800.995.2222  
[www.diversitech.com](http://www.diversitech.com)






A company with one break-through product is like a rock band with one hit single. The band soon finds it must repeatedly deliver on the promise contained in that first song. Otherwise their audience will lose interest and drop away. DiversiTech was launched in 1971 as a pre-cast concrete manufacturing company with one exceptional product, the CladLite® Concrete Equipment Pad. In 1983 Charles Lipman became president. Not content with being a 'one-hit wonder', DiversiTech has delivered on its promises to customers, partners and employees. This focus and commitment has earned it a place in the HVAC industry as one of the fastest growing manufacturers in the U.S. and, increasingly, in the world.

Since 1971, DiversiTech has grown into its role as a leading supplier to wholesale distributors; it has maintained and developed its manufacturing expertise. Between its various divisions, subsidiaries and partnerships, DiversiTech owns and manages two distribution centers (Georgia, California) and three manufacturing facilities (Texas, Georgia, Florida) within the U.S. Through its ownership of East West Manufacturing, among others, the company also develops, engineers and manufactures product in China and Vietnam. By offering its customers a full assortment of components used for HVACR installation and maintenance, DiversiTech has become a primary product source for over 2,200 customers.



Charles Lipman, *President*



Jim Kirby, *V.P. of Sales*


But talk to customers and you soon find that it isn't just products that make working with DiversiTech worthwhile. Every DiversiTech employee refers to the concepts of **F**ocus, **I**ntegrity, **R**esults, **S**peed and **T**eam. Known as **F.I.R.S.T.**, a set of values directs and guides all DiversiTech relationships. As a document, it could be misconstrued as a top-down, spin-doctored 'corporate values statement'. "**F.I.R.S.T.** isn't an aspirational document. It was inspired by how we work here. It was written in an effort to capture the way we go about every element of our business."



## FOCUS

At its core, DiversiTech is a manufacturer focused on parts, supplies, and accessories needed by the HVAC wholesale distributor. As a result, large and small wholesalers can now access a range of product and a class of service few other vendors can match. A wholesaler consolidating their purchasing with DiversiTech can continue offering their preferred products; but through DiversiTech the wholesaler can now access potential discounts, lower freight costs and simplified purchasing processes. And then there's the first-level access to DiversiTech manufactured products such as chemicals (subsidiary, Specialty Chemical), motors (Wagner Manufacturing), and other proprietary products.


Perhaps it is because it started as a manufacturing company DiversiTech owns a special credibility within this expertise. In fact, DiversiTech manufactured products comprise nearly 75% of its revenues. The range of product includes equipment mounting pads, whips, air conditioning disconnects, access valves, line tap valves, chemical cleaners, electric motors, line voltage monitors, thermostat guards, water treatment products, anti-vibration pads, and most any item a contractor needs to effectively install an air conditioning or refrigeration system.



Many DiversiTech proprietary products are highly-engineered, technically sophisticated parts and chemicals. In order to be best-in-class they require skilled, experienced people intent on bringing them to life. Still, it is important to manage development and production costs so that the product provides a truly cost-effective option to the customer. It was the need to bring quality and price into the proper balance that led to their off-shore manufacturing developments.

By combining the best talents found at-home and overseas, East West and DiversiTech are able to maintain the design and production qualities that might otherwise be lost in translation. By accessing the manufacturing capabilities found in the Far East, DiversiTech is able to offer first-class products at manufacturers' prices to the wholesale-purchasing customer.

For example, due for release in early 2006 is a new condensate pump that combines the best-in-class attributes of several other models into one technically advanced unit.



## INTEGRITY

DiversiTech's customer centric approach includes focus on commitment, accountability and communication. It's a powerful combination that sanctions employee efforts to solve customer problems. If a customer contacts a sales executive about a missing or damaged shipment, that sales executive has the authority and commitment to set the problem to rights. Says one sales executive, "It's my job to make the process from order receipt to order delivery smooth and hassle-free. Within that I can do whatever is necessary to make it happen."

Product integrity is one expression of DiversiTech's commitment. If a product is manufactured by DiversiTech or a subsidiary, it is fully warranted by

the Company. As one wholesaler put it, "DiversiTech never says, 'Oh, that's never happened before! What did you do to it?' They are really interested in fixing the problem...and making certain that it doesn't happen again."

Ever in search of ways to grow everyone's business, DiversiTech maintains an 'Invention Portal' on its website, [www.diversitech.com/invent](http://www.diversitech.com/invent). Anyone with a new HVAC product idea may submit their invention or product idea with confidence. The company promises to treat each idea professionally and courteously; even going so far as to admitting that an important component of an idea's commercialization is a fair compensation program for the originator!

**[www.diversitech.com/invent](http://www.diversitech.com/invent)**

## RESULTS

DiversiTech's sales team works with a network of 30 manufacturer's representative organizations located throughout North America. In the HVAC trade channel, the Company sells only to wholesale distributors, but markets its products to both the wholesale distributor and contractors through point-of-purchase displays, detailed product catalogs and trade shows. And the Company has always maintained a 'guaranteed sales policy'. A DiversiTech customer can try any new product at no risk. If the product doesn't sell, then it can be returned for full credit. Policies like this that make it easier to try new products without endangering inventory control goals and quarterly sales results. And it makes it easier to do business with DiversiTech.



## SPEED

Not so very long ago DiversiTech stood ready to receive a boat load of product coming to Atlanta from the Far East. But a spike in sales meant that the product was in demand and customers were eager to get their shipments. In order to make the product available, DiversiTech made arrangements to have the boat dock in California. Then they hired a team of drivers to transport the entire cargo across the country. As a result, the product was in the warehouse and available to customers 2 weeks ahead of schedule. This is just one example of DiversiTech's 'need for speed'.

One outstanding example is the new National Distribution Center in Conyers, Georgia. In addition to having over 10,000 pallet positions, DiversiTech has begun migrating to a comprehensive Warehouse Management System (WMS). These two improvements provide employees with a more pleasant and efficient work environment. At the same time, these upgrades make more products available, provide for faster fill rates and bring quicker order responses to the customer.

## TEAM

Rapport is often mentioned as one of the keys to mutual success. DiversiTech regularly invites customers and partners to Atlanta to discuss industry trends, changing roles and service developments. The recently launched DiversiTech Co-Pilot™ program extends that rapport deeper into the industry. Initiated by the Product Development Team, the program matches an HVAC contractor with a DiversiTech engineer for 1-2 days. As a Co-Pilot™ participant, the contractor gets advance notification and samples of new DiversiTech product. The DiversiTech engineer gets a first-hand education regarding the contractor's daily challenges and some indication about what kinds of products might help. Contractors interested in joining the program can register at [www.diversitech.com/co-pilot](http://www.diversitech.com/co-pilot).



**[www.diversitech.com/co-pilot](http://www.diversitech.com/co-pilot)**

# *A Full Line Manufacturer*

**GEORGIA MANUFACTURING**  
CONYERS, GA



**SPECIALTY CHEMICAL MANUFACTURING, INC.**  
QUINCY, FL



**EAST WEST MANUFACTURING LLC**  
ATLANTA, GA • SHENZHEN, CHINA

*dedicated to the HVACR wholesale distribution trade channel*



DiversiTech.

North America's largest  
manufacturer of equipment pads.

CUSTOMER SERVICE HOTLINE: (800) 995-2222



# DiversiTech manufactures the perfect pad for *your* installation.

DiversiTech is North America's largest manufacturer of equipment pads. The company maintains manufacturing and distribution facilities in key locations to bring the HVACR industry the broadest selection of equipment pads available from any manufacturer.

**UltraLite™ Pads** - the industry-leading lightweight concrete equipment pad unmatched by any other manufacturer.

**CladLite® Pads** - an industry standard since 1971.

**E-Lite® Pads** - a plastic alternative pad competitive with other plastic pads.

**UltraLite™ Earthquake Pads** – a variant of UltraLite™ specifically designed for geographic areas subject to special earthquake code requirements.

**CladLite™ Hurricane Pads** – a variant of CladLite™ specifically designed for geographic areas subject to special hurricane code requirements.

**Heater Pads** – an engineered concrete pad specifically designed for swimming pool pumps and heaters.

## ULTRALITE™

### FEATURES & BENEFITS

**LIGHTWEIGHT** At an average weight of 2-1/2 pounds per square foot (12 kg. per square metre), the UltraLite concrete pad is one of the lightest equipment mounting products available.

**DUCTILE** UltraLite's skin and core are specifically engineered for flexibility and ductility demanded on the job site. The outer skin's ductility allows conformance to slight ground contours without fracture.

**DURABLE** UltraLite's exterior is engineered for outdoor weather resistance.



**TIME/LABOR SAVINGS** Time is money — the UltraLite lightweight concrete pad literally installs in seconds while providing a solid foundation for the condensing unit.

**CONCRETE SURFACE** The pad's outer skin is not subject to ultraviolet degradation or weathering discoloration.

**VIBRATION ABSORBING** The engineered polystyrene core absorbs and dampens vibration associated with normal operation of a condensing unit.

**FREEZE/THAW RESISTANT** The pad is vapor permeable. Water vapor evaporates through the pad, thus the concrete outer skin is not subject to expansion cracks.

**FLAME RESISTANT** The pad's concrete outer skin is resistant to heating caused by the compressor. The surface also resists heat from incidental torch flame during installation.

**OUTSIDE STORAGE** This pad is intended for life outdoors and is suitable for exterior storage prior to installation.

### TECHNICAL DATA

#### LOADING

To achieve maximum permissible pad load capacity, the earth under the pad must be able to support the transmitted compression load of the UltraLite pad. All values tabulated assume the earth has a bearing capacity of at least 1000 pounds per square foot (48 kPa).

The allowable loads assume a uniformly distributed loading on the pad surface (that is, a relatively flat-bottomed condenser unit in contact with the pad). For condenser units with footpads or other point loads, the maximum concentrated load for any size UltraLite pad is 125 pounds per 2" (56 kg per 50 mm) diameter (or equivalent surface area) footpad.

#### FREEZE/THAW TESTING

The UltraLite pad has been independently tested to the rigorous freeze-thaw regimen specified by ASTM C67. This standard dictates a twenty-five cycle freeze-thaw sequence. The freeze portion of the sequence takes place with the top surface of the UltraLite pad under 1/2" (12 mm) of water. Once twenty-five cycles are complete, the pad is examined using visual magnification. No cracks or crazing is permitted. UltraLite has performed flawlessly.

#### CHEMICAL RESISTANCE

In normal usage conditions, an equipment pad can be exposed to a variety of chemicals. The UltraLite pad has been fully tested in accordance with ASTM D2299 for resistance against:

- R-22 and R-134a
- Compressor oil
- Salt solution, 20 percent by volume
- Synthetic canine urine

The UltraLite pad performs extraordinarily well — it does not craze, soften, delaminate, or spall under exposure in this test.



## E-LITE®



E-Lite® is a plastic pad designed as a mounting base for air conditioning condensers. Injection molded from polypropylene, E-Lite® is gray – providing a subtle but elegant base for the condenser. Surface texturing in the pad helps prevent the condenser from sliding, and sizes molded right into the pad make selection easy.

### FEATURES & BENEFITS

- Lightweight, yet rugged
- Drillable for securing unit
- Uniform ribbing transfers load evenly
- Unaffected by UV or weather
- Subtle texture resists unit slide
- High recycled plastic content

### TECHNICAL DATA

#### MATERIAL

Polypropylene

#### FREEZE/THAW

Flawless performance under the 25-cycle regimen specified by ASTM C67

#### CHEMICAL RESISTANCE

Does not crack, flake, or warp when tested per ASTM D2299 with the following:

- R-22 and R-134a
- Synthetic canine urine
- Compressor oil
- Salt solution, 20% by volume

## CLADLITE®

**Consistent quality. Enduring strength. Trusted for over 30 years.** When DiversiTech introduced CladLite, the first foam-core concrete A/C pad, installers loved the light weight. Today, we make lighter pads with different materials, but one thing has never changed. Homeowners still expect and prefer concrete pads.

Once it's set, both the CladLite pad and the unit will stay in place. That permanence and the solid concrete look are what matter to the homeowner. Cladlite is available in over 70 sizes.

### FEATURES & BENEFITS

- Concrete is highly valued by homeowners
- 80% lighter than solid concrete
- Continuous steel reinforcement
- Full foam bottom resists settling and vibration
- Impervious to weather



### TECHNICAL DATA

#### ALLOWABLE LOAD

125 lbs. per 2" diameter foot

#### FREEZE/THAW

Flawless performance under the 25-cycle regimen specified by ASTM C67

#### CHEMICAL RESISTANCE

Does not craze, soften, delaminate, or spall when tested per ASTM D2299 with the following:

- R-22 and R-134a
- Synthetic canine urine
- Compressor oil
- Salt solution, 20% by volume

#### FOAM CORE

ASTM Type 1 EPS

#### FLAME RESISTANCE

Cladding resists compressor heat and incidental torch contact. Not to be used under heating devices.

## HURRICANE PAD

DiversiTech's CladLite™ Hurricane and CladLite™ Hurricane T-Class pads are designed to Florida's tough standards for hurricane strength. These pads meet the new Florida code (see below). Limited shipping area. Please see item description for further details.

### FEATURES & BENEFITS

- Steel reinforced
- 9,000 PSI fiber-concrete
- Much lighter than solid concrete
- CladLite™ Hurricane pads keep units from sliding or blowing over in 150 MPH winds when properly attached



### MEET THE NEW CODE

DiversiTech's CladLite™ Hurricane and CladLite™ Hurricane T-Class equipment pads meet the 4" height requirement of the Florida Building Code, Mechanical Volume, effective March 2003.

Section 304.7 Clearance from grade. Equipment and appliances installed at grade level shall be supported on a level concrete slab or other approved material extending above adjoining grade a minimum of 4 inches (102mm). Suspended equipment and appliances shall be installed a minimum of 6 inches (152 mm) above adjoining grade.

CladLite™ Hurricane and CladLite™ Hurricane T-Class equipment pads have been designed specifically to meet the intent of the Florida Building Code, Chapter 16, with respect to wind resistance. Method of attachment tested per ASCE 7.

DiversiTech's CladLite™ pads have been declared by the Florida Building Commission to be an acceptable alternative material to solid concrete slabs for use in specific applications from Tallahassee to Miami. Approval of the pad is within the discretion of the local building inspector. DCA02-DEC-183

CladLite™ pads are approved by ICBO No. PFC-5112

## EARTHQUAKE PAD

California UltraLite Pads are manufactured with a built-in attachment system for earthquake-proof installations. These UltraLite pads are manufactured with metal straps around the perimeter for secure, easy attachment of the a/c unit to the pad. Limited shipping area. Please see item description for further details.

### FEATURES & BENEFITS

- Very lightweight – this pad averages 2-1/2 pounds per square foot (12 kg. per square metre).
- Durable pad exterior is specifically engineered for long-term outdoor weather resistance.
- Skin and core are engineered for flexibility and ductility demanded of job site handling.
- This pad installs in seconds while providing a solid foundation for the condensing unit.
- The concrete outer skin is not subject to ultraviolet degradation or weathering discoloration.
- The engineered polystyrene core absorbs and dampens vibration associated with normal operation of a condensing unit.
- Vapor permeable – water vapor evaporates through the pad, hence the concrete outer skin is not subject to expansion cracks.
- The outer skin resists heating caused by the compressor; skin also resists heat from incidental torch flame during installation.
- This pad is intended for life in the outdoors, thus is suitable for exterior storage prior to site installation.

### TECHNICAL DATA

The UltraLite Earthquake pad shares the same testing results as the UltraLite pad. Please refer to page 2 for Loading, Chemical Resistance, and Freeze/Thaw Testing results.



## HEATER PAD

DiversiTech's Heater Pad is specifically designed for the pool and spa industry. Remember, the safest heater installation is with a pad made of concrete. The Heater Pad is concrete and contains NO COMBUSTIBLE MATERIAL. Limited shipping area. Please see item description for further details.

### FEATURES & BENEFITS

The Heater Pad offers many advantages over solid concrete:


- Waffled or hollowed out bottom reduces weight by more than 50%
- Generous ribbing on bottom maintains strength
- Millions of microscopic air bubbles in the concrete mix lightens the pad and increases durability
- Textured, sandblasted surface promotes water drainage and prevents unit from sliding off
- Dual-reinforcement with steel wire and polymer fibers prevents breakage and adds strength and durability.



The Heater Pad weighs less than half of a solid concrete pad.

SIZE	2"		3"			
	UltraLite	E-Lite	CladLite	UltraLite	E-Lite	CladLite
16 X 36	X		X	X		X
18 X 38	X	X	X	X	X	X
24 X 24	X	X	X	X	X	X
24 X 30	X	X	X	X	X	X
24 X 36	X	X	X	X	X	X
24 X 42			X	X		X
24 X 48			X	X		X
24 X 54			X	X		X
24 X 60			X	X		X
26 Round						
26 X 26	X	X	X	X		X
26 X 28	X					
26 X 36			X	X		X
26 X 60			X	X		X
28 X 38			X	X		X
30 Round						
30 X 30	X	X	X	X	X	X
30 X 36	X	X	X	X	X	X
30 X 40	X	X	X	X	X	X
30 X 48						
30 X 60			X	X		X
31 X 43	X		X			X
32 Round						
32 X 32	X	X	X	X	X	X
32 X 34	X					
32 X 37	X		X	X		X
32 X 38		X			X	
32 X 44		X				
33 X 45						
33 X 53						
34 X 34	X	X	X	X	X	X
34 X 45	X			X		X
34 X 65				X		
36 Round			1			
36 X 36	X	X	X	X	X	X
36 X 40	X	X	X	X	X	X
36 X 42						
36 X 48	X	X	X	X	X	X
36 X 50						
36 X 54			X	X		
36 X 60				X		X
36 X 78	X	X	X	X	X	X
38 X 42						
38 X 65				X		X
38 X 70	X			X	X	X
40 X 40				X		
40 X 42				X		
40 X 54				X		
40 X 62				X		
41 X 47	X			X		
41 X 83					X	X
43 X 47				X		X
45 X 50				X		X
45 X 58				X		X
47 X 66				X	X	X
48 X 48				X	X	X
48 X 54				X		
48 X 66				X		
48 X 72				X		
50 X 50				X		
50 X 53				X		X
50 X 56				X		X
50 X 58				X		X
50 X 70				X		X
50 X 75				X		
50 X 79				X		
52 X 52				X		
52 X 60				X	X	X
55 X 57				X		X
56 X 58				X		X
60 X 67				X		X

PAD SIZES AVAILABLE FOR 2" AND 3" ULTRALITE™, E-LITE®, AND CLADLITE®



# ULTRALITE™ Lightweight Equipment Pads



UltraLite™ is a true concrete equipment pad at the weight of plastic (about 2.5 lbs. per square foot). UltraLite™ is strengthened by miles of fiber in each square foot of fiber-cement coating. This fiber allows the pad to flex instead of cracking or breaking. The textured surface prevents the condensing unit or portable generator from sliding, and allows water drainage, while the engineered encapsulated polystyrene (EPS) core prevents warping and provides a solid bottom to resist settling. UltraLite™ is unaffected by soil conditions, ultraviolet (UV) light, temperature extremes, and other weather conditions.

The pound (#) symbol denotes new pad sizes recently added to the product line.


Literature available: [www.diversitech.com/literature/lit-fly-uc.pdf](http://www.diversitech.com/literature/lit-fly-uc.pdf)

## 2" UltraLite™ Pads

The 2" thick UltraLite™ pad is the industry standard. Used across a wide variety of applications, unless a thicker pad (3") is required by the local building code.

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
UC1636-2	16 X 36	2	11	20	250	34.60
UC2424-2	24 X 24	2	15	20	323	32.56
UC2430-2	24 X 30	2	17	20	361	42.44
UC2436-2	24 X 36	2	22	20	455	49.44
UC2448-2	24 X 48	2	18	20	385	66.76
UC2626-2	26 X 26	2	17	20	365	40.36
UC2628-2	26 X 28	2	19	20	397	43.68
UC2636-2	26 X 36	2	21	20	446	55.64
UC3030-2	30 X 30	2	21	20	441	54.80
UC3036-2	30 X 36	2	27	20	571	61.80
UC3040-2	30 X 40	2	30	20	617	70.44
UC3143-2	31 X 43	2	26	20	551	81.56
UC3232-2	32 X 32	2	24	20	501	63.44
UC3234-2	32 X 34	2	23	20	485	67.16
UC3237-2	32 X 37	2	28	20	579	68.80
UC3434-2	34 X 34	2	23	20	493	68.80
UC3445-2	34 X 45	2	45	20	915	92.28
UC3636-2	36 X 36	2	27	20	555	76.64
UC3640-2	36 X 40	2	29	20	608	83.64
UC3648-2	36 X 48	2	35	20	725	102.16
UC3842-2	38 X 42	2	30	20	625	97.24
# UC4040-2	40 X 40	2	32	20	644	97.68
UC4147-2	41 X 47	2	39	20	805	129.36

U.S. Patents 6,931,822; 6,927,183; 5,728,458; 5,664,394; 5,268,226; 5,209,968, and patents pending. ICBO PFC-5112.



### 3" UltraLite™ Pads

Where local codes superseded the International code and require a pad thicker than 2"-3" UltraLite™ is the solution.

The pound (#) symbol denotes new pad sizes recently added to the product line.

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
UC1636-3	16 X 36	3	18	15	297	38.32
UC2424-3	24 X 24	3	18	15	294	39.36
UC2430-3	24 X 30	3	21	15	339	57.68
UC2436-3	24 X 36	3	26	15	412	62.64
UC2442-3	24 X 42	3	28	15	441	59.76
UC2448-3	24 X 48	3	28	15	443	72.52
UC2626-3	26 X 26	3	17	15	279	44.48
# UC2636-3	26 X 36	3	29	15	428	60.20
U2660-3	26 X 60	3	55	15	850	107.12
UC2838-3	28 X 38	3	30	15	471	69.64
UC3030-3	30 X 30	3	23	15	370	56.04
UC3036-3	30 X 36	3	30	15	471	87.36
UC3040-3	30 X 40	3	33	15	517	77.44
UC3048-3	30 X 48	3	40	15	625	96.84
U3060-3	30 X 60	3	63	15	970	118.88
UC3232-3	32 X 32	3	26	15	411	68.00
UC3237-3	32 X 37	3	27	15	436	75.80
U3353-3	33 X 53	3	68	15	1,045	119.88
UC3434-3	34 X 34	3	27	15	427	75.80
UC3445-3	34 X 45	3	39	15	612	100.12
U3465-3	34 X 65	3	71	15	1,090	149.20
UC3636-3	36 X 36	3	34	15	528	84.48
UC3642-3	36 X 42	3	32	15	510	95.16
UC3648-3	36 X 48	3	37	15	579	112.48
U3650-3	36 X 50	3	38	15	595	122.76
U3654-3	36 X 54	3	71	15	1,096	124.60
U3660-3	36 X 60	3	49	15	767	145.84
U3678-3	36 X 78	3	99	15	1,510	197.76
UC3842-3	38 X 42	3	35	15	550	107.12
U3865-3	38 X 65	3	85	15	1,300	173.88
U3870-3	38 X 70	3	113	15	1,720	187.48
# UC4040-3	40 X 40	3	34	15	510	119.56
UC4042-3	40 X 42	3	36	15	565	97.24
U4054-3	40 X 54	3	81	15	1,240	177.36
UC4347-3	43 X 47	3	60	15	925	139.68
U4550-3	45 X 50	3	81	15	1,240	165.64
U4558-3	45 X 58	3	93	15	1,420	192.40
U4848-3	48 X 48	3	85	15	1,300	169.76
U4854-3	48 X 54	3	91	15	1,390	190.76
U4866-3	48 X 66	3	108	15	1,645	233.20
U5053-3	50 X 53	3	92	15	1,405	193.24
U5056-3	50 X 56	3	97	15	1,480	204.36
U5075-3	50 X 75	3	130	15	1,975	275.64
U5079-3	50 X 79	3	145	15	2,200	290.48
U5252-3	52 X 52	3	94	15	1,435	199.00
U5260-3	52 X 60	3	109	15	1,660	226.40
U5557-3	55 X 57	3	109	15	1,660	230.72
U6067-3	60 X 67	3	134	15	2,035	295.80

# ULTRALITE™ Earthquake Code Compliant Pads



Required nearly exclusively in Southern California, the UltraLite™ pad is available for compliance with strict attachment provisions detailed in earthquake prone local building codes.

UltraLite™ earthquake code compliant pads are only available for sale in regions where local codes mandate installation of pads with these particular characteristics. Currently these locales include most of Southern California, portions of Washington, and portions of Oregon.

The pound (#) symbol denotes new pad sizes recently added to the product line.

Literature available: [www.diversitech.com/literature/lit-fly-ucstrap.pdf](http://www.diversitech.com/literature/lit-fly-ucstrap.pdf)

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
UC2424-3CA	24 X 24	3	14	15	241	39.36
UC2436-3CA	24 X 36	3	22	15	349	62.64
# UC2636-3CA	26 X 36	3	29	15	428	60.20
UC2838-3CA	28 X 38	3	26	15	411	69.64
UC3030-3CA	30 X 30	3	22	15	351	56.04
UC3036-3CA	30 X 36	3	25	15	400	87.36
UC3040-3CA	30 X 40	3	34	15	510	77.44
UC3232-3CA	32 X 32	3	24	15	381	68.00
UC3445-3CA	34 X 45	3	33	15	516	100.12
UC3636-3CA	36 X 36	3	28	15	441	84.84
UC3642-3CA	36 X 42	3	32	15	510	95.16
UC3648-3CA	36 X 48	3	37	15	579	112.48
# UC4040-3CA	40 X 40	3	34	15	510	119.56



# E-LITE® Plastic Equipment Pads



E-Lite's rugged design provides uniform and generous ribbing for optimum, self-leveling ground support without inserts. The result is a pad that is lightweight, but not too light. A subtle texture prevents unit slide and presents a classic appearance, which is enhanced by rounded edges and a concrete gray color. Each pad is molded with a size label and a symbol representing content of recycled material.

The pound (#) symbol denotes new pad sizes recently added to the product line.

## 2" E-Lite® Pads

The 2" thick E-Lite® pad is the choice for plastic pads, unless a thicker pad (3") is required by the local building code.

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
EL2424-2	24 X 24	2	7	44	333	37.48
EL2430-2	24 X 30	2	9	22	219	47.40
EL2436-2	24 X 36	2	11	22	256	56.00
EL2626-2	26 X 26	2	8	22	205	44.52
EL3030-2	30 X 30	2	11	22	265	60.84
EL3036-2	30 X 36	2	13	22	313	69.68
EL3040-2	30 X 40	2	15	22	346	77.40
EL3232-2	32 X 32	2	13	22	300	69.88
EL3238-2	32 X 38	2	15	22	351	79.80
EL3244-2	32 X 44	2	17	22	401	92.16
# EL3434-2	34 X 34	2	14	22	350	78.60
EL3636-2	36 X 36	2	16	22	373	84.48
EL3640-2	36 X 40	2	18	22	410	94.40
EL3648-2	36 X 48	2	29	22	663	111.56
# EL3842-2	38 X 42	2	19	22	470	100.64

## 3" E-Lite® Pads

Used where local codes superseded the International code and require a pad thicker than 2".



CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QUANTITY	PALLET WEIGHT	LIST PRICE
# EL1838-3	18 X 38	3	16	16	300	42.40
EL2424-3	24 X 24	3	13	16	225	41.00
EL2430-3	24 X 30	3	16	16	277	52.04
EL2436-3	24 X 36	3	19	16	321	61.32
EL3030-3	30 X 30	3	20	16	345	66.84
EL3040-3	30 X 40	3	26	16	448	86.88
EL3232-3	32 X 32	3	21	16	353	69.68
EL3238-3	32 X 38	3	26	16	448	88.88
EL3244-3	32 X 44	3	30	16	499	102.96
# EL3434-3	34 X 34	3	22	16	400	80.20
EL3636-3	36 X 36	3	28	16	471	95.48
EL3640-3	36 X 40	3	31	16	521	103.64
EL3648-3	36 X 48	3	36	16	601	122.36
# EL3842-3	38 X 42	3	33	16	575	118.44
EL3870-3	38 X 70	3	36	16	604	212.76
EL4558-3	45 X 58	3	33	16	545	218.96
EL4848-3	48 X 48	3	29	16	481	194.72
EL4872-3	48 X 72	3	72	16	1,177	287.04
EL5252-3	52 X 52	3	48	16	793	226.20
EL5658-3	56 X 58	3	43	16	715	265.24



# CLADLITE® Lightweight Equipment Pads



Concrete surface and superior performance at 20% the weight of conventional concrete pads. The cladding provides superior resistance to sun, moisture and freeze-thaw conditions; the engineered encapsulated polystyrene (EPS) core is virtually impervious to water, soil conditions, fungus and bacteria. CladLite® is further strengthened by continuous steel reinforcement throughout the cladding. CladLite® is code approved for installation throughout the U.S.

The pound (#) symbol denotes new pad sizes recently added to the product line.

## 2" CladLite® Pads

The 2" thick CladLite® pad is the choice for equipment pads, unless a thicker pad (3") is required by the local building code.

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
1636-2	16 X 36	2	33	25	850	33.28
2424-2	24 X 24	2	36	25	913	31.60
2430-2	24 X 30	2	37	25	950	42.44
2436-2	24 X 36	2	50	25	1,275	50.56
2442-2	24 X 42	2	57	25	1,450	58.64
2448-2	24 X 48	2	72	25	1,825	66.76
2454-2	24 X 54	2	84	25	2,125	71.00
2460-2	24 X 60	2	73	25	1,850	78.80
26-2	26 Round	2	31	25	800	31.20
2626-2	26 X 26	2	38	25	975	39.92
2636-2	26 X 36	2	54	25	1,375	55.32
2660-2	26 X 60	2	95	25	2,400	85.40
2838-2	28 X 38	2	55	25	1,400	62.60
30-2	30 Round	2	36	25	925	41.00
3030-2	30 X 30	2	48	25	1,225	52.84
3036-2	30 X 36	2	60	25	1,525	62.60
3040-2	30 X 40	2	70	25	1,775	68.24
3048-2	30 X 48	2	72	25	1,825	88.60
3060-2	30 X 60	2	112	25	2,825	103.80
3143-2	31 X 43	2	83	25	2,100	79.24
32-2	32 Round	2	44	25	1,125	47.20
3232-2	32 X 32	2	54	25	1,375	59.08
3237-2	32 X 37	2	66	25	1,675	70.32
3434-2	34 X 34	2	63	25	1,600	68.64
36-2	36 Round	2	51	25	1,300	56.40
3636-2	36 X 36	2	76	25	1,925	72.80
3640-2	36 X 40	2	81	25	2,050	82.80
3648-2	36 X 48	2	115	25	2,900	96.92
3654-2	36 X 54	2	93	25	2,350	117.52
# 3842-2	38 X 42	2	81	25	2,100	97.36
4147-2	41 X 47	2	115	25	2,900	129.60
5050-2	50 X 50	2	120	20	2,425	123.80

U.S. Patent number 4,505,449, and patents pending. ICBO No. PFC-5112



### 3" CladLite® Pads

Used where local codes superseded the International code and require a pad thicker than 2".

The pound (#) symbol denotes new pad sizes recently added to the product line.

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
1636-3	16 X 36	3	46	20	945	35.20
2424-3	24 X 24	3	49	20	995	34.96
2430-3	24 X 30	3	57	20	1,165	47.20
2436-3	24 X 36	3	63	20	1,285	51.80
2442-3	24 X 42	3	69	20	1,405	60.40
2448-3	24 X 48	3	71	20	1,445	69.60
2454-3	24 X 54	3	90	20	1,825	74.80
2460-3	24 X 60	3	105	20	2,125	93.80
2626-3	26 X 26	3	53	20	1,085	41.20
2660-3	26 X 60	3	109	20	2,205	89.80
2838-3	28 X 38	3	84	20	1,705	69.04
3030-3	30 X 30	3	62	20	1,265	58.24
3036-3	30 X 36	3	71	20	1,445	69.48
3040-3	30 X 40	3	94	20	1,905	74.88
3060-3	30 X 60	3	130	15	1,975	114.00
3143-3	31 X 43	3	74	20	1,505	86.96
32-3	32 Round	3	67	20	1,365	80.40
3232-3	32 X 32	3	68	20	1,385	64.88
3237-3	32 X 37	3	87	20	1,765	77.16
3345-3	33 X 45	3	117	20	2,365	96.92
3465-3	34 X 65	3	160	15	2,425	141.04
36-3	36 Round	3	80	20	1,625	58.64
3636-3	36 X 36	3	100	20	2,025	80.08
3640-3	36 X 40	3	120	20	2,425	91.32
3648-3	36 X 48	3	132	20	2,665	106.72
3650-3	36 X 50	3	137	15	2,080	117.92
3660-3	36 X 60	3	163	15	2,470	139.32
3678-3	36 X 78	3	196	10	1,985	191.76
# 3842-3	38 X 42	3	132	20	2,700	106.16
3865-3	38 X 65	3	179	15	2,710	167.44
3870-3	38 X 70	3	179	10	1,815	176.40
4054-3	40 X 54	3	167	15	2,530	169.52
4062-3	40 X 62	3	179	10	1,815	164.52
4147-3	41 X 47	3	140	15	2,125	127.72
4183-3	41 X 83	3	231	10	2,335	231.28
4550-3	45 X 50	3	158	15	2,395	176.40
4558-3	45 X 58	3	177	15	2,680	209.68
4766-3	47 X 66	3	219	10	2,215	205.52
4848-3	48 X 48	3	150	15	2,275	152.68
5053-3	50 X 53	3	194	15	2,935	191.36
5056-3	50 X 56	3	212	10	2,145	231.92
5058-3	50 X 58	3	212	10	2,145	220.40
5070-3	50 X 70	3	257	10	2,595	256.04
5252-3	52 X 52	3	197	10	1,995	208.00
5557-3	55 X 57	3	237	10	2,395	266.44
6067-3	60 X 67	3	284	10	2,865	270.60

# CLADLITE® Hurricane Pads



## CladLite® Hurricane Pads

Designed specifically for the hurricane prone regions of Florida and the Gulf Coast, the CladLite® Hurricane pad is designed to meet stringent local code requirements for wind resistance. Heavier than a normal concrete pad, this pad provides sufficient weight to meet code. CladLite® Hurricane pads have been designed specifically to meet the intent of the Florida Building Code, Chapter 16, with respect to wind resistance.

Method of attachment tested per ASCE 7. CladLite® Hurricane pads are suitable for all 130 mph and most 150 mph installations. For certain taller equipment, the CladLite® Hurricane T pad is needed. CladLite® Hurricane pads have been declared by the Florida Building Commission to be an acceptable alternative material to solid concrete slabs for use in specific applications from Tallahassee to Miami. Approval of the pad is within the discretion of the local building inspector. DCA02-DEC-183. Due to their extra weight, standard freight terms only apply for shipments to Florida. All other shipments are shipped FOB Conyers, Georgia.

The pound (#) symbol denotes new pad sizes recently added to the product line.

Literature available: [www.diversitech.com/literature/lit-fly-clad4.pdf](http://www.diversitech.com/literature/lit-fly-clad4.pdf)

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
H2424-4	24 X 24	4	50	16	825	47.40
H2436-4	24 X 36	4	69	16	1,130	73.12
H3030-4	30 X 30	4	70	16	1,120	78.76
H3060-4	30 X 60	4	133	16	2,150	146.04
H3232-4	32 X 32	4	87	16	1,392	87.80
H3345-4	33 X 45	4	123	16	1,985	127.20
# H3434-4	34 X 34	4	87	16	1,450	96.48
H3636-4	36 X 36	4	105	16	1,705	105.32
H3642-4	36 X 42	4	117	16	1,885	122.68
H3648-4	36 X 48	4	133	16	2,168	140.20
H3652-4	36 X 52	4	150	16	2,400	170.56
# H3842-4	38 X 42	4	133	16	2,200	136.44
H4040-4	40 X 40	4	140	16	2,240	129.84
H4558-4	45 X 58	4	190	16	3,050	259.36



## CladLite® Hurricane T Pads

The CladLite® Hurricane T pad is even heavier than the CladLite® Hurricane pad and is designed to meet the higher wind loads of taller equipment. The taller the piece of equipment mounted to the pad, the greater the wind load on the pad. CladLite® Hurricane T pads provide sufficient weight to meet code for these tall condensing units. CladLite® Hurricane equipment pads have been designed specifically to meet the intent of the Florida Building Code, Chapter 16, with respect to wind resistance. Method of attachment tested per ASCE 7. CladLite® Hurricane pads are suitable for all 130 mph and most 150 mph installations. For certain taller equipment, the CladLite® Hurricane T pad is needed. CladLite® Hurricane pads have been declared by the Florida Building Commission to be an acceptable alternative material to solid concrete slabs for use in specific applications from Tallahassee to Miami. Approval of the pad is within the discretion of the local building inspector. DCA02-DEC-183. Due to their extra weight, standard freight terms for CladLite® Hurricane pads only apply for shipments to Florida. All other shipments are shipped FOB Conyers, Georgia.

Literature available: [www.diversitech.com/literature/lit-fly-clad4.pdf](http://www.diversitech.com/literature/lit-fly-clad4.pdf)

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
HT2424-4	24 X 24	4	88	10	925	62.52
HT2436-4	24 X 36	4	122	10	1,270	95.40
HT3030-4	30 X 30	4	127	10	1,320	103.16
HT3232-4	32 X 32	4	165	10	1,700	117.04
HT3345-4	33 X 45	4	215	10	2,200	167.24
HT3636-4	36 X 36	4	180	10	1,850	142.12
HT3648-4	36 X 48	4	252	10	2,570	189.28

## Heater Pads

TOP VIEW



BOTTOM VIEW



A heavy duty version of an all concrete pad designed specifically for pool heater and filter applications. Due to their extra weight, standard freight terms for Heater Pads only apply for shipments to Georgia and Florida. All other shipments are shipped FOB Conyers, Georgia.

CATALOG NO.	SIZE	THICKNESS	PAD WEIGHT	PALLET QTY.	PALLET WEIGHT	LIST PRICE
LF2436-2	24 X 36	2	66	20	1,345	49.08
LF3030-2	30 X 30	2	73	20	1,485	62.20
LF3036-2	30 X 36	2	89	20	1,805	73.80
LF3636-2	36 X 36	2	120	15	1,825	90.08
LF2436-3	24 X 36	3	88	15	1,345	55.52
LF3030-3	30 X 30	3	92	15	1,430	67.80
LF3636-3	36 X 36	3	170	10	1,725	102.96

## Heat Pump Risers



### Heat Pump Risers

Sturdy and stable, DiversiTech's Heat Pump Riser provides the desired elevation for heat pumps and air handlers. The one-piece, heavy-duty plastic unit is manufactured in three heights. Butyl mastic on the top and bottom guarantees no slipping and reduced vibration and noise. 2 piece risers are also now available.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HPR-3	Riser - 3"	48	6.60 ▲
HPR-6	Riser - 6"	36	8.16 ▲
HPR-12	Riser - 12"	16	11.00 ▲
HPR-3-2P	Two Piece Riser - 3"	32	8.12 ▲
HPR-6-2P	Two Piece Riser - 6"	16	9.76 ▲
HPR-3-2PG	Two Piece Dark Gray Riser - 3"	32	8.12 ▲
HPR-6-2PG	Two Piece Dark Gray Riser - 6"	16	9.76 ▲
HPR-EXT	4" Extension	16	4.40 ▲



### Furnace Mounting Blocks

DiversiTech is pleased to introduce our line of Furnace Mounting Blocks. Each block can support 40% more weight than competitive products – over 500 pounds! Easy peel and stick installation. Diversitech's Furnace Mounting Blocks also feature a full quarter-inch of EVA foam for vibration and noise elimination.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
FB-1	Furnace Mounting Block	72	7.04 ▲




### Air Handler Block

Lightweight styrofoam block (concrete gray) provides A/C air handler support in attic installations.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-60	Air Handler 8" x 8" x 4"	1	4.60 ▲

# A/C Mounting Brackets



## A/C Mounting Brackets

These heavy duty 1/8" thick steel AC brackets are perfect for hanging A/C condensers and heat pumps outside the home. Mount at any height to allow for easy maintenance under units. No need to wait for finished grade or landscaping prior to installation of AC unit. Pre-punched holes for easy installation. Powder coated gray finish.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
ACB-30	30" AC Bracket	1 Pair	100.00 ▾
ACB-36	36" AC Bracket	1 Pair	112.00 ▾
ACB-42	42" AC Bracket	1 Pair	129.00 ▾

# Condensate Products

## A/C Secondary Condensate Drain Pans

- Rolled edges for durability
- Ribbed bottoms for rigidity
- Reinforced corners for strength
- 3/4" PVC fittings attached to each pan
- No seams—no rust—no leakage
- Available in over 20 convenient sizes
- Five pans per master carton
- Complies with Southern Building Code
- ABS Materials
- Does not put out toxic smoke



CATALOG NO.	BOTTOM DIMENSION		OVERALL DIMENSION		DEPTH IN. CM.	NO. PACK	PRICE/EACH
	IN.	CM.	IN.	CM.			
6-1246L	12" x 46"	30 x 117	14" x 48"	36 x 122	2" 5 cm.	5	36.24 ▾
6-1246S	12" x 46"	30 x 117	14" x 48"	36 x 122	2" 5 cm.	5	36.24 ▾
6-1838L	18" x 38"	46 x 97	20" x 40"	51 x 102	2" 5 cm.	5	38.08 ▾
6-1838S	18" x 38"	46 x 97	20" x 40"	51 x 102	2" 5 cm.	5	38.08 ▾
6-1846L	18" x 46"	46 x 117	20" x 48"	51 x 122	2" 5 cm.	5	39.00 ▾
6-1846S	18" x 46"	46 x 117	20" x 48"	51 x 122	2" 5 cm.	5	39.00 ▾
6-2424L	24" x 24"	61 x 61	26" x 26"	66 x 66	2" 5 cm.	5	36.76 ▾
6-2626L	26" x 26"	66 x 66	28" x 28"	71 x 71	2" 5 cm.	5	39.00 ▾
6-2739L	27" x 39"	69 x 99	29" x 41"	74 x 104	2" 5 cm.	5	54.40 ▾
6-2748L	27" x 48"	69 x 122	29" x 50"	74 x 127	2" 5 cm.	5	64.36 ▾
6-2748S	27" x 48"	69 x 122	29" x 50"	74 x 127	2" 5 cm.	5	64.36 ▾
6-2763L	27" x 63"	69 x 160	29" x 65"	74 x 165	2" 5 cm.	5	79.76 ▾
6-2763S	27" x 63"	69 x 160	29" x 65"	74 x 165	2" 5 cm.	5	79.76 ▾
6-3030L	30" x 30"	76 x 76	32" x 32"	81 x 81	2" 5 cm.	5	44.88 ▾
6-3050L	30" x 50"	76 x 127	32" x 52"	81 x 132	2" 5 cm.	5	69.36 ▾
6-3050S	30" x 50"	76 x 127	32" x 52"	81 x 132	2" 5 cm.	5	69.36 ▾
6-3060L	30" x 60"	76 x 152	32" x 62"	81 x 157	2" 5 cm.	5	79.32 ▾
6-3060S	30" x 60"	76 x 152	32" x 62"	81 x 157	2" 5 cm.	5	79.32 ▾
6-3263L	32" x 63"	81 x 160	34" x 65"	86 x 165	2" 5 cm.	5	80.68 ▾
6-3263S	32" x 63"	81 x 160	34" x 65"	86 x 165	2" 5 cm.	5	80.68 ▾
6-3636L	36" x 36"	91 x 91	38" x 38"	97 x 97	2" 5 cm.	5	61.20 ▾
6-3660L	36" x 60"	91 x 152	38" x 62"	97 x 157	2" 5 cm.	5	83.88 ▾
6-3660S	36" x 60"	91 x 152	38" x 62"	97 x 157	2" 5 cm.	5	83.88 ▾



## A/C Condensate Drain Pan Fittings

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-1	3/4" Slip	50	3.16 ▾
6-2	1" Slip	50	5.25 ▾
6-5	3/4" Female Pipe Thread	50	3.56 ▾

# DiversiTech Condensate Pumps



## Condensate Pumps – 22' Lift

Vertical type pumping unit, with high impact ABS tank, ABS motor and tank covers, volute and impeller. Thermally protected motor and stainless steel shaft. Equipped with snap action switch, 6' cord with 3-prong molded plug. Pump engages in 2.5" of water, disengages in 1.125" of water. Includes safety switch and a removable check valve with 3/8" discharge. Rubber feet dampen vibration which reduces noise. Four inlets provide greater installation versatility. Available in 115 V. UL and CSA approved.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CP-22	Condensate Pump 115V	5	85.00
CP-22T	Condensate Pump 115V with tubing	5	91.00

## Condensate Pump Cross Reference

DIVERSITECH PART NO.	LITTLE GIANT PART NO.	FIELD CONTROLS PART NO.	BECKETT PART NO.	HARTELL PART NO.
CP-22	VCMA-20ULS	20+ULS	CB201UL	KT3
CP-22T	VCMA-20ULST	20+ULST	CB201TUL	KT3-1ULT

## Tubing Insulation



## Tubing Insulation by

Aerocel tubing insulation is a flexible, closed cell, lightweight EPDM based material. The closed cell structure provides many advantages over most rigid insulations, with outstanding ultraviolet and weather resistance.

	CATALOG NO.	DESCRIPTION	FT./CARTON	PRICE/CARTON
<b>3/8"</b>	7-3838	3/8" ID x 3/8" Wall	690	426.00 ▲
<b>WALL</b>	7-3812	1/2" ID x 3/8" Wall	510	338.48 ▲
	7-3858	5/8" ID x 3/8" Wall	426	315.12 ▲
	7-3834	3/4" ID x 3/8" Wall	378	282.76 ▲
	7-3878	7/8" ID x 3/8" Wall	336	273.88 ▲
	7-381-18	1-1/8" ID x 3/8" Wall	216	215.32 ▲
	7-381-38	1-3/8" ID x 3/8" Wall	180	210.04 ▲
	7-381-58	1-5/8" ID x 3/8" Wall	150	216.72 ▲
	7-382-18	2-1/8" ID x 3/8" Wall	96	183.68 ▲
	7-382-58	2-5/8" ID x 3/8" Wall	84	217.88 ▼
	7-383-18	3-1/8" ID x 3/8" Wall	60	204.08 ▲
<b>1/2"</b>	7-1238	3/8" ID x 1/2" Wall	456	423.40 ▲
<b>WALL</b>	7-1212	1/2" ID x 1/2" Wall	372	401.04 ▲
	7-1258	5/8" ID x 1/2" Wall	324	384.68 ▲
	7-1234	3/4" ID x 1/2" Wall	294	359.80 ▲
	7-1278	7/8" ID x 1/2" Wall	234	285.72 ▲
	7-121-18	1-1/8" ID x 1/2" Wall	180	267.08 ▲
	7-121-38	1-3/8" ID x 1/2" Wall	144	235.52 ▲
	7-121-58	1-5/8" ID x 1/2" Wall	114	204.72 ▲
	7-122-18	2-1/8" ID x 1/2" Wall	84	207.00 ▲
	7-122-58	2-5/8" ID x 1/2" Wall	60	196.84 ▲
	7-123-18	3-1/8" ID x 1/2" Wall	60	232.44 ▲
<b>3/4"</b>	7-3438	3/8" ID x 3/4" Wall	294	318.36 ▲
<b>WALL</b>	7-3412	1/2" ID x 3/4" Wall	228	340.96 ▲
	7-3458	5/8" ID x 3/4" Wall	180	306.56 ▲
	7-3434	3/4" ID x 3/4" Wall	168	335.60 ▲
	7-3478	7/8" ID x 3/4" Wall	144	359.88 ▲
	7-341-18	1-1/8" ID x 3/4" Wall	108	266.38 ▲
	7-341-38	1-3/8" ID x 3/4" Wall	96	293.56 ▲
	7-341-58	1-5/8" ID x 3/4" Wall	72	320.64 ▲
	7-342-18	2-1/8" ID x 3/4" Wall	60	305.96 ▲
	7-342-58	2-5/8" ID x 3/4" Wall	48	351.68 ▲

Other sizes available by special request.

# Permanent Air Filters



## DiversiTech Permanent Air Filters

Every filter makes trade-offs between letting too much air through (good for the unit) and trapping too much "stuff" (good for the homeowner). Where is the right balance? What is best for the homeowner and their unit? DiversiTech offers two permanent air filters. Choose the **Red Label Filter** for a good balance between ample air flow and ability to trap dust. Choose the **Blue Label Filter** if you feel greater air flow is needed, perhaps for older units.

### RED LABEL FILTER

**0.12 Initial Resistance**  
**82% Peak Dust Arrestance**  
**76% Average Dust Arrestance**  
**147 gm. Dust Holding Capacity**

1" NOMINAL SIZE	PART NO.	PRICE/EA.
12 x 12 x 1	AFR1212-1	79.60 ▲
12 x 20 x 1	AFR1220-1	79.60 ▲
12 x 24 x 1	AFR1224-1	79.60 ▲
14 x 20 x 1	AFR1420-1	79.60 ▲
14 x 24 x 1	AFR1424-1	79.60 ▲
14 x 25 x 1	AFR1425-1	79.60 ▲
14 x 30 x 1	AFR1430-1	79.60 ▲
15 x 20 x 1	AFR1520-1	79.60 ▲
16 x 20 x 1	AFR1620-1	79.60 ▲
16 x 24 x 1	AFR1624-1	79.60 ▲
16 x 25 x 1	AFR1625-1	79.60 ▲
18 x 18 x 1	AFR1818-1	79.60 ▲
18 x 24 x 1	AFR1824-1	79.60 ▲
18 x 25 x 1	AFR1825-1	79.60 ▲
20 x 20 x 1	AFR2020-1	79.60 ▲
20 x 24 x 1	AFR2024-1	79.60 ▲
20 x 25 x 1	AFR2025-1	79.60 ▲
20 x 30 x 1	AFR2030-1	79.60 ▲
24 x 24 x 1	AFR2424-1	79.60 ▲
25 x 25 x 1	AFR2525-1	79.60 ▲
Custom 1"	AFR-CUSTOM-1	104.60 ▲

2" red label filters and 2" blue label filters are available in all above sizes. Specify 2" when ordering.

### BLUE LABEL FILTER

**0.08 Initial Resistance**  
**73% Peak Dust Arrestance**  
**67% Average Dust Arrestance**  
**99 gm. Dust Holding Capacity**

1" NOMINAL SIZE	PART NO.	PRICE/EA.
12 x 12 x 1	AFB1212-1	75.60 ▲
12 x 20 x 1	AFB1220-1	75.60 ▲
12 x 24 x 1	AFB1224-1	75.60 ▲
14 x 20 x 1	AFB1420-1	75.60 ▲
14 x 24 x 1	AFB1424-1	75.60 ▲
14 x 25 x 1	AFB1425-1	75.60 ▲
14 x 30 x 1	AFB1430-1	75.60 ▲
15 x 20 x 1	AFB1520-1	75.60 ▲
16 x 20 x 1	AFB1620-1	75.60 ▲
16 x 24 x 1	AFB1624-1	75.60 ▲
16 x 25 x 1	AFB1625-1	75.60 ▲
18 x 18 x 1	AFB1818-1	75.60 ▲
18 x 24 x 1	AFB1824-1	75.60 ▲
18 x 25 x 1	AFB1825-1	75.60 ▲
20 x 20 x 1	AFB2020-1	75.60 ▲
20 x 24 x 1	AFB2024-1	75.60 ▲
20 x 25 x 1	AFB2025-1	75.60 ▲
20 x 30 x 1	AFB2030-1	75.60 ▲
24 x 24 x 1	AFB2424-1	75.60 ▲
25 x 25 x 1	AFB2525-1	75.60 ▲
Custom 1"	AFB-CUSTOM-1	100.40 ▲

### LIMITED LIFETIME WARRANTY

DiversiTech hereby guarantees to the original purchaser that this DiversiTech permanent air filter will remain free of defects in materials and workmanship, when used in accordance with the recommended guidelines, for the life of the unit on which it is installed. Should this air filter be found to be defective, the remedies of the original purchaser are expressly limited to having DiversiTech replace the filter free of charge. To obtain the replacement filter, the original purchaser must return the defective filter to DiversiTech, 2175 East Park Drive, Conyers, GA 30013, with postage charges prepaid.

The warranty does not include the cost of installing the DiversiTech permanent air filter or any other costs, all of which shall be borne by the original purchaser. This warranty does not cover damage due to abuse, improper installation, installation in other than standard residential air conditioning and/or heating units, cleaning by high pressure hose or sprays or by use of highly caustic or corrosive cleaning agents.

DiversiTech makes no other warranty whatsoever and all other warranties of merchantability and fitness whether expressed or implied are limited to the life of the original air conditioning or heating unit on which the DiversiTech permanent air filter is installed.

# Fan Centers



## Fan Centers

Low voltage for one and two speed fan motors; auxiliary circuits in heating, cooling, or heating/cooling applications.

- DPDT Relay
- UL, CUR file E237660
- 24V coil voltage, power, and duty rated contacts
- Color-coded pre-stripped leads
- Mounts directly to 4" electrical box

CATALOG NO.	VOLTAGE	STANDARD PACK	PRICE/EACH
D-90113	120	1	41.44
D-90118	208/240	1	42.64

# Capacitors



## Motor Run Capacitors – 370 VAC

Single capacitance. Oval shape, metal can.

CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
3720H	2	2.17	1	2.80 ▼
3703H	3	2.17	1	2.88 ▼
3704H	4	2.17	1	2.92 ▼
3705H	5	2.17	1	2.96 ▼
3705HB	5	2.17	100 (bulk)	2.92 ▼
3706H	6	2.63	1	3.72 ▼
3707H	7.5	2.17	1	3.92 ▼
3707HB	7.5	2.17	100 (bulk)	3.88 ▼
3710H	10	2.56	1	4.64 ▼
3710HB	10	2.56	100 (bulk)	4.60 ▼
3712H	12.5	2.95	1	6.04 ▼
3715H	15	2.95	1	5.80 ▼
3717H	17.5	3.35	1	6.44 ▼
3720H	20	2.56	1	6.84 ▼
3725H	25	2.95	1	7.88 ▼
3730H	30	3.35	1	8.84 ▼
3735H	35	3.35	1	10.16 ▼
3740H	40	3.94	1	12.12 ▼
3745H	45	3.94	1	13.92 ▼
3750H	50	4.53	1	14.16 ▼
3760H	60	4.75	1	26.80 ▼
3770H	70	4.75	1	28.56 ▼
3780H	80	4.53	1	30.76 ▼

## Motor Run Capacitors – 370 VAC

Dual capacitance. Oval shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
3GJ0515	15+5	2.63	1	10.56 ▼
3GJ1015	15+10	3.00	1	10.88 ▼
3GJ0520	20+5	2.63	1	11.28 ▼
3GJ1520	20+15	4.75	1	12.24 ▼
3GJ0525	25+5	3.35	1	13.12 ▼
3GJ1025	25+10	3.75	1	13.88 ▼
3GJ0530	30+5	3.94	1	13.84 ▼
3GJ7530	30+7.5	3.00	1	14.24 ▼
3GJ0535	35+5	3.94	1	13.00 ▼
3GJ7535	35+7.5	3.00	1	15.24 ▼
3GJ0540	40+5	3.94	1	15.40 ▼
3GJ0545	45+5	3.74	1	19.36 ▼
3GJ7555	55+7.5	4.75	1	30.76 ▼
3GJ1060	60+10	4.75	1	31.04 ▼

## Motor Run Capacitors – 370 VAC

Dual capacitance. Round shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
3GR0425	25+4	3.13	1	21.00 ▼
3GR0525	25+5	3.54	1	9.24 ▼
3GR0530	30+5	3.54	1	13.24 ▼
3GR7530	30+7.5	3.88	1	20.88
3GR0435	35+4	3.88	1	17.24 ▼
3GR0535	35+5	3.74	1	13.88
3GR7540	40+7.5	3.88	1	22.60
3GR0545	45+5	4.25	1	15.12 ▼
3GR0550	50+5	3.88	1	15.84
3GR0555	55+5	3.88	1	17.40
3GR7555	55+7.5	3.88	1	46.72
3GR0560	60+5	3.88	1	42.96
3GR7560	60+7.5	3.88	1	47.08
3GR0580	80+5	5.96	1	49.40
3GR7580	80+7.5	3.88	1	47.44

## Motor Run Capacitors – 370 VAC

Single capacitance. Round shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
37050R	5	2.63	1	3.40
37075R	7.5	2.63	1	4.52
37100R	10	2.63	1	5.36
37125R	12.5	3.00	1	7.20
37250R	25	2.95	1	8.44 ▼
37300R	30	3.00	1	9.48 ▼
37350R	35	3.35	1	9.68 ▼
37400R	40	3.75	1	12.96 ▼
37450R	45	3.75	1	14.20 ▼
37500R	50	3.75	1	21.20
37550R	55	3.75	1	26.76
37600R	60	3.75	1	23.80
37800R	80	4.75	1	43.20

## Motor Run Capacitors – 440 VAC

Single capacitance. Oval shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
45020H	2	2.63	1	3.00 ▼
45030H	3	2.17	1	3.44 ▼
45040H	4	2.17	1	3.60 ▼
45050H	5	2.17	1	3.76 ▼
45060H	6	2.63	1	4.24 ▼
45075H	7.5	2.17	1	5.04 ▼
45100H	10	2.56	1	5.60 ▼
45125H	12.5	2.95	1	7.20 ▼
45150H	15	2.95	1	6.44 ▼
45175H	17.5	2.63	1	7.72 ▼
45200H	20	2.56	1	7.44 ▼
45250H	25	2.95	1	9.20 ▼
45300H	30	3.35	1	9.88 ▼
45350H	35	3.35	1	11.68 ▼
45400H	40	3.94	1	13.16 ▼
45450H	45	3.94	1	16.68 ▼
45500H	50	4.53	1	15.80 ▼
45550H	55	4.53	1	17.12
45600H	60	5.31	1	17.56 ▼
45700H	70	3.75	1	37.32 ▼
45800H	80	4.75	1	48.40 ▼

## **Motor Run Capacitors – 440 VAC** Dual capacitance. Oval shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
4JJ0525	25+5	3.35	1	12.48 ▼
4JJ0530	30+5	3.94	1	12.76 ▼
4JJ0535	35+5	3.94	1	16.52 ▼
4JJ0540	40+5	3.94	1	17.40 ▼
4JJ0545	45+5	4.53	1	18.92 ▼
4JJ0555	55+5	4.75	1	27.80
4JJ7535	35+7.5	3.94	1	15.32 ▼
4JJ7540	40+7.5	4.75	1	31.20 ▼
4JJ7545	45+7.5	4.75	1	32.16 ▼
4JJ1055	55+10	4.75	1	33.52 ▼

## **Motor Run Capacitors – 440 VAC** Dual capacitance. Round shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
4JR0525	25+5	3.54	1	10.08 ▼
4JR7525	25+7.5	3.88	1	13.72
4JR0530	30+5	3.54	1	12.28 ▼
4JR7530	30+7.5	4.13	1	18.20 ▼
4JR0535	35+5	3.74	1	13.60 ▼
4JR7535	35+7.5	3.54	1	15.32 ▼
4JR0540	40+5	3.54	1	13.76 ▼
4JR7540	40+7.5	3.88	1	30.36 ▼
4JR0545	45+5	3.74	1	14.92 ▼
4JR7545	45+7.5	3.88	1	34.76
4JR7550	50+7.5	3.88	1	19.40
4JR0555	55+5	4.92	1	16.64 ▼
4JR7555	55+7.5	3.88	1	22.08
4JR7560	60+7.5	4.75	1	26.32

## **Motor Run Capacitors – 440 VAC** Single capacitance. Round shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
45150R	15	2.56	1	6.68
45200R	20	2.95	1	7.36
45250R	25	2.95	1	14.56
45300R	30	3.75	1	15.72
45350R	35	3.94	1	16.76
45400R	40	3.94	1	20.04
45450R	45	4.53	1	20.20
45500R	50	4.92	1	22.36
45550R	55	3.75	1	16.44
45600R	60	4.53	1	24.40
45800R	80	4.75	1	66.20

## Motor Start Capacitors – 110/125 VAC

Variable capacitance. Round shape, plastic can.



CATALOG NO.	uf	CASE DIAMETER	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
56-72	56-72	1-7/16"	2.75	1	5.56 ▲
88-108	88-108	1-7/16"	2.75	1	3.84 ▲
108-130	108-130	1-7/16"	2.75	1	4.16 ▲
124-156	124-156	1-7/16"	2.75	1	5.60 ▲
145-175	145-175	1-7/16"	2.75	1	4.72 ▲
161-193	161-193	1-7/16"	2.75	1	5.00 ▲
189-227	189-227	1-7/16"	2.75	1	5.40 ▲
200-240	200-240	1-7/16"	2.75	1	5.56 ▲
216-259	216-259	1-7/16"	2.75	1	5.80 ▲
233-292	233-292	1-7/16"	2.75	1	7.08 ▲
270-324	270-324	1-7/16"	2.75	1	6.64 ▲
324-388	324-388	1-13/16"	2.75	1	7.68 ▲
340-408	340-408	1-13/16"	3.37	1	7.92 ▲
378-440	378-440	1-13/16"	3.37	1	9.36 ▲
400-480	400-480	1-13/16"	3.37	1	8.76 ▲
460-552	460-552	1-13/16"	3.37	1	9.64 ▲
540-648	540-648	1-13/16"	3.37	1	12.56 ▲
590-708	590-708	1-13/16"	3.37	1	13.28 ▲
708-850	708-850	1-13/16"	3.37	1	15.24 ▲
829-995	829-995	1-13/16"	4.37	1	17.64 ▲
1000-1200	1000-1200	1-13/16"	4.37	1	20.40 ▲

## Motor Start Capacitors – 220/250 VAC

Variable capacitance. Round shape, plastic can.



CATALOG NO.	uf	CASE DIAMETER	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
88-108220	88-108	1-13/16"	3.37	1	7.92 ▲
108-130220	108-130	1-13/16"	3.37	1	7.48 ▲
124-156220	124-156	1-13/16"	3.37	1	12.60 ▲
145-175220	145-175	2-1/16"	3.37	1	9.80 ▲
161-193220	161-193	1-13/16"	4.37	1	10.60 ▲
189-227220	189-227	2-1/16"	4.37	1	16.40 ▲
216-259220	216-259	2-1/16"	4.37	1	13.12 ▲
233-292220	233-292	2-1/16"	4.37	1	18.16 ▲
270-324220	270-324	2-1/16"	4.37	1	16.28 ▲

## Motor Start Capacitors – 330 VAC

Variable capacitance. Round shape, plastic can.



CATALOG NO.	uf	CASE DIAMETER	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
88-108330	88-108	2-1/16"	3.37	1	13.00 ▲
108-130330	108-130	2-1/16"	4.37	1	15.24 ▲
124-156330	124-156	2-1/16"	4.37	1	19.48 ▲
145-175330	145-175	2-9/16"	4.37	1	20.12 ▲
161-193330	161-193	2-9/16"	4.37	1	21.92 ▲
189-227330	189-227	2-9/16"	4.37	1	25.08 ▲
216-259330	216-259	2-9/16"	4.37	1	28.16 ▲
270-324330	270-324	2-1/16"	4.37	1	20.80

# Contactors



## DiversiTech Definite Purpose Contactors Two pole, small frame.

CATALOG NO.	FL. AMPS	COIL VAC	STANDARD PACK	PRICE/EACH
EC30224	30	24	1	15.00 ▲
EC302120	30	120	1	15.00 ▲
EC302240	30	240	1	15.00 ▲
EC40224	40	24	1	30.00 ▲
EC402120	40	120	1	30.00 ▲
EC402240	40	240	1	30.00 ▲



## DiversiTech Three Pole DP Contactors Three pole, large frame.

CATALOG NO.	FL. AMPS	COIL VAC	STANDARD PACK	PRICE/EACH
EC30324	30	24	1	33.60 ▲
EC303120	30	120	1	33.60 ▲
EC303240	30	240	1	33.60 ▲
EC40324	40	24	1	44.60 ▲
EC403120	40	120	1	44.60 ▲
EC403240	40	240	1	44.60 ▲



## Definite Purpose Contactors Single pole, small frame.

CATALOG NO.	FL. AMPS	COIL VAC	STANDARD PACK	PRICE/EACH
DP30124	30	24	1	22.28 ▲
DP301120	30	120	1	22.28 ▲
DP301240	30	240	1	22.28 ▲



## Definite Purpose Contactors Two pole, small frame.

CATALOG NO.	FL. AMPS	COIL VAC	STANDARD PACK	PRICE/EACH
DP25224	25	24	1	22.28 ▲
DP252120	25	120	1	22.28 ▲
DP252240	25	240	1	22.28 ▲
DP30224	30	24	1	21.24 ▲
DP302120	30	120	1	21.24 ▲
DP302240	30	240	1	21.24 ▲
DP40224	40	24	1	40.48 ▲
DP402120	40	120	1	40.48 ▲
DP402240	40	240	1	40.48 ▲





## Definite Purpose Contactors

Three pole, large frame.


CATALOG NO.	FL AMPS	COIL VAC	STANDARD PACK	PRICE/EACH
DP30324	30	24	1	59.48 ▲
DP303120	30	120	1	59.48 ▲
DP303240	30	240	1	59.48 ▲
DP40324	40	24	1	64.68 ▲
DP403120	40	120	1	64.68 ▲
DP403240	40	240	1	64.68 ▲
DP50324	50	24	1	162.28 ▲
DP503120	50	120	1	162.28 ▲
DP503240	50	240	1	162.28 ▲
DP60324	60	24	1	177.56 ▲
DP603120	60	120	1	177.56 ▲
DP603240	60	240	1	177.56 ▲
DP75324	75	24	1	294.20 ▲
DP753120	75	120	1	294.20 ▲
DP753240	75	240	1	294.20 ▲
DP90324	90	24	1	402.32 ▲
DP903120	90	120	1	402.32 ▲
DP903240	90	240	1	402.32 ▲



## Contactor Accessories

Auxiliary contacts and replacement coils.

CATALOG NO.	CONTACTOR FRAME SIZE	VOLTAGE	STANDARD PACK	PRICE/EACH
DA1V14	20-40 Amp	24	1	47.40
DA1V02	20-40 Amp	120	1	47.40
DA1V09	20-40 Amp	240	1	47.40
DA1V06	20-40 Amp	480	1	47.40
DA2V14	50-60 Amp	24	1	42.64
DA2V02	50-60 Amp	120	1	42.64
DA2V09	50-60 Amp	240	1	42.64
DA2V06	50-60 Amp	480	1	42.64
DA3V14	75-90 Amp	24	1	54.16
DA3V02	75-90 Amp	120	1	54.16
DA3V09	75-90 Amp	240	1	54.16
DA3V06	75-90 Amp	480	1	54.16



Auxiliary contacts are designed for 20 Amp to 90 Amp 3-pole contactors. You may use 2/contactor.

CATALOG NO.	CONTACTS	AMPERAGE	STANDARD PACK	PRICE/EACH
D10	1-N.O.	20-90	1	22.68
D11	1-N.O. 1-N.C.	20-90	1	42.24

# Relays

## General Purpose Relays – 8400 Series



CATALOG NO.	DESCRIPTION	AMPS RES/IND	COIL VOLTAGE	PRICE/EACH
D90-290Q	SPST-NO	16/8	24 VAC	14.20
D90-291Q	SPST-NO	16/8	120 VAC	14.48
D90-292Q	SPST-NO	16/8	240 VAC	15.40
D90-293Q	SPDT	8/8	24 VAC	14.40
D90-294Q	SPDT	8/8	120 VAC	15.40
D90-295Q	SPDT	8/8	240 VAC	15.40
D90-297Q	SPDT	8/8	277 VAC	15.80

## General Purpose Relays – 9400 Series



CATALOG NO.	DESCRIPTION	AMPS RES	FLA/LRA@125V	FLA/LRA@250V	COIL VOLTAGE	PRICE/EACH
D90-360	SPST-NO	18	12/60	8/48	24 VAC	13.80
D90-362	SPST-NO	18	12/60	8/48	120 VAC	14.00
D90-364	SPST-NO	18	12/60	8/48	240 VAC	14.40
D90-370	SPDT	18	12/60	8/48	24 VAC	14.40
D90-372	SPDT	18	12/60	8/48	120 VAC	14.40
D90-374	SPDT	18	12/60	8/48	240 VAC	14.40
D90-380	SPST NO+NC	18	12/60	8/48	24 VAC	14.40
D90-382	SPST NO+NC	18	12/60	8/48	120 VAC	15.80
D90-384	SPST NO+NC	18	12/60	8/48	240 VAC	16.40



## General Purpose Switching Relays

CATALOG NO.	COIL VOLT.	TERMINALS 1-2-3	TERMINALS 4-5-6	PRICE/EACH
D-90340	24	POWER	POWER	18.80
D-90341	110/120	POWER	POWER	20.40
D-90342	208/240	POWER	POWER	21.00

## Potential Relays



**NEW!**

CATALOG NO.	COIL VOLTAGE	PICK-UP		DROP-OUT MAX	PRICE/EACH
		MIN	MAX		
DPR069	395	180	195	105	23.44
DPR063	168	140	153	45	23.44
DPR064	395	242	272	140	23.44
DPR065	332	171	184	90	23.44
DPR066	395	223	252	130	23.44
DPR067	420	300	328	121	23.44
DPR068	502	314	342	135	23.44
DPR071	420	223	259	121	23.44

# Transformers



## Transformers – Class 2 1585 UL Recognized – Open Enclosure

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T1401	40	120	24	15.40 ▲
T1402	40	277	24	16.08 ▲
T1403	40	208/240	24	16.08 ▲
T1404	40	120/208/240	24	16.08 ▲



## Transformers – Class 2 1585 UL Recognized – Foot Mount

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T2401	40	120	24	15.84 ▲
T2402	40	277	24	16.28 ▲
T2403	40	208/240	24	16.28 ▲
T2404	40	120/208/240	24	16.28 ▲



## Transformers – Class 2 1585 UL Recognized

Multi-mount with terminal connection secondary.

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T3401	40	120	24	21.24 ▲
T3402	40	208/240	24	21.52 ▲
T3403	40	120/208/240	24	23.12 ▲
T3501	50	120/208/240	24	23.32 ▲



## Transformers – Class 2 1585 UL Recognized

Plate-mount with terminal connection.

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T4401	40	120	24	21.68 ▲
T4403	40	120/208/240	24	24.00 ▲
T4501	50	120/208/240	24	24.44 ▲



## Transformers – Class 2 1585 UL Recognized

Multi-mount with wire connection secondary.

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T5401	40	120	24	20.36
T5402	40	208/240	24	20.80
T5403	50	120/208/240	24	23.28
T5404	50	120/208/240	24/12/2.5	23.28



## Transformers – Class 2 1585 UL Recognized

Heavy duty with external fuse (T67XX) or circuit breaker (T77XX).

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T6751	75	480	24	44.88 ▲
T6752	75	120/208/240	24	45.96 ▲
T6753	75	120/208/240/480	24	46.64 ▲
T7751	75	120/208/240	24	47.96 ▲
T7752	75	120/208/240/480	24	48.40 ▲

# Washer, Dryer, Water Heater Supplies

## Water Heater Safety Pans

Complies with the Southern Building Code Congress International 1980 Revision 2/19/79 Addition 1213.7, Pg. 5.



CATALOG NO.	BOTTOM DIMENSION	OVERALL DIMENSION	DEPTH	NO./CARTON	PRICE/EACH
6-22	22"	24"	2-1/2"	12	11.80 ▲
6-24	24"	26"	2-1/2"	12	13.36 ▲

Bottom of heater pan should be 2" larger than the diameter of the hot water heater. Use with electric appliances only.

## Indoor/Outdoor Gas Connectors

Corrugated, stainless steel connectors with special "Supr-Safe" design to increase flexibility. Maximum service and safety, approved for indoor or outdoor use. Perfect for range and furnace connection. AGA and CGA approved.

Dormont "30 Series" Gas Connectors 7/8" O.D. x 1/2" I.D. 1/2" MIP x 1/2" FIP Connectors



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
30-3132-12	12" Long	12	21.64 ▲
30-3132-18	18" Long	12	26.36 ▲
30-3132-24	24" Long	12	30.20 ▲
30-3132-30	30" Long	12	32.56 ▲
30-3132-36	36" Long	12	35.72 ▲
30-3132-48	48" Long	12	45.52 ▲
30-3132-60	60" Long	12	54.36 ▲
30-3132-72	72" Long	12	63.88 ▲

Dormont "20 Series" Gas Connectors 1/2" O.D. x 3/8" I.D. 1/2" MIP x 1/2" FIP Connectors



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
20-3132-18	18" Long	12	25.24 ▲
20-3132-24	24" Long	12	28.84 ▲
20-3132-36	36" Long	12	35.20 ▲
20-3132-48	48" Long	12	42.64 ▲

Dormont "20 Series" Gas Connectors with Gas Valves. 1/2" O.D. x 3/8" I.D. 1/2" MIP x 1/2" FIP Ball Valve



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
20-3135-18	18" Long	12	40.68 ▲
20-3135-24	24" Long	12	43.92 ▲
20-3135-36	36" Long	12	50.40 ▲
20-3135-48	48" Long	12	58.24 ▲

## Gas Ball Valve

Gas Ball Valves meet the stringent ISO 9000 quality standard. AGA and CGA certified.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
91-3042	5/8" O.D. Flare x 3/4" FIP (for "30 Series" Gas Conn)	10	24.16
91-2032	1/2" O.D. Flare x 1/2" FIP (for "20 Series" Gas Conn)	10	17.24
92-3232	1/2" FIP x 1/2" FIP	10	14.72
92-4242	3/4" FIP x 3/4" FIP	10	19.08

Air Handler Base – Heavy-duty Adjustable Available in heavy gauge black steel.




CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-HAB-BG	Black Steel Air Handler Base	1	143.52 ▲



## Aluminum Dryer Vent Hoods, Kits, and Fittings

Aluminum vent hood with flange plate. Kits include flexible tubing and two clamps.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-001	4" Aluminum Hood	24	6.44 ▲
650-002	3" Aluminum Hood	24	6.44 ▲
650-003	4" Hood / 8' Tubing	24	18.24 ▲
650-004	4" Hood / 5' Tubing	24	16.00 ▲
650-018	4" 90° Elbow	24	13.20 ▲
650-038	4" Wide Mouth Aluminum Dryer Vent Hood Only	12	10.40



## Louvered Dryer Vent Hood

Deflecto's SUPURR-Vent louvered vent hoods are available with aluminum pipe and collar or hood only. Ideal for dryer and bathroom fan exhausts.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-014	4" Hood Only - White	48	5.00 ▲
650-015	4" Hood Only w/Bird Guard - White	24	5.00 ▲
650-016	4" Hood, Pipe and Collar - White (Assembled)	6	7.40 ▲
650-017	4" Hood, Pipe and Collar - White (Unassembled)	6	7.12 ▲
650-036	3" Hood, Pipe and Collar - White (Assembled)	6	8.36



## Plastic Wide Mouth Dryer Vent Hood

4" White Hood, aluminum pipe and collar.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-012	4" White Hood - Assembled	6	7.68 ▲
650-013	4" White Hood - Unassembled	6	6.76 ▲



## Periscope Connection Kit

For tight space duct venting. Contains one male snap-lock fitting and one draw-band with clamp. Adjustable 17" to 28".

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-020	4" Periscope Kit	9	43.24 ▲



## SUPURR-FLEX 5 Ply Duct

Pure aluminum 5 ply multi-layered flexible metallic duct. U.L. 181 Listed. Will "contain" a fire up to 265°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
FUL0425	4" x 25' SUPURR-FLEX	1	58.48 ▲
FUL0625	6" x 25' SUPURR-FLEX	1	82.84 ▲



## Metallic Duct – 2 Ply

2 ply metallic duct — aluminum outside, polyester inside. Ideal for bath fan ducting and all purpose venting.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
FM0450	4" x 50' Metallic Duct	1	76.28 ▲



## Semi-Rigid (Flexible) Aluminum Duct

8' length compressed to 28".

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PIECE
650-011	4" x 8' Flexible Aluminum Duct	9	13.48 ▲
650-021	3" x 8' Flexible Aluminum Duct	16	12.04 ▲



## Dryer Vent Hose

High quality flexible white vinyl tubing. Available in 3" or 4" diameters. One 50' roll per box.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
650-005	3" x 50' Dryer Hose	1	35.60 ▲
650-006	4" x 50' Dryer Hose	1	35.60 ▲



## Dryer Hose Clamps

Available for 3" or 4" dryer vent hose. Steel screw design or convenient spring action design.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-007	Steel Screw Clamp for 3" Hose	20	2.36 ▲
650-008	Steel Screw Clamp for 4" Hose	25	2.36 ▲
650-010	Spring Clamp for 4" Hose	100	1.16 ▲

## Chemicals, Lubricants



### WD-40

Loosens rusted parts. Stops squeaks. Removes tar, grease and adhesives. Displaces moisture. Protects metal.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
741-001	WD-40 8 oz.	12	9.96 ▲
741-002	WD-40 11 oz.	12	12.28 ▲



### PRO-BLUE™ Leak Detector

Easy to use, high bubbling, viscoelastic blue leak detector.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
800-002	1 Quart w/Spray Top	12	13.40

Product sold in Standard Pack quantities only.

## Coil Cleaners



Professional strength formula cleans, brightens, deodorizes and degreases air cooled condensers, evaporators, electronic filters, fan blades, etc.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
8-R	Pro-Brite Red foaming cleaner (acid) – 1 Gallon	4	24.00
8-G	Pro-Kleen Green no rinse (non-toxic) – 1 Gallon	4	24.00
8-P	Pro-Foam Super foaming concentrate (non-acid) – 1 Gallon	4	24.00

Product sold in Standard Pack quantities only. \*Also available in 5, 30, & 55 Gallon containers

## Coil Guard



Ideally used in coastal areas, where salt air accelerates rust and decay. Highly recommended for use in all geographical areas to prolong the life of a unit. When applied properly, Coil Guard dries quickly and immediately resists salt spray, alcohol, acids, and soap solutions. Weather will not blacken it. Coil Guard has high dielectric properties and has no effect on heat transfer. Our blue tinted product is used to ensure complete coverage of coating.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
C-20	20 oz. Clear Coil Guard	12	42.00
C-20BL	20 oz. Blue Coil Guard	12	42.00
C-128	1 Gallon Clear Coil Guard	4	180.00
C-128BL	1 Gallon Blue Coil Guard	4	180.00
C-640	5 Gallon Clear Coil Guard	1	756.00
C-640BL	5 Gallon Blue Coil Guard	1	756.00

## Pro-Lube™ Mineral Oil



Specialty Chemical mineral oil (by Calumet) is a superior mineral naphthenic refrigeration oil designed to meet the operating requirements of modern home and commercial air conditioning and refrigeration compressors. These oils have a low pour point, low wax floc temperature and are chemically and thermally stable in the presence of refrigerants. OEM approved by Copeland, Carlyle, Trane, and other major compressor manufacturers. Always follow compressor manufacturer's oil viscosity recommendations. Mineral oil is specially recommended for lubrication of compressors containing ammonia, R-11, 12, 13, 22, 113, 114, 123, 500 and 502 refrigerants in residential, industrial and commercial service. DO NOT USE WITH HFC REFRIGERANTS SUCH AS R-134A.

CATALOG NO.	DESCRIPTION	STANDARD PACK	LIST PRICE
3WF-01	Mineral Oil SUS150 ISO32 – 1 Gallon jug	4	
3WF-05	Mineral Oil SUS150 ISO32 – 5 Gallon pail	1	
3WF-55	Mineral Oil SUS150 ISO32 – 55 Gallon drum	1	
4WF-01	Mineral Oil SUS300 ISO68 – 1 Gallon jug	4	CALL
4WF-05	Mineral Oil SUS300 ISO68 – 5 Gallon pail	1	FOR
4WF-55	Mineral Oil SUS300 ISO68 – 55 Gallon drum	1	QUOTE
5WF-01	Mineral Oil 500SUS ISO100 – 1 Gallon jug	4	
5WF-05	Mineral Oil 500SUS ISO100 – 5 Gallon pail	1	
5WF-55	Mineral Oil 500SUS ISO100 – 55 Gallon drum	1	

## Pro-Lube-Alk™ Alkylbzene



Specialty Chemical alkylbenzene is recommended for refrigeration, air conditioning, and heat pump applications using HCFC and CFC refrigerants. Specialty Chemical's alkylbenzene is an excellent choice when retrofitting to the new refrigerants which are HCFC based such as R-401A (MP-39), R-401B (MP-66), R-402A (HP-80), R-402B (HP-81). OEM approved by Copeland and other compressor manufacturers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	LIST PRICE
ALK150-01	Alkylbenzene SUS150 ISO32 – 1 Gallon jug	4	CALL
ALK200-01	Alkylbenzene SUS200 ISO46 – 1 Gallon jug	4	FOR
ALK300-01	Alkylbenzene SUS300 ISO68 – 1 Gallon jug	4	QUOTE



## Pro-Lube-POE™ Polyolester

Specialty Chemical POE is custom formulated for use in refrigeration compressors. This series contains no ozone depleting substances and is compatible with new HFC refrigerants as well as existing CFC and HCFC refrigerants. In addition, POE is compatible with traditional mineral oil lubricants.

CATALOG NO.	DESCRIPTION	STANDARD PACK	LIST PRICE
POE32-32	Polyolester SUS150 ISO32 – 1 Quart can	12	
POE32-01	Polyolester SUS150 ISO32 – 1 Gallon can	6	CALL
POE68-32	Polyolester SUS300 ISO68 – 1 Quart can	12	FOR
POE68-01	Polyolester SUS300 ISO68 – 1 Gallon can	6	QUOTE
POE100-32	Polyolester SUS500 ISO100 – 1 Quart can	12	
POE100-01	Polyolester SUS500 ISO100 – 1 Gallon can	6	



## Pro-Lube-VAC™ Vacuum Pump Oil

Specialty Chemical VP-68 Premium Vacuum Pump Oil rapidly develops its highest vacuum to assure maximum pumping speed, is an effective flushing oil and cleaner for dirty vacuum pumps, has improved formulation to ensure cold start performance for oil sealed high vacuum pumps, and is refined to meet minimum moisture content specifications.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VP68-32	Vacuum Pump – 1 Quart jug	12	CALL FOR
VP68-01	Vacuum Pump – 1 Gallon jug	4	QUOTE

## Aerosols



### Coil Cleaning Solvent

This high solvency formula quickly and easily liquefies dirt, grease, oil or other residue while the blasting nozzle powerfully separates the materials from the surface. This nonflammable and nonconductive formula is safe to use on or near live equipment.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
357-20	18 oz. Coil Cleaning Solvent	12	17.00 ▲



### Coil Cleaning Foam Blast

A heavy duty foam detergent coil cleaner in the convenience of an aerosol can. Nonflammable and water based, it contains no chlorinated solvents. Blasting foam stream reaches into tight areas for maximum cleaning. The foaming alkaline detergent blend quickly liquefies dirt, grease, oil or other residue. The clinging foam is completely self rinsing on condensate producing coils.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
358-20	19 oz. Foaming Coil Cleaner	12	7.64 ▲



## CBC II Contact Cleaner

A plastic safe, nonflammable electronic contact and circuit board cleaner. Dries fast, leaves no residue. No harsh fumes or odors.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
362-16	10 oz. Contact Cleaner	12	31.84



## Heavy Duty Adhesive Spray

This wide web spray adhesive is ideal for both temporary or permanent bonding. Waterproof, transparent and non-staining. Use for the toughest adhesive applications with leather, cardboard, most plastics, polyethylene sheeting and insulation in HVAC applications. Cleans with mineral spirits. Not for use on vinyl.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
315-20	12 oz. Adhesive Spray	12	10.96 ▲



## "Pan-Kote" Heavy Duty Drain Pan Patch

A super durable rubberized coating used to fill-in and patch HVAC drain pans. Seals out rust and corrosion. Stays flexible in variable weather conditions.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
641-14	14 oz. Pan Kote	12	18.76 ▲



## "Sweat Free" Pipe Insulation Spray

Sweat Free is an aerosol spray on insulation specifically developed for cold water pipes, refrigeration and air conditioning lines. Stops sweating and dripping problems. Dries to a clean, white, flexible and water resistant coating. Adheres to galvanized, black iron, steel, brass, copper and PVC piping.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
770-15	15 oz. Sweat Free Pipe Insulation	12	18.28 ▲



## Wasp & Hornet Killer

Kills wasps, hornets and yellow jackets. Very fast acting when insects are hit directly. Allow approximately 24 hours for those that were not directly hit. This container delivers a 20 foot jet blast to knock down the insects and allow for the user to remain at a safe distance.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
436-20	Wasp & Hornet Spray	12	18.56 ▲



## Wasp & Hornet Killer by ENFORCER

Enforcer's Wasp & Hornet Killer shoots a 20 foot jet blast for instant knockdown of wasps, hornets, and yellow jackets. Enforcer's Wasp & Yellow Jacket Foam is a 20 foot blast of blanketing foam that plugs yellow jacket holes and clings to wasp and hornet nests, preventing their escape.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
8-WH16	16 oz. Wasp & Hornet Killer	12	14.08 ▲
8-FWH16	16 oz. Wasp & Yellow Jacket Foam	12	12.72 ▲

# Heating Products



## Sure Burn™ – Concentrated Fuel Oil Treatment

A state-of-the-art fuel oil treatment designed to insure oil burner ignition even in the most extreme weather conditions. Sure Burn acts as a water dispersant and promotes cleaner, more efficient combustion. Also inhibits sludge formation and combats fuel tank corrosion.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SB-16	Concentrated Heating Fuel Treatment—16 oz.	12	12.80



## Spill Kill™ Powder – Fuel Spill Deodorant and Absorbent

A one-step liquid absorbent and deodorant with a convenient shaker top. Spill Kill is multi-functional. It absorbs and deodorizes fuel oil, as well as other liquid spills. The unique granular formula soaks up liquids and entraps odors much faster than dusty powders. The quick absorbing action minimizes the slip hazards associated with liquid spills.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SKDP-20	Granular Fuel Oil Deodorant and Absorbent—20 oz.	12	14.60



## Spill Kill™ Liquid – Fuel Spill Deodorant Spray

Neutralizes noxious fuel oil odors while imparting a pleasant residual fragrance. Using the trigger spray applicator, spray directly on the spill and mist into the air as a space deodorant. The safe, nonflammable formula lends itself to other deodorizing applications where noxious odors are a problem.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SKDS-16	Fuel Spill Deodorant Spray—16 oz.	12	17.80



## Hot Seat™ – High Temperature Furnace Cement

A high quality, fiber reinforced refractory cement formulated to withstand temperatures exceeding 2000°F without cracking. Superior bonding properties make it effective on masonry and metal surfaces. Fast drying, ready-to-use formula seals cracks and flues, and resets firebrick in furnaces and chimneys. Freeze protected to 0°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-HS-16	Furnace Cement—16 fluid oz. Tub	12	17.16



## Soot Kill™ – Catalytic Soot Remover

Ready-to-use nonflammable, noncorrosive catalytic soot cleaner. Fast, efficient cleaning of the combustion chamber. The catalytic cleaning action dramatically reduces time consuming vacuuming of the burner chamber. Soot Kill's residual action slows soot accumulation and assures long term heater efficiency.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SK-16	Catalytic Soot Remover Spray—16 oz.	12	16.60 ▲



## Magic Soot Stick™ – Catalyzed Soot Destroyer

A one-shot fuel oil combustion chamber treatment. Noncorrosive formula eliminates soot deposits which increases burner efficiency. The 1" diameter tube easily fits through combustion chamber peep holes. Also reduces soot build up in fireplaces, wood and coal burning stoves and furnaces, helping prevent chimney fires.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-MS-03	Catalyzed Soot Destroyer—3 oz. Tube	36	5.08 ▲

# Safety Supplies & Devices



## Leather Work Gloves

Versatile leather work gloves ideal for many industrial jobs. These leather work gloves offer: wing thumb pattern, continuous pull patch, seamless full leather index finger, leather knuckle strap, leather finger tips, full jersey lined palm and thumb with elastic gather on back. Generously sized for a good working fit.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
540-2114	Leather Glove w/Safety Cuff	Pair	6.80
540-2214	Leather Glove w/4-1/2" Waterproof Cuff	Pair	7.80
540-2144	Leather Glove w/Full Red Jersey Lining	Pair	10.00
540-2200	Renegade® Performance Glove w/Kevlar Thread	Pair	12.40



## Heavy Utility Gloves

DuraClad reinforced synthetic leather palm and fingertips for use in demolition, material handling, and rough labor. Washable, breathable, and durable for everyday use.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
540-HU1M	Heavy Utility Gloves - Medium	Pair	73.04
540-HU1L	Heavy Utility Gloves - Large	Pair	73.04



## Box Handler Gloves

Silicone fused to the palm to make gripping sheet metal, glass, wood, and boxes easier to handle. Washable, breathable, and durable for everyday use.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
540-BH1M	Box Handler Gloves - Medium	Pair	81.84
540-BH1L	Box Handler Gloves - Large	Pair	81.84



## Leather Gloves

Leather Gloves with padded palm and vented knuckle protection in use in HVAC, Plumbing, and demolition. Washable, breathable, and durable for everyday use.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
540-LG1M	Leather Gloves - Medium	Pair	116.88
540-LG1L	Leather Gloves - Large	Pair	116.88



## Nitrile Gloves

Purple, foam control gloves for industrial use that provide a high level of wet and dry grip. Standard in applications where tactile sensitivity is required.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
540-1005M	Nitrile Gloves - Medium	Pair	45.72
540-1005L	Nitrile Gloves - Large	Pair	45.72



## Latex Gloves

Disposable natural latex rubber which provide a natural feel and grip.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
23010	Latex Gloves	50 Pair/Box	15.68



## Dust Masks

Extremely lightweight. Metal noseclips to fit individual facial contours.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-500	Disposable Nuisance Dust Mask for Non-Toxic Particles	50/Box	22.00



## Shoe Covers

Slip these shoe covers on in seconds to protect carpet, tile, or wood from dirt and scuff marks. Customers will appreciate your professional appearance.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
SC-1	Dark Blue Shoe Covers	50 Pair/Box	91.48 ▲



## First Aid Kits

10 and 25-unit first aid kits packaged in economy plastic boxes to assist when industrial accidents occur.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
FAK-10	10-unit first aid kit	1	45.44
FAK-25	25-unit first aid kit	1	62.16

## Industrial Towels



### WypAll Plus

Absorbs grease, oil, water and solvents from floors, hands, parts, tools and machinery. Tough enough for extra heavy jobs. Comes in a convenient pop-up box of 100 towels.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-05790	WypAll Plus Towels—White	100/box	32.88 ▲



### Teri® Towels

The Teri® reinforced towels feature multi-ply tissue reinforced with nylon webbing for added strength on the job. Made from 100% recycled paper. Towel size is 9-3/4" x 16-3/4". Towel color is white. Comes in a convenient pop up box. 126 towels/box. 10 boxes/case.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-34790	Teri Reinforced Towels	126/box	37.80 ▲



## Workhorse® Manufactured Rags

The economical alternative to scrap rags. Workhorse® Manufactured Rags is the first product to be made from Kimberly-Clark's advanced new material – Hydroknit®. Durable, rag tough construction stands up to any task. Can be re-used time and time again. Available in white or blue.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-41455	9-3/4" x 16-3/4" White	100/box	45.48 ▲
5-41411	9-3/4" x 16-3/4" Blue	100/box	49.88 ▲



## Kimtex® Towels

Long lasting Kimtex® stands up to oils, chemicals and solvents better than ordinary shop towels. Cloth-like feel and performance. Towel size is 9-3/4" x 16-3/4". 100 towels/box. 5 boxes/case.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-33570	Kimtex Shop Towels	100/box	54.28 ▲



## WypAll ShopPro X80 Towels

Like a rental shop towel, only more consistent. Engineered to feel like cloth and work even better. Absorbs more oil and water faster pound for pound than laundered shop towels. The ShopPro X80 is simply the heaviest duty towel in the Kimberly Clark line. 160 towels/box.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-41041	WypAll ShopPro X80 Towels	160/box	85.24 ▲



## Shop Towels

Heavy duty reusable towels. For wipe ups of grease, oil, water, etc. 100% cotton material is pre-shrunk and hemmed. Each towel measures 13" x 16".

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ST-4	Shop Towels	4 per bag	9.60
ST-10	Shop Towels	10 per bag	22.00
ST-24	Shop Towels	24 per bag	42.00



## Terry Towels

100% cotton. Minimum of 14" x 17". Pre-washed for absorbency, fully-hemmed, all-white, and reusable.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DTT-10	Terry Towels	10 per bag	14.96
DTT-24	Terry Towels	24 per bag	23.52

# Hoses, Sprayers



## Garden Hose

High quality product priced for high volume sales. Soft-Flex formulation makes the 5 ply Hose easy to handle. Withstands 500 psi water pressure. Heavy duty solid brass couplings and collar. Full Lifetime Guarantee!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-IG5850	Green Flexon 5-Ply Forever Garden Hose	5	62.72 ▲



## Hot Water Hose

High burst strength. 500 PSI. Withstands hot water up to 160°F. EPDM tube. Heavy duty solid brass couplings.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-HW5850	5/8" x 50' Hot Water Hose	5	102.64 ▲



## Pistol Grips & Water Nozzle

### Pistol Grip – 572 Insulated

For spraying hot or cold water. Heavy-duty, self adjusting "duck" packing for lifetime proof seal.

### Water Nozzle – 573 Un-insulated

Heavy-duty and holds open clip for continuous spraying. Self-adjusting "duck" for leak proof seal.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-572	Insulated Grip	12/Case	30.00
540-573	Uninsulated Water Nozzle	12/Case	16.20



## Dial-a-Mix Coil Gun

Save time and money by dialing in the exact mix ratio to properly clean the coil. This gun features 5 mix ratios, a 1/2 gallon capacity bottle and a quick disconnect for fast and easy rinsing.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-GUN	Coil Gun	6	195.36

## Compression Sprayers

Acid impervious poly design with a 36" reinforced hose, shut-off with lock-on feature for continuous spraying, a 2-piece nozzle that's detachable for easy clean up and fits directly to the shut-off or extension wand. The Hand-Held Sprayer has a 48 oz. capacity, perfect for small areas. All sprayers have a full 5 year warranty.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
1002	Hand Held Sprayer	1	36.32 ▲
2601	1 Gallon Wand Sprayer	1	99.20 ▲
2602	2 Gallon Wand Sprayer	1	85.80 ▲
2603	3 Gallon Wand Sprayer	1	99.00 ▲
61132	Pumpless Sprayer	1	132.00 ▲

# Sheet Metal Screws

## Sheet Metal Screws – Taper Point

Hex washer slotted head. Burr-free. Full 1/4" head will not strip out of hex driver opening. Heat treated tapered point will not break or "walk". Packaged in resealable plastic cartons.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
5-SCR63-8	6 x 3/8 Taper Point	1,000	27.52
5-SCR63-8BULK	6 x 3/8 Taper Point – Bulk	20,000	532.40
5-SCR71-2	7 x 1/2 Taper Point	1,000	29.72
5-SCR71-2BULK	7 x 1/2 Taper Point – Bulk	15,000	422.40
5-SCR81-2	8 x 1/2 Taper Point	1,000	31.48
5-SCR81-2BULK	8 x 1/2 Taper Point – Bulk	12,000	360.80
5-SCR83-4	8 x 3/4 Taper Point	1,000	38.52
5-SCR83-4BULK	8 x 3/4 Taper Point – Bulk	10,000	360.80
5-SCR81	8 x 1 Taper Point	500	24.64
5-SCR81BULK	8 x 1 Taper Point – Bulk	7,500	343.20
5-SCR81-12	8 x 1-1/2 Taper Point	250	17.44
5-SCR81-12W	8 x 1-1/2 Taper Point w/White Head	250	22.08
5-SCR81-12BULK	8 x 1-1/2 Taper Point – Bulk	5,000	319.00
5-SCR82	8 x 2 Taper Point	350	30.16
5-SCR82W	8 x 2 Taper Point w/White Head	250	40.04
5-SCR82BULK	8 x 2 Taper Point – Bulk	3,000	255.20
5-SCR101-2	10 x 1/2 Taper Point	1,000	45.56
5-SCR101-2BULK	10 x 1/2 Taper Point – Bulk	14,000	607.20
5-SCR103-4	10 x 3/4 Taper Point	1,000	53.24
5-SCR103-4BULK	10 x 3/4 Taper Point – Bulk	10,000	510.40
5-SCR101	10 x 1 Taper Point	500	31.46
5-SCR101BULK	10 x 1 Taper Point – Bulk	5,000	414.72

## Sheet Metal Screws – Drill Point

Self-drilling, self-tapping. Hex washer head. Produces the optimum hole size, resulting in a tighter fit. Made from special heat treated steel for extra strength. Packaged in resealable plastic cartons.



CATALOG NO.	DESCRIPTION	HEAD SIZE	STANDARD PACK	PRICE/PACK
5-SCR61-2DP	6x1/2 Drill Point	1/4"	1000	40.16
5-SCR61-2DPBULK	6x1/2 Drill Point – Bulk	1/4"	15,000	580.80
5-SCR81-2DP	8x1/2 Drill Point	1/4"	1000	40.48
5-SCR81-2DPBULK	8x1/2 Drill Point – Bulk	1/4"	10,000	396.00
5-SCR83-4DP	8x3/4 Drill Point	1/4"	500	25.52
5-SCR83-4DPBULK	8x3/4 Drill Point – Bulk	1/4"	10,000	475.20
5-SCR81DP	8x1 Drill Point	1/4"	500	30.36
5-SCR81DPBULK	8x1 Drill Point – Bulk	1/4"	7,500	431.20
5-SCR81-12DP	8x1-1/2 Drill Point	1/4"	500	45.56
5-SCR81-12DPBULK	8x1-1/2 Drill Point – Bulk	1/4"	5,000	437.80
5-SCR82DP	8x2 Drill Point	1/4"	350	40.28
5-SCR82DPBULK	8x2 Drill Point – Bulk	1/4"	2,500	291.72
5-SCR101-2DP	10x1/2 Drill Point	5/16"	500	29.72
5-SCR101-2DPBULK	10x1/2 Drill Point – Bulk	5/16"	10,000	559.68
5-SCR103-4DP	10x3/4 Drill Point	5/16"	500	33.24
5-SCR103-4DPBULK	10x3/4 Drill Point – Bulk	5/16"	5,000	314.60
5-SCR101DP	10x1 Drill Point	5/16"	500	38.52
5-SCR101DPBULK	10x1 Drill Point – Bulk	5/16"	5,000	366.08
5-SCR101-12DP	10x1-1/2 Drill Point	5/16"	250	25.08
5-SCR101-12DPBULK	10x1-1/2 Drill Point – Bulk	5/16"	3,500	326.48
5-SCR102DP	10x2 Drill Point	5/16"	350	38.64
5-SCR102DPBULK	10x2 Drill Point – Bulk	5/16"	2,500	277.64



## Sheet Metal Screw Assortment Kit

The 7 most popular sizes in one multi-compartmented, resealable, plastic container. Perfect for the toolbox Contains:

- 7x1/2 Taper Point – 175 pieces
- 8x1/2 Drill Point – 100 pieces
- 8x1 Taper Point – 50 pieces
- 8x2 Taper Point – 40 pieces
- 8x1/2 Taper Point – 175 pieces
- 8x3/4 Taper Point – 60 pieces
- 8x1-1/2 Taper Point – 50 pieces
- 1/4" Nut Setter – 1 each

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/KIT
5-SCR-AK	Sheet Metal Screw Assortment Pack	1	39.60

## Welding Torches, Gases, Supplies



### TurboTorch Extreme

Diversitech is pleased to introduce the new Turbotorch Extreme TX Series hand torch. Extreme Swirl Combustion tip concentrates heat – reduces brazing time by 40%. The TX series has been redesigned with a patent pending ceramic igniting 1 piece stainless tip feature as well as a new diaphragm type regulator. You can now also count on Extreme durability thanks to a full 3 year warranty.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
525-TX504	TX-504 Extreme Hand Torch	1	210.00



### STK-9 Hand Torch by TurboTorch

Developed for the professional. This portable torch is built with patented TurboTorch swirl combustion. 360° tip for easy use, rugged brass regulator, easy to clean orifice, and interchangeable tip capability. Designed to operate with a tank of either MAPP or Propane gas.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
525-STK9	STK-9 Hand Torch	1	146.60



### MAPP and Propane Gas

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
525-MT1	MAPP Gas – 16 oz.	12	CALL FOR QUOTE
525-PT1	Propane Gas – 14.1 oz.	12	QUOTE




### Blaze Barrier® Cloth

This flame barrier drop cloth withstands temperatures to 3,000°F. No asbestos. Protects walls, floors, equipment, components and adjacent surfaces from torch flames when soldering, brazing or welding. All cloths have edges taped and sewn with grommets at each corner. Highly resistant to many chemicals and acids.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
16500	18" x 18" Plain	1	66.00
16510	18" x 18" Keyhole w/cutout for draping over pipes & tubes	1	70.80
16520	36" x 36" Plain	1	214.52

## T-50 Series Staples and Staple Guns by



The #1 selling staple gun in the world! Used extensively by building contractors, home do-it-yourselfers and specialty trade applications for tacking insulation, ceiling tile, window screening, cornerite, and 1001 other jobs ranging from light to heavy duty work. The T-50 Outward Clinch Staple Gun is ideal for fiberglass ductwork.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-T50M	T50M Heavy Duty Staple Gun Tacker	1	90.88 ▲
540-T50MOC	T50MOC Outward Clinch Staple Gun	1	137.72 ▲
540-504	1/4" Leg Staples for T50 Staple Guns (1250/PK)	4	6.80
540-506	3/8" Leg Staples for T50 Staple Guns (1250/PK)	4	7.76
540-508	1/2" Leg Staples for T50 Staple Guns (1250/PK)	4	8.20
540-509	9/16" Leg Staples for T50 Staple Guns (1250/PK)	4	8.84



## Plier Staple Gun by

The Arrow P35S Plier Staple Gun is made of an all steel construction. Has hand guide loop and spear pointed anvil arm for penetrating and sealing from within.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-P35S	Plier Staple Gun	1	89.28
540-354	1/4" Leg Staple for P35S (5000/PK)	1	20.64
540-356	3/8" Leg Staple for P35S (5000/PK)	1	24.40



## Insulated Wiring Tacker by

The exclusive design of the Arrow T59 Staple Gun and #5911 Series Insulated Staple allows safe and secure installation of all types of wiring from 1/4" to 5/16" in diameter. The #5911 Series Insulated Staple with its special coating increases holding power by over 3 times.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-T59	T59 Insulated Wiring Tacker	1	146.52 ▲
540-591168	#5911 Insulated Staples – 6mm (300/PK)	1	23.92



## Wiring Tacker by

The Arrow T25M Wiring Tacker uses round crown staples to hold wire up to 1/4" snugly. Grooved guide for proper staple placement. Grooved ejector plate halts staple at safe height.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-T25M	T25M Wiring Tacker	1	122.12 ▲
540-256	3/8" Leg Staple for T25M (1000/PK)	5	5.96
540-259	9/16" Leg Staple for T25M (1000/PK)	5	6.12



## Nut Setter – Power

Magnetic hex drive nut setter to be used with any 1/4" power bit. Individually packed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-MSH1/4MC	Hex Drive 1/4", 1-3/4" long, 1/4" nut	30/Box	5.56
5-MSH5/16MC	Hex Drive 1/4", 1-3/4" long, 5/16" nut	30/Box	6.00

## Nut Setters – Bulk



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-500	5/16"	30	4.60
540-400	1/4"	30	4.40

## Anchor Kit

Plastic anchor kit for sheet rock applications. Kit includes 100 anchors, screws and 1 masonry bit.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/KIT
540-AK100	Anchor size 1/4 x 1, Screw Size 10 x 1-1/4 HWH Head Size 5/16 hex	100/box	14.16

## Snips



540-6716S

540-6716L

### Aviation Snips by

Moly alloy tool steel blade is hot drop-forged and scientifically heat-treated to provide a strong, longer lasting cutting edge. Durable serrated blades are designed to grip the metal for cutting ease. The patent pending spring on these snips is guaranteed to last for the life of the tool. Will cut 18 gauge cold-rolled steel.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-6716S	Aviation Snip – Cuts Straight – Yellow Handle	6	38.16 ▲
540-6716L	Aviation Snip – Cuts Left – Red Handle	6	38.16 ▲
540-6716R	Aviation Snip – Cuts Right – Green Handle	6	38.16 ▲
540-6716B	Aviation Snip – Bulldog Notching Snip – Yellow Handle	6	41.88 ▲

### Offset Snips by

The same high quality construction as the Aviation Snips with an additional advantage – the Offset Snips allow your hand to stay above metal for cutting ease and comfort.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-6510L	Offset Snip – Cuts Left – Red Handle	6	49.20 ▲
540-6510R	Offset Snip – Cuts Right – Green Handle	6	49.20 ▲

### Upright Snips by

This new snip significantly improves sheet metal cutting. The new ergonomic design allows for easier cutting in tight places, improved safety by elevating hands above metal working surfaces, and increases wrist range motion.



540-6900L

540-6900R

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-6900L	Left-handed model	6	57.76
540-6900R	Right-handed model	6	57.76

## Tinner Snips by



540-P127S

540-P127D

Constructed of the finest quality high carbon tool steel. Hot drop-forged and heat-treated to assure strength and durability. "Kush-N-Cote" vinyl coated handles for added comfort. Available in a Straight Pattern for a powerful straight cutting snip or Duckbill Pattern for cutting scrolls, circles, or straight lines. 12-1/2 inches long.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-P127S	Straight Cutting Tinner Snip	6	44.58 ▲
540-P127D	Duckbill Tinner Snip	6	44.58 ▲

## HVAC Tools by

Hot drop-forged carbon steel blades. Compound leverage action handles. Heavy duty plastic grips.



540-FCTMS1

540-FCTMC5

540-FCTMS1

540-FCTMS2

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-FCTMN1	8" Notcher - 31° Cutting Angle	3	103.04 ▲
540-FCTMC5	8" Crimper - 22 Ga. Crimping Capacity	3	73.24 ▲
540-FCTMS1	3" Straight Seamer - 22 Ga. Capacity	2	110.72 ▲
540-FCTMS2	3" Offset Seamer - 22 Ga. Capacity	2	118.00 ▲

## **CHAN-LOCK** Products

### Adjustable Wrenches

Drop forged of special analysis steel. Heat treated for maximum durability and proper hardness of working surfaces. Chromium plated, strong, and streamlined for maximum usefulness.



545-810

545-812

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
545-804	4" Long 1/2" Capacity	1	47.44 ▲
545-806	6" Long 3/4" Capacity	1	47.72 ▲
545-808	8" Long 15/16" Capacity	1	53.84 ▲
545-810	10" Long 1-1/8" Capacity	1	68.88 ▲
545-812	12" Long 1-15/16" Capacity	1	98.16 ▲

### Tongue and Groove Pliers


Patented design, permalock fasteners and reinforcing edge. Dipped plastic comfort grips.



545-430

545-440

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
545-420	9-1/2" Tongue and Groove Pliers	1	48.44 ▲
545-422	9-1/2" Curved Jaw Tongue and Groove Pliers	1	48.44 ▲
545-424	4-1/2" Tongue and Groove Pliers	1	46.68 ▲
545-426	6-1/2" Tongue and Groove Pliers	1	40.28 ▲
545-430	10" Tongue and Groove Pliers	1	50.52 ▲
545-440	12" Tongue and Groove Pliers	1	54.28 ▲
545-442	12" Curved Jaw Tongue and Groove Pliers	1	54.28 ▲
545-460	16" Tongue and Groove Pliers	1	94.84 ▲



## Pliers

Slender, perfectly mated jaws with no side wobble provide a firm grip on fine work in tight places. Sharp, hand honed side cutters on some styles. High polished finish. Channellock Blue™ dipped plastic comfort grips.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
545-317	7-1/2" Long Nose Pliers w/Side Cutters	1	67.60 ▲
545-326	6" Long Nose Pliers w/Side Cutters	1	62.76 ▲
545-386	6" Curved Long Nose Pliers	1	62.76 ▲
545-348	8-1/2" Rounded Nose Lineman Electrician Pliers	1	80.96 ▲
545-3047	7" Bevel Nose Lineman Electrician Pliers	1	74.08 ▲
545-3048	8-1/2" Bevel Nose Lineman Electrician Pliers	1	81.88 ▲
545-337	7" Lap Joint Cutting Pliers	1	60.64 ▲
545-436	6" Box Joint Cutting Pliers	1	59.12 ▲
545-357	7" End Cutter Pliers	1	70.52 ▲
545-526	6" Slip Joint Pliers	1	26.76 ▲
545-548	8" Slip Joint Pliers	1	50.40 ▲
545-5410	10" Slip Joint Pliers	1	54.04 ▲
545-738	8" Long Reach Needle Nose Pliers	1	59.92 ▲
545-447	3/4" Box Joint Curved Diagonal	1	71.24 ▲
545-909	Crimping Tool	1	70.72 ▲

## Combination Screwdrivers



### Combination Screwdriver

Multiple bits in one handy screwdriver. No need for tool box for those quick jobs. Lifetime guarantee.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-41	4-in-1 with #1 and #2 Phillips, 3/16 and 5/16 Slotted	12	14.96
5-61	6-in-1 with #1 and #2 Phillips, 3/16 and 5/16 Slotted, 1/4 Nut Driver, 5/16 Nut Driver	12	17.40

## Tube and Hose Cutters



### Kut-All Plastic Tube and Hose Cutter

Tough, durable nylon. Blade closes into its own handle for safe handling. Replaceable high carbon, teflon coated steel blades. Ideal for cutting up to 1-1/8" I.D. plastic tubing, reinforced plastic tubing, rigid plastic pipe, and rubber hose.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
PK-2	Kut-All Plastic Tube and Hose Cutter	1	29.12 ▲
PK-2B	Replacement Blades	1	23.56 ▲



### Little Helper™ – All Purpose Cutter

Cuts up to 1-1/4" polyethylene, thinwall PVC, ABS, rubber hose, NM conduit and clear vinyl tubing. Reversible stainless steel blade, like two blades in one. Sturdy all metal construction.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
548-001	Little Helper (Carded)	1	26.84 ▲
548-002	Replacement Blades	1	12.72 ▲



## Big Helper™ PVC Pipe Cutter

Ratchet style pipe cutters cut up to 2-1/2" Sch. 40 PVC Pipe. Ratchet action requires minimal pressure to easily cut through PVC pipe. Molybdenum stainless steel blade won't rust or break and lasts twice as long as most competitor's. The new Mega-Cutter is now available – the strongest pipe cutter on the market today!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
548-003	1" O.D. Cutting Capacity	1	35.00 ▲
548-004	1" Replacement Blades	1	17.28 ▲
548-005	1-1/4" O.D. Cutting Capacity	1	40.84 ▲
548-006	1-1/4" Replacement Blades	1	18.48 ▲
548-009	1-5/8" O.D. Cutting Capacity	1	41.60 ▲
548-010	1-5/8" Replacement Blades	1	18.48 ▲
548-007	2-1/2" O.D. Mega-Cutter	1	130.60 ▲
548-008	2-1/2" Mega-Blades	1	56.00 ▲



## Ratch-Cut® Tube Cutters

Ratcheting action on these rugged, professional tube cutters permits easy cuts in tight, hard-to-reach spaces where ordinary tube cutters cannot operate. Cuts copper, stainless, aluminum and PVC tubing.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
31700	RC-375 Small Ratch-Cut – cuts 1/8 - 3/8" dia.	1	97.84 ▲
31710	RC-1125 Large Ratch-Cut – cuts 5/16 - 1-1/8" dia.	1	105.56 ▲
31701	Replacement cutting wheels (poly bag) for 31700	12	12.36 ▲
31711	Replacement cutting wheels (poly bag) for 31710	12	13.00 ▲



## Deluxe Hi-Tension Hacksaw

Hackframe featuring handle and end pieces made of die cast aluminum. Lightweight yet rigid and highly tensioned (up to 25,000 psi) for cleaner, surer cut. Permanent blade pins feature versatile angling (up to 55°) for flush cutting. Blade can be inserted in handle to be used as compass saw. Frame will fit most standard tool boxes.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-278HX0002	Hacksaw Frame with Blade	1	41.88 ▲
540-278BM0024	Replacement Blades for Hacksaw Frame 12" x 24T	1	3.60 ▲

## Bi-Metal Reciprocating Saw Blades

Premium high speed steel with a flexible alloy back. Bi-metal blades fit all reciprocating saws with 1/2" shank.




CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-RB636W	6" x 6T Wood and Nail Slope 3/4" x 6" x .050	5	6.68 ▲
540-RB656WS	6" x 6T Wood and Nail Scroll 3/4" x 6" x .050	5	6.52 ▲
540-RB956W	9" x 6T Wood and Nail 3/4" x 9" x .050	5	8.48 ▲
540-RB125W	12" x 6T Wood and Nail 3/4" x 12" x .050	5	11.16 ▲
540-RB414M	4" x 14T Short Metal Cutting 3/4" x 4" x .035	5	3.28 ▲
540-RB418M	4" x 18T Short Metal Cutting 5/8" x 4" x .035	5	3.28 ▲
540-RB424M	4" x 24T Thin Short Metal Cutting 5/8" x 4" x .035	5	3.28 ▲
540-RB610HDM	6" x 10T HD Metal Cutting 3/4" x 6" x .035	5	4.68 ▲
540-RB614HDM	6" x 14T HD Metal Cutting 3/4" x 6" x .035	5	4.68 ▲
540-RB618HDM	6" x 18T HD Metal Cutting 3/4" x 6" x .035	5	4.68 ▲
540-RB624HDM	6" x 24T HD Metal Cutting 3/4" x 6" x .035	5	4.68 ▲
540-RB810HDM	8" x 10T HD Metal Cutting 3/4" x 8" x .035	5	7.36 ▲
540-RB814HDM	8" x 14T HD Metal Cutting 3/4" x 8" x .035	5	7.36 ▲
540-RB836DW	Drywall Cutting with V Head 5/8" x 6" x .035	5	4.24 ▲
540-R8CCRF	Cast Iron-Ceramic Tile Carbide Grit 8" Long	1	17.60 ▲



## Power Measuring Tapes

Rust resistant yellow lacquered blade with easy to read inch/foot markings (English). Both chrome and neon case have belt clips and finger-tip blade lock. Ultralife tape is our highest quality tape measure — lasts up to 10X longer than typical blades, with patented "blade wiper" that cleans the blade as you measure.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-12	Power Tape – Chrome 1/2" x 12'	6	22.40
540-16	Power Tape – Chrome 3/4" x 16'	6	25.00
540-25	Power Tape – Chrome 1" x 25'	6	34.60
540-25R	Power Tape – Neon Orange 1" x 25'	6	31.00
540-25G	Power Tape – Neon Green 1" x 25'	6	31.00
540-25UL	Power Tape – Ultralife 1" x 25' w/Yellow Case	6	43.40



30306



30310

## Clipboards and Form Holders

Rugged aluminum construction to protect your paperwork and forms. Smooth aluminum surfaces provide excellent writing support.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
30306	SNAPAK Clipboard on Box w/Hinged Back – 8-1/2" x 12"	1	71.48
30309	REDI-RITE Clipboard on Box – 8-1/2" x 12"	1	69.56
30310	CRUISER MATE 2 Compartment Clipboard – 8-1/2" x 12"	1	76.72

## Scales



### Refrigerant Hanging Scale

Check-weigh gas cylinder contents when filling or recapturing. Know the exact gas weight! Dial adjusts for tare weight. Dual dial markings run clockwise and counter clockwise. Lightweight. Scale goes wherever the serviceman goes! Suspension accessory included.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
660-001	Hanging Scale – Pelouze #D70	1	237.04 ▲



### Utility Scales

Large easy to read dial can be viewed from top or side. Low profile enables you to slide cartons and crates onto scale. Memory Lock holds reading when dial is obscured. Perfect for shipping and receiving parcels or crates in the mailroom or warehouse.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
660-002	100 lb Capacity (Pelouze #P100S)	1	293.64 ▲
660-003	250 lb Capacity (Pelouze #P250S)	1	317.20 ▲



### Electronic Utility Scales

Constructed for heavy duty weighing. Perfect for warehouse use, check weighing, large crates and shipping freight. Low profile platform. Control panel can be wall mounted for easy viewing. Large LCD display. Operates with AC adapter (included) or one 9V battery (not included).

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
660-004	150 lb Capacity (Pelouze #4010)	1	473.40 ▲
660-005	400 lb Capacity (Pelouze #4040)	1	549.80 ▲

## Tool Bags



### Double Zipper Rigger's Bag

Rugged, lightweight soft-sided tote/organizer for tools and business accessories. Features double pull top zipper for easy access, reinforced bottom panel to keep bag's wide profile, and padded carrying handle. Total of 50 multi-use pockets!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1115	Double Zipper Rigger's Bag	1	93.60



### BigMouth™ Bag

Internal metal frame holds bag wide open for easy access to tools and supplies. Reinforced interior bottom panel enables the BigMouth bag to keep its wide profile. Padded sides and bottom. Built of super tough, super light fabric.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1135	BigMouth™ Bag	1	75.00



### Bucket Pockets™ Tool Bag

Turns a standard 5 gallon bucket into a super carrier/organizer for your most needed tools and accessories. 48 pocket design features 14 double row pockets inside and 34 triple row pockets outside. Built of super tough, super light fabric for extra durability. ToolWorks Plus Bucket Pockets bag made with super-rugged Anso-tex nylon and features a total of 65 inside and outside multi-size pockets.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1119	Bucket Pockets™ Tool Bag	1	44.20



### Drawstring BucketBag

Features 6 large inside compartments for organizing and stowing small parts. With unique easy lock/pushbutton release drawstring system, reinforced web loop carrying handle. Can stack 2 or 3 BucketBags inside a standard 5 gallon bucket.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1148	Drawstring BucketBag	1	47.80

## Truck Rope



### Truck Rope

All-purpose high strength polypropylene truck rope is C.H.P. approved.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
25001	Truck Rope - 3/8" x 50'	1	25.96 ▲



## 900 Series Mechanical Thermostats

- 24 VAC 1 Heat/1 Cool, Gas/Electric Compatible
- 0.1 to 1.2 Amps Heat Anticipation
- J-Box Compatible

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-986-1	1 Heat, Gas/Electric	1	37.52 ▲
675-988-1	1 Heat /1 Cool, Gas/Electric	1	46.36 ▲



## 9200 Series Mercury-free Deluxe Mechanical Thermostats

- 1 Heat/1 Cool
- 24 VAC 1H/1C Gas/Electric Compatible
- 0.2 to 1.6 Amps Heat Anticipation
- Bi-Metallic Temperature Indicator
- System and Fan Switch
- J-Box Compatible
- O & B Terminals

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9200H	Mechanical Thermostat – Horizontal	1	69.16 ▲
675-9200V	Mechanical Thermostat – Vertical	1	69.16 ▲



## 9400 Series Digital Non-Programmable Thermostat

- 1 Heat /1 Cool
- Large Back-lit Display
- Winter and Summer Setpoint Memory
- 24V Heating & Cooling System Compatibility
- Compressor Short Cycle Protection

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9400	Digital Non-Programmable Thermostat	1	110.68 ▲



## 9420 Series Digital Non-Programmable Thermostat

- 2 Heat /2 Cool
- Large Back-lit Display
- Winter and Summer Setpoint Memory
- 24V Heating & Cooling System Compatibility
- Adjustable 1st and 2nd Stage Differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9420	2 Heat / 2 Cool Heat Pump Thermostat	1	142.80 ▲



## 9500 Series Digital Non-Programmable Thermostat

- 1 Heat /1 Cool
- Compatible with all standard 24 VAC heating and cooling systems
- O & B Terminals
- Automatic Compressor Short Cycle Protection

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9500	1 Heat/1 Cool Digital Thermostat	1	110.68 ▲





## 9505 Series Digital Non-Programmable Thermostat

- 1 Heat
- Compatible with all standard 24 VAC or millivolt heating systems
- Positive Off Switch

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9505	1 Heat Digital Thermostat	1	105.00 ▲



## 9515 Series Digital Non-Programmable Thermostat

- 2 Heat/2 Cool
- Compatible with all standard 24 VAC multi-stage heating & cooling systems
- O & B Terminals
- Automatic Compressor Short Cycle Protection
- Worry-Free Memory Storage
- Adjustable 1st and 2nd Stage Differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9515	2 Heat/2 Cool Digital Thermostat	1	142.80 ▲



## 9520 Series Digital Non-Programmable Thermostat

- 2 Heat/2 Cool
- Compatible with all Standard 24 VAC Heat Pump Systems
- O & B Terminals
- Automatic Compressor Short Cycle Protection
- Lighted System Status Indicators
- Worry Free Memory Storage
- Adjustable 1st and 2nd stage differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9520	2 Heat/2 Cool Digital Heat Pump Thermostat	1	142.80 ▲



## 9600 Series Digital Programmable Thermostat

- 1 Heat/1 Cool
- Compatible with all standard 24 VAC heating and cooling systems
- Weekly 5-2 Day Programming
- Automatic Compressor Short Cycle Protection

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9600	1 Heat/1 Cool Programmable Thermostat	1	126.00 ▲




## 9610 Series Digital Programmable Thermostat

- 1 Heat/1 Cool
- Compatible with all standard 24 VAC heating and cooling systems
- 7 Day Programming
- Quicksset™
- ENERGY STAR rated for Energy Savings
- O & B Terminals

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9610	1 Heat/1 Cool 7 Day Programmable Thermostat	1	190.48 ▲

## 9615 Series Digital Programmable Thermostat



- 2 Heat/2 Cool
- Compatible with all standard 24 VAC multistage heating & cooling systems
- Quickset™
- ENERGY STAR rated for Energy Savings
- O & B Terminals
- 24V Powered with Battery Backup

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9615	2 Heat/2 Cool Programmable Thermostat	1	187.56 ▲

## 9620 Series Digital Programmable Thermostat



- 2 Heat/2 Cool
- Compatible with all standard 24 VAC heat pump systems
- Quickset™
- ENERGY STAR rated for Energy Savings
- Multi Colored LEDs indicate system status
- 24V Powered with Battery Backup
- Adjustable 1st and 2nd stage differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9620	2 Heat/2 Cool Programmable Heat Pump Thermostat	1	187.56 ▲

## 9701 Invensys Deluxe Programmable Thermostat



- 1 Heat/1 Cool with Auto Changeover
- Compatible with all single stage 24 VAC heating and cooling, including single stage heat pump systems
- 7-Day, 5-2, 5-1-1 or 24 hour programming
- 2, 4 or 6 events per day
- Worry-Free Memory Storage
- ENERGY STAR rated for energy savings
- Indoor/Outdoor Remote Sensor Capable

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9701	9701 Invensys Thermostat	1	425.48 ▲

## 9715i Invensys Deluxe Programmable Thermostat



- 2 Heat/2 Cool with Auto Changeover
- Compatible with all standard 24 VAC heating and cooling systems, up to two stage heat and two stage cool
- 7-Day, 5-2, 5-1-1 or 24 hour programming
- 2, 4 or 6 events per day
- Worry-Free Memory Storage
- ENERGY STAR rated for energy savings
- Indoor/Outdoor Remote Sensor Capable
- Adjustable 1st and 2nd Stage Temperature Differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9715	9715 Invensys Thermostat	1	497.72 ▲

## 9720i Invensys Deluxe Programmable Thermostat



- 2 Heat/2 Cool with Auto Changeover
- Compatible with all standard 24 VAC heat pump systems, up to two stage heat and two stage cool
- 7-Day, 5-2, 5-1-1 or 24 hour programming
- 2, 4 or 6 events per day
- Worry-Free Memory Storage
- ENERGY STAR rated for energy savings
- Indoor/Outdoor Remote Sensor Capable
- Adjustable 1st and 2nd Stage Temperature Differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9720	9720 Invensys Thermostat	1	537.60 ▲



# Thermostat Wire



## Thermostat Wire - Now Riser Rated!

Class 2 thermostat wire for indoor wiring needs. Soft drawn bare copper wire, semi-rigid PVC insulation and PVC overall jacket. Packaged on aluminum spool.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
620-18-2	18 AWG, 2 Conductors – 500 ft. Spool	4 Rolls	
620-18-3	18 AWG, 3 Conductors – 500 ft. Spool	4 Rolls	
620-18-4	18 AWG, 4 Conductors – 250 ft. Spool	4 Rolls	
620-18-5	18 AWG, 5 Conductors – 250 ft. Spool	4 Rolls	
620-18-6	18 AWG, 6 Conductors – 250 ft. Spool	4 Rolls	
620-18-7	18 AWG, 7 Conductors – 250 ft. Spool	4 Rolls	
620-18-8	18 AWG, 8 Conductors – 250 ft. Spool	4 Rolls	CALL
620-18-9	18 AWG, 9 Conductors – 250 ft. Spool	4 Rolls	FOR
620-18-10	18 AWG, 10 Conductors – 250 ft. Spool	4 Rolls	QUOTE
620-18-12	18 AWG, 12 Conductors – 250 ft. Spool	4 Rolls	
620-20-2	20 AWG, 2 Conductors – 500 ft. Spool	4 Rolls	
620-20-3	20 AWG, 3 Conductors – 500 ft. Spool	4 Rolls	
620-20-4	20 AWG, 4 Conductors – 250 ft. Spool	4 Rolls	
620-20-5	20 AWG, 5 Conductors – 250 ft. Spool	4 Rolls	
620-20-6	20 AWG, 6 Conductors – 250 ft. Spool	4 Rolls	
620-20-7	20 AWG, 7 Conductors – 250 ft. Spool	4 Rolls	
620-20-8	20 AWG, 8 Conductors – 250 ft. Spool	4 Rolls	
620-20-10	20 AWG, 10 Conductors – 250 ft. Spool	4 Rolls	

UL Listed. Meets Subject 13 per Article 725, 1990 NEC.



## Plenum Thermostat Wire

UL Listed type CL2P – NEC Article 725

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
620-18-2P	18 AWG, 2 Conductors – 500 ft Spool	4 rolls	
620-18-3P	18 AWG, 3 Conductors – 500 ft Spool	4 rolls	CALL
620-18-4P	18 AWG, 4 Conductors – 250 ft Spool	4 rolls	FOR
620-18-5P	18 AWG, 5 Conductors – 250 ft Spool	4 rolls	QUOTE
620-18-6P	18 AWG, 6 Conductors – 250 ft Spool	4 rolls	
620-18-8P	18 AWG, 8 Conductors – 250 ft Spool	4 rolls	

# Cushion Clamps



Cushion clamps are an industry standard, universal clamp that mounts to standard strut. The clamps are steel with electro-dichromate finish to resist corrosion. The lock nut features a nylon insert to assure a positive lock. The polymeric grommet withstands temperatures from -25°C to 125°C and resists the effects of most oils, chemicals, and industrial cleaning compounds. Available in 14 sizes from 1/4" to 4-1/8".

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
538-1/4	Cushion Clamp (1/4)	25/Box	5.28
538-3/8	Cushion Clamp (3/8)	25/Box	5.32
538-1/2	Cushion Clamp (1/2)	25/Box	5.28
538-5/8	Cushion Clamp (5/8)	25/Box	5.40
538-3/4	Cushion Clamp (3/4)	25/Box	6.28
538-7/8	Cushion Clamp (7/8)	25/Box	6.84
538-1-1/8	Cushion Clamp (1-1/8)	10/Box	7.96
538-1-3/8	Cushion Clamp (1-3/8)	10/Box	9.56
538-1-5/8	Cushion Clamp (1-5/8)	10/Box	12.56
538-2-1/8	Cushion Clamp (2-1/8)	10/Box	24.36
538-2-5/8	Cushion Clamp (2-5/8)	10/Box	26.36
538-3-1/8	Cushion Clamp (3-1/8)	10/Box	34.36
538-3-5/8	Cushion Clamp (3-5/8)	10/Box	50.96
538-4-1/8	Cushion Clamp (4-1/8)	10/Box	67.56

## Outdoor Extension Cord

Heavy duty, round, vinyl extension cord designed for use by contractors and industrial. Orange vinyl jacket protects against oil, grease, ozone, and gives added flexibility at below freezing temperatures. Vinyl plugs and connectors are molded on and won't break or pull off cord.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-ECC50725	25' 15 AMP Extension Cord SJTW-A 14/3	14	
7-ECC50730	50' 15 AMP Extension Cord SJTW-A 14/3	10	
7-ECC50735	100' 13 AMP Extension Cord SJTW-A 14/3	5	
7-ECC1625	25' 15 Amp Extension Cord SJTW-A 16/3	24	CALL
7-ECC1650	50' 15 Amp Extension Cord SJTW-A 16/3	12	FOR
7-ECC16100	100' 13 Amp Extension Cord SJTW-A 16/3	6	QUOTE
7-ECC1225	25' Extension Cord, 12/3 SJTW-A	10	
7-ECC1250	50' Extension Cord, 12/3 SJTW-A	6	
7-ECC12100	100' Extension Cord, 12/3 SJTW-A	3	

Type: SJTW-A U.L. Listed, meets OSHA Requirements.

## Power Blocks



Professional design gives contractors and industrial personnel maximum flexibility in arranging portable power needs at the job site. Vinyl connectors are solid molded for high resistance to breakage and abuse.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-AD010000	Triple tap power block adapter converts single 15 AMP 123V U-ground outlet to 3 15A, 125V U-ground outlets.	1	15.00 ▲

AWG: 12/3 TYPE: STW-A U.L. Listed, meets OSHA Requirements.



## Metal Guard Trouble Lights

Designed for rugged use by contractors and industrial. Tough plastic handles are heat and shock resistant, with switch and 15A, 125V grounding side outlet.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-TLC10625	25' Metal Guard Trouble Light	1	CALL FOR
7-TLC10630	50' Metal Guard Trouble Light	1	QUOTE

AWG: 16/3 Type: SJTW-A U.L. Listed, meets OSHA Requirements.



## Rough Service Light Bulbs

Designed to withstand unusual shock and abuse on drop cords, mechanic trouble lights, extension cords and anywhere else severe shocks may be encountered. 6 bulbs per box. 120/case.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CASE
7-75W	75 Watt Rough Service Bulb – Bulk Packed	120	289.80 ▲
7-100W	100 Watt Rough Service Bulb – Bulk Packed	120	289.80 ▲



## Power Supply Cord (Pigtails)

Stranded bare copper conductors. Grounding conductors. PVC jacket. Right and straight angle male plug. 110 Volt. 16 AWG x 6' long.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-16-6	Power Supply Cord – Straight Plug	50	CALL FOR
625-16-690	Power Supply Cord – 90 Degree Plug	50	QUOTE

## Electrical Toggle Switches



Side wire design with automatic grounding and large binding head terminal screws for fast wiring.  
Lubricated cam provides smooth lever action.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-CS120W	20A-1HP 120V Single Pole, White	10	12.04 ▲
620-600	20A-1 HP 120V, Single Pole, Brown	10	12.04 ▲
620-601	20A-1 HP 120V, Single Pole, Ivory	10	12.04 ▲
620-602	20A-1 HP 120V, 3-Way, Brown	10	16.76 ▲
620-603	20A-1 HP 120V, 3-Way, Ivory	10	16.76 ▲
625-1301W	15A-1/2HP 120V Single Pole, White	10	2.68 ▲
620-604	15A-1/2 HP 120V, Single Pole, Brown	10	2.68 ▲
620-605	15A-1/2 HP 120V, Single Pole, Ivory	10	2.68 ▲
620-606	15A-1/2 HP 120V, 3-Way, Brown	10	4.80 ▲
620-607	15A-1/2 HP 120V, 3-Way, Ivory	10	4.80 ▲

U.L. Listed. C.S.A. Certified. Verified to Federal Spec. WS896E.



## Switch/Plug Combo

Use with air handlers and condensate pumps. Touch-A-Matic design, with exclusive spring loaded steel ball mechanism for smooth, positive contact movement. Small neon pilot light ON when switch is ON, is built-in to the switch on switch/receptacle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-274W	White 2P 3W Grounding—15A 125V	10	25.08 ▲

U.L. Listed. CSA Approved.



## Outlet Box Cover with Switch

Box covers are heavy gauge steel. Oil burner plate is red with white aluminum letters.

• 15A 120-227V AC • 1/2 HP 120V AC • 2 HP 240V AC

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-609	Toggle Switch/4" Oil Burner	5	11.24 ▲

U.L. Listed.

## Plastic Wall Plates



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-2139V	Double Toggle Cover – Ivory	10	1.60 ▲
625-2139B	Double Toggle Cover – Brown	10	1.60 ▲
625-2139W	Double Toggle Cover – White	10	1.60 ▲
625-2132B	Duplex Receptacle Cover – Brown	25	0.80 ▲
625-2132V	Duplex Receptacle Cover – Ivory	25	0.80 ▲
625-2132W	Duplex Receptacle Cover – White	25	0.80 ▲
625-2129V	Blank Cover – Ivory	25	1.12 ▲
625-2129B	Blank Cover – Brown	25	1.12 ▲
625-2129W	Blank Cover – White	25	1.12 ▲
625-2134B	Single Toggle Cover – Brown	25	0.80 ▲
625-2134V	Single Toggle Cover – Ivory	25	0.80 ▲
625-2134W	Single Toggle Cover – White	25	0.80 ▲

U.L. Listed. CSA Approved.

**NEW!**

## Switch Covers

625-S17 625-S16 625-S15



625-S14 625-S13 625-S19 625-S18



## Switch Covers

CATALOG NO.	TYPE	SIZE	DESCRIPTION	PRICE/EACH
625-S17	Gas	4" X 4"	4" Square Box	5.76
625-S16	Gas	4-1/4" X 2-3/4"	Utility / Handy Box	2.16
625-S15	Gas	4-1/2" X 2-1/2"	Flush Mount	2.16
625-S14	Oil	4" X 4"	4" Square Box	5.76
625-S13	Oil	4-1/4" x 2-3/4"	Utility / Handy Box	2.16
625-S19	Oil	4-1/2" X 2-1/2"	Flush Mount	2.16
625-S18		3/4	Switch Guard (Wall plate & switch not included)	2.88

## Electrical Duplex Receptacles

Automatic grounding for fast installation. Heavy duty mounting strap for additional assembly strength. Copper alloy power/ground contacts for optimum continuity. Side wire design with large binding head terminal screws for fast wiring.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-700	15A, 125V, Brown	10	6.00 ▲
620-701	15A, 125V, Ivory	10	6.00 ▲
625-CR15W	15A 125V, White	10	6.00 ▲
620-702	20A, 125V, Brown	10	8.08 ▲
620-703	20A, 125V, Ivory	10	8.08 ▲
625-CR20W	20A 125V, White	10	8.08 ▲
620-704	15A, 125V, Brown – Residential	10	2.68 ▲
620-705	15A, 125V, Ivory – Residential	10	2.68 ▲
625-270W	15A 125V, White – Residential	10	2.68 ▲

U.L. Listed. C.S.A. Certified (NEMA 5-15 Type).

## Dryer Receptacle

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-1225	Dryer Receptacle 30A 125/250V NEMA 14-30	10	30.88 ▲



## Range Receptacle

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-1212	Range Receptacle 50A 125/250V NEMA 14-50R	10	30.88 ▲

U.L. Listed. CSA Approved.



## Electrical Outlet Boxes, Extensions and Covers

4" steel octagon outlet box, extensions and covers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-300	1-1/2" Deep, 1/2" and 3/4" K.O.s	50	3.08
620-301	2-1/8" Deep, 1/2" and 3/4" K.O.s	25	6.40
620-302	1-1/2" Deep, 1/2" K.O. Extension	50	5.40
620-303	Flat Blank Cover	50	1.04
620-304	Flat, Duplex Receptacle Cover	50	1.00
620-306	Flat Cover 1/2" K.O. in Center	50	1.08

Conforms to Article 370 of NEC. U.L. Listed.



4" steel square outlet box, extensions and covers.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-400	1-1/4" Deep, 1/2" K.O.s	50	6.88
620-401	2-1/8" Deep, 1/2" and 3/4" K.O.s	25	5.08
620-403	1-1/2" Deep, 1/2" K.O.s	50	2.84
620-404	1-1/2" Deep, 1/2" and 3/4" K.O.s Extension	50	7.52
620-405	Flat Cover 1/2" K.O. in Center	50	1.15
620-406	Flat Blank Cover	50	1.15
620-408	Flat, One Toggle Switch Cover	50	2.92
620-409	Flat, One Duplex Receptacle Cover	50	2.92
620-410	Flat, Two Toggle Switch Cover	50	2.92
620-411	1 Sw and 1 Duplex Receptacle Cover	50	2.92
620-412	Flat, Two Duplex Receptacle Cover	50	2.92

Conforms to Article 370 of NEC. U.L. Listed.

4-11/16" steel square outlet box covers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-500	2-1/8" Deep, 1/2" and 3/4" K.O.s	25	7.12
620-501	Flat Blank Cover	25	2.28
620-502	Raised Cover for Single Device	25	4.84
620-503	Flat Cover 1/2" K.O. in Center	25	2.84

Conforms to Article 370 of NEC. U.L. Listed.

Standard steel utility (Handy) boxes and covers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-200	1-1/2" Deep, 1/2" K.O.s	50	3.20
620-201	1-7/8" Deep, 1/2" K.O.s	50	2.88
620-202	2-1/8" Deep, 1/2" K.O.s	50	3.44
620-20134	1-7/8" Deep, 3/4" K.O.s	50	5.28
620-252	Flat, Two Duplex Receptacle Cover	100	0.92
620-253	Flat, Toggle Switch Cover	100	0.92
620-254	Flat Blank Cover	100	0.92
620-255	Flat Cover 1/2" K.O.	100	1.44

Conforms to Article 370 of NEC. U.L. Listed.

## Homeline Circuit Breakers by

Homeline circuit breakers provide the high level of protection you expect from Square D. No other name in circuit protection is more trusted for reliability and performance than Square D. These are the only breakers accepted in genuine Square D Homeline Load Centers.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-GS15H	Single Pole, 15A	10	13.20
625-GS20H	Single Pole, 20A	10	13.20
625-GS30H	Single Pole, 30A	10	13.20
625-GS40H	Single Pole, 40A	10	13.20
625-GS50H	Single Pole, 50A	10	13.20
625-GD15H	Two Pole, 15A	5	30.40
625-GD20H	Two Pole, 20A	5	30.40
625-GD30H	Two Pole, 30A	5	30.40
625-GD40H	Two Pole, 40A	5	30.40
625-GD50H	Two Pole, 50A	5	30.40
625-GD60H	Two Pole, 60A	5	30.40
625-GD100	Two Pole, 100A	5	98.00

# Disconnect Switches



## DiversiTech Pull-out Disconnect Switches with Side Opening Door

- Fused models designed with fuses in pull-out handle for easy replacement
- Line, load, and ground terminals aligned for ease of wiring
- Patent pending reversible door – opens to the left or to the right
- Side opening door opens more than 180 degrees for maximum access
- Fused models have indicator lights for blown fuses
- Full dead front

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
DDS-30	30A Fusible Disconnect Switch	10	30.92
DDS-60	60A Fusible Disconnect Switch	10	30.92
DDS-60U	60A Non-Fusible Disconnect Switch	10	29.88



## DiversiTech Low-Profile Disconnect Switch

- Slightly smaller design than standard DiversiTech Disconnects
- Side opening door
- Full dead front

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
EDS-60U	60A Non-Fusible Disconnect Switch	10	27.88

## A/C Pull-out Disconnect Switches with Side Opening Door by

- Side hinged cover, Type 3R enclosure offers better access to interior components.
- Compact design for easy installation and low visual profile.
- Easy to install and wire – plenty of wire bending space and knockouts.
- Slot for hanging with mounting holes spaced for standard mortar joints.
- Molded interior trim – one piece design with captive screw.
- Swing down cover latch – prevents damage during shipment and installation.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
755-30F	30A Fusible Pullout Disconnect Switch	10	32.80
755-60F	60A Fusible Pullout Disconnect Switch	10	32.80
755-60NF	60A Non-Fusible Pullout Disconnect Switch	10	30.80

## A/C Pull-out Disconnect Switches with GFI Receptacle by

The Square D combination AC Disconnect and GFI Receptacle will help you to save time and material when wiring to NEC 210.63 requirements. This all-in-one unit provides the AC disconnect and GFI receptacle in one NEMA 3R enclosure, eliminating the need for a separate box and weatherproof receptacle cover.

- Weatherproof "while-in-use" cover swings out of the way for maximum accessibility and provides a weatherproof cover for the receptacle per the requirements of NEC 406.8
- 20A GFI Receptacle is conveniently mounted to the trim for easy access to terminations
- Convenient combination knockout provisions (1/2, 3/4, 1") on side, back and bottom enclosure walls.
- Mounting slot for pre-hanging during installation and receptacle is factory-wired to ground for faster installation.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
755-60GFCI	60A Non-Fusible Pullout Disconnect Switch with GFI Receptacle	10	120.64

## QO200TR Air Conditioning Disconnect by

- 60 amp molded case switch rated for 10 HP motors at 240 VAC.
- On-Off circuit breaker type switch. No pull-out head that can be lost or stolen.
- Four, one-inch combination knockouts – two in back and two in bottom end wall.
- Removing the cover housing provides open access to lugs for easy wiring.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
QO200TR	60A Molded Case Disconnect Switch	1	32.60



## Non-Metallic Disconnects by

NEMA 3R rated non-metallic, pullout type, excellent for coastal environments. Single phase 240 Volts AC.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-P30F	Fusible 30 Amp	10	35.00
750-P60F	Fusible 60 Amp	10	35.00
750-P60NF	Non-Fusible 60 Amp	10	35.00



## Three Phase Disconnects by

UL listed, File E5239. Meets UL98 for enclosed switches and NEMA Std. KS-1. Suitable as service entrance equipment when applied with neutral or ground lug kit. Rainproof type 3R enclosure.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-30F-3PH	Fusible 30 Amp	1	136.00
750-60F-3PH	Fusible 60 Amp	1	206.72
750-60NF-3PH	Non-Fusible 60 Amp	1	200.64

## Fuses by Littelfuse

### Dual Element Fuses – 250V

Provides time delay for temporary over-current conditions and motor running protection for heating and air conditioning equipment. Eliminates unnecessary maintenance from harmless overloads.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-CRNR15	15 Amps	10/Box	5.68
7-CRNR20	20 Amps	10/Box	5.68
7-CRNR25	25 Amps	10/Box	5.68
7-CRNR30	30 Amps	10/Box	5.68
7-CRNR35	35 Amps	10/Box	9.68
7-CRNR40	40 Amps	10/Box	9.68
7-CRNR45	45 Amps	10/Box	9.68
7-CRNR50	50 Amps	10/Box	9.68
7-CRNR60	60 Amps	10/Box	9.68

U.L. Class RK-5, Standard for Safety 198E, Current Limiting Fuses, Interrupting Rating 200,000 Amps. rms. A.C.



### One Time Fuses

Protection to lighting, heating, and other non-transient circuits. Protection up to 10,000 amps rms AC.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-10KOTN30	30 Amps	10/Box	1.92
7-10KOTN35	35 Amps	10/Box	3.04
7-10KOTN40	40 Amps	10/Box	3.04
7-10KOTN45	45 Amps	10/Box	3.04
7-10KOTN50	50 Amps	10/Box	3.04
7-10KOTN60	60 Amps	10/Box	3.04

U.L. Class H, Standard for Safety 1988, One Time Fuse Interrupting Rating 10,000 Amps. rms. A.C.



### In-Line Fuse Holder

For fusing all control circuits up to 30 amp. Features rigid plastic protective covering for each fuse. Used on AC and DC circuits.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FH-1	In-Line Fuse Holder	10	5.80

U.L. Listed

## Box Cover Units



Maximum amps: 15. Maximum AC volts: 125. For use with Type "T" Plug Fuses.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-608	Switch/Fuse Combo (ESSU)	1	19.96
620-6081	Plug Fuse Base Only (ESOU)	1	13.04
620-6082	Receptacle/Fuse Combo (ESRU)	1	19.44
620-6083	Switch/Fuse Combo Square (ESSY)	1	21.48

U.L. Listed and CSA certified.

## Time Delay Plug Fuses



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-10T	10A Type "T" Plug Fuse	4	4.72 ▲
626-15T	15A Type "T" Plug Fuse	4	4.72 ▲
626-20T	20A Type "T" Plug Fuse	4	4.72 ▲
626-25T	25A Type "T" Plug Fuse	4	5.36 ▲
626-30T	30A Type "T" Plug Fuse	4	4.72 ▲

U.L. Listed

## Plug Fuses – Fast Acting

Expels gases caused by the blow, but doesn't allow flame to escape. Glass top for safety against shock. Positive visual indication of OK condition or blown condition. Distinguishes between overload and dead short conditions. Magnifying center of face. Shapes of face openings identify ratings. Meets Federal Specification WF-791E/Gen. Type 791/1. Base "W" Fast acting fuses.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-15	15 Amp	4	1.60
626-20	20 Amp	4	1.60
626-25	25 Amp	4	1.60
626-30	30 Amp	4	1.60

U.L. Listed.

## Type "S" Non-Tamper Fuses

Provides specific overcurrent protection. Time-delay element protects against premature blowing from motors in air conditioners or compressors. Visual indication of good or blown condition.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-3S	3.2 Amp	4	11.16
626-4S	4 Amp	4	12.60
626-5S	5 Amp	4	12.00
626-6S	6.25 Amp	4	11.16
626-10S	10 Amp	4	11.16
626-15S	15 Amp	4	5.28
626-20S	20 Amp	4	5.28
626-25S	25 Amp	4	5.68
626-30S	30 Amp	4	5.68

U.L. Listed. CSA Approved.



## Blade (Auto) Fuses


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
626-AT0003	3 amp purple fuse	100	.96
626-AT0005	5 amp tan fuse	100	.96



## Fuse Pullers

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-38071	For Fuse Sizes 1/4" to 1/2"	10	17.72
626-38073	For Fuse Sizes 1" to 1-3/4"	1	53.76

## Fuseblocks



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-23133	1 Pole Screw Class H, 250V	1	4.84
626-23233	2 Pole Screw Class H, 250V	1	9.16
626-23333	3 Pole Screw Class H, 250V	1	13.04
626-26311	3 Pole Box Lug Class H, 250V	1	28.76



## Fuse Adapters

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-38632	60 to 30 Reducer for Class H, 250V	1	12.00
626-38636	60 to 30 Reducer for Class H, 600V	1	12.04

## DiversiWhips, Conduit, Fittings, Cable

### DiversiWhips

Liquid-tight flexible conduit system. A labor saving convenience kit for A/C unit hookup. Also use for heat pumps, refrigeration, hot tubs, swimming pools and outdoor lighting. Three distinct wire colors for ease of hook-up. 1 straight and 1 90° metallic or non-metallic connector. 90° connector\* is removable for straight connections. (Second straight connector not included.) U.L. & C.U.L Listed



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-12-4	1/2 x 4' #10 THHN Wire-Metallic Connectors	6	25.44 ▲
6-12-6	1/2 x 6' #10 THHN Wire-Metallic Connectors	6	30.48 ▲
6-34-4	3/4 x 4' #8 THHN Wire-Metallic Connectors	6	34.28 ▲
6-34-6	3/4 x 6' #8 THHN Wire-Metallic Connectors	6	39.36 ▲
6-12-4NM	1/2 x 4' #10 THHN Wire-Non-Metallic Connectors	6	24.12 ▲
6-12-6NM	1/2 x 6' #10 THHN Wire-Non-Metallic Connectors	6	29.24 ▲
6-34-4NM	3/4 x 4' #8 THHN Wire-Non-Metallic Connectors	6	33.04 ▲
6-34-6NM	3/4 x 6' #8 THHN Wire-Non-Metallic Connectors	6	38.16 ▲

\*DiversiWhips produced with 2 straight connectors - Add S to part number (ex: 6-12-4S)

### Barrels of DiversiWhips

DiversiWhips are now available in a convenient, bulk-packaged barrel at a discounted price. Barrel makes an attractive floor-standing display. 1 straight and 1 90° metallic or non-metallic connector.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B6-12-4	1/2 x 4' #10 THHN Wire – Metallic Connectors	90	21.92 ▲
B6-12-4NM	1/2 x 4' #10 THHN Wire – Non-Metallic Connectors	90	20.80 ▲
B6-12-6	1/2 x 6' #10 THHN Wire – Metallic Connectors	60	26.56 ▲
B6-12-6NM	1/2 x 6' #10 THHN Wire – Non-Metallic Connectors	60	25.44 ▲
B6-34-4	3/4 x 4' #8 THHN Wire – Metallic Connectors	60	30.04 ▲
B6-34-4NM	3/4 x 4' #8 THHN Wire – Non-Metallic Connectors	60	28.88 ▲
B6-34-6	3/4 x 6' #8 THHN Wire – Metallic Connectors	45	34.64 ▲
B6-34-6NM	3/4 x 6' #8 THHN Wire – Non-Metallic Connectors	45	33.48 ▲

## DiversiWhips with Extended Length Wires

We now offer our DiversiWhips with extra long lead wires for those difficult to wire applications. These whips offer 10" of lead wire on the straight side, and 18" of lead wire on the 90° side.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-12-4R	1/2 x 4' #10 THHN Wire-Metallic Connectors	6	25.44 ▲
6-12-6R	1/2 x 6' #10 THHN Wire-Metallic Connectors	6	30.04 ▲
6-34-4R	3/4 x 4' #8 THHN Wire-Metallic Connectors	6	34.16 ▲
6-34-6R	3/4 x 6' #8 THHN Wire-Metallic Connectors	6	38.76 ▲
6-12-4NMR	1/2 x 4' #10 THHN Wire-Non-Metallic Connectors	6	24.24 ▲
6-12-6NMR	1/2 x 6' #10 THHN Wire-Non-Metallic Connectors	6	28.88 ▲
6-34-4NMR	3/4 x 4' #8 THHN Wire-Non-Metallic Connectors	6	33.00 ▲
6-34-6NMR	3/4 x 6' #8 THHN Wire-Non-Metallic Connectors	6	37.60 ▲

## DiversiWhips for the Swimming Pool Industry

A labor saving kit for hookup of swimming pool motors, pumps, filters, and timers. Three distinct wire colors for ease of hookup. 1 straight and 1 90° metallic or non-metallic connector included.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-12-4P	1/2 x 4' #12 THHN Wire-Metallic Connectors	6	20.52 ▲
6-12-6P	1/2 x 6' #12 THHN Wire-Metallic Connectors	6	23.76 ▲
6-12-8P	1/2 x 8' #12 THHN Wire-Metallic Connectors	6	27.04 ▲
6-12-4NMP	1/2 x 4' #12 THHN Wire-Non-Metallic Connectors	6	17.32 ▲
6-12-6NMP	1/2 x 6' #12 THHN Wire-Non-Metallic Connectors	6	20.52 ▲
6-12-8NMP	1/2 x 8' #12 THHN Wire-Non-Metallic Connectors	6	23.76 ▲

## Liquid Tight Flexible Conduit

Specifically for electrical applications. For outside, inside and industrial uses including transformer connections, air conditioning and heating. Joins with metallic or non-metallic connectors, easy to cut. Conduit is impact resistant, chemical resistant and will not kink. U.L. and C.U.L. Listed. For use as indicated in Article 351 of the 1987 NEC.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-12100	1/2" x 100' Liquid Tight Conduit (Non-Metallic)	100' Roll	98.44 ▲
750-34100	3/4" x 100' Liquid Tight Conduit (Non-Metallic)	100' Roll	123.56 ▲
750-10100	1" x 100' Liquid Tight Conduit (Non-Metallic)	100' Roll	242.80 ▲
750-500	1/2" x 100' Liquid Tight Conduit (Metallic)	100' Roll	CALL FOR
750-600	3/4" x 100' Liquid Tight Conduit (Metallic)	100' Roll	QUOTE

## Liquid Tight Connectors

For use with metallic and non-metallic liquid tight conduit, Type B. Provides smooth connection, no sharp edges to strip wire. Wiring easily pulled through. U. L. Listed. C.U.L. Listed.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-NMLT100	1" Non-Metallic Straight Connector	25	6.56 ▲
750-NMLT90100	1" Non-Metallic 90 Degree Elbow	25	15.12 ▲
750-NMLT75	3/4" Non-Metallic Straight Connector	10	3.28 ▲
750-NMLT4575	3/4" Non-Metallic 45 Degree Elbow Connector	10	6.28 ▲
750-NMLT9075	3/4" Non-Metallic 90 Degree Elbow Connector	10	5.68 ▲
750-NMLT50	1/2" Non-Metallic Straight Connector	25	2.24 ▲
750-NMLT4550	1/2" Non-Metallic 45 Degree Elbow Connector	10	4.04 ▲
750-NMLT9050	1/2" Non-Metallic 90 Degree Elbow Connector	10	3.68 ▲
750-MLT4550	1/2" Metallic 45 Degree Elbow Connector	10	4.20 ▲
750-MLT4575	3/4" Metallic 45 Degree Elbow Connector	10	6.56 ▲
750-MLT50	1/2" Metallic Straight Connector	25	2.48 ▲
750-MLT75	3/4" Metallic Straight Connector	10	4.44 ▲
750-MLT9050	1/2" Metallic 90 Degree Elbow	10	4.20 ▲
750-MLT9075	3/4" Metallic 90 Degree Elbow	10	6.28 ▲





## Screw-On Liquid-Tight Fittings

Conduit threads onto ferrule and up inside the outer body. An inside taper squeezes down on the outside of conduit for a superior liquid tight seal. The cut portion of the conduit does not show, giving a more finished appearance. Easy to use at a lower cost than regular liquid-tight fittings.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-SLTC50	1/2" Straight Screw-On Fitting	25	1.96 ▲
750-SLTC75	3/4" Straight Screw-On Fitting	25	2.76 ▲
750-SLTC9050	1/2" 90° Screw-On Fitting	25	3.04 ▲
750-SLTC9075	3/4" 90° Screw-On Fitting	25	4.68 ▲



## Aluminum Armored MC Cable

90°, C Rated aluminum metal clad cable system. THHN solid copper with specially compounded heat-resistant U.L. Listed insulation and jacket. Flexible interlocked aluminum armor. Extremely durable – withstands severe handling. U.L. Listed #4. Conforms to NEC article 333.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
640-122	12-2 Aluminum Armored MC Cable – 100 ft. Roll	1	CALL FOR
640-142	14-2 Aluminum Armored MC Cable – 100 ft. Roll	1	QUOTE



## BX Set Screw Connectors

BX cable range = .445 to .630 diameter. U.L. Listed. CSA Approved.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
640-845	Trade Size 3/8"	100	.60 ▲



## EMT (Thinwall) Fittings

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-800	Set Screw Connector 1/2"	50	0.68 ▲
625-801	Set Screw Connector 3/4"	25	1.00 ▲
625-304	Strap-One Hole 1/2"	100	0.28 ▲
625-305	Strap-One Hole 3/4"	100	0.36 ▲
625-810	Set Screw Coupling 1/2"	50	0.72 ▲
625-811	Set Screw Coupling 3/4"	25	1.04 ▲



## EMT Drive Straps

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-812	EMT Drive Straps – 1/2"	100	0.24 ▲
625-813	EMT Drive Straps – 3/4"	100	0.28 ▲



## Romex Connectors – Metallic

Cable connectors for Romex Wire. Zinc die-cast.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-RC841	3/8" Romex Connector for 1/2" Knockouts	100	0.68 ▲
750-RC842	3/4" Romex Connector for 3/4" Knockouts	50	1.56 ▲

U.L. Listed and CSA Approved.



## Cable Staples

Cable Staples for NMB Cable (Romex) and Copper Insulated Staples for thermostat wire.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
625-183	Romex Staples – 1/2"	100	4.56 ▲
625-184	Romex Staples – 1/2"	500	17.76 ▲
625-IS5	Copper Insulated #5 Staples for T-Stat Wire	100	6.28 ▲




## Non-Metallic Sheathed Cable (Romex Wire)

600V building wire. Easy to pull and strip, flame and moisture resistant. Saves time, labor and money. Color coded conductors of copper, PVC insulation and outer jacket with ground.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
620-6-2	6 AWG, 2 Conductors with Ground – 125' Roll	1	
620-8-2	8 AWG, 2 Conductors with Ground – 125' Roll	1	CALL
620-10-2	10 AWG, 2 Conductors with Ground – 250' Roll	1	FOR
620-12-2	12 AWG, 2 Conductors with Ground – 250' Roll	1	QUOTE
620-14-2	14 AWG, 2 Conductors with Ground – 250' Roll	1	

U.L. Listed 719 Federal Specifications J-C94.

## Ventilation Products



### Egg Crate Louvers – Air Return Diffusers

White polystyrene 1/2" open cell grid.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-300	2' x 2' x 1/2"	20	18.68 ▲
650-200	2' x 4' x 3/8"	15	20.24 ▲
650-100	2' x 4' x 1/2"	10	31.20 ▲

### Booster Fans

For hard to heat or cool rooms. Easily installs in branch duct (round, square, or rectangular) which supplies air to the problem room. Electrical hookup can be to a wall switch, auxiliary switch, thermostat or directly to the blower making it possible to use all the time or only at certain times. Each booster fan individually boxed.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-AF6	6" Booster Fan – 240 CFM	4	67.16 ▲
625-AF8	8" Booster Fan – 420 CFM	4	77.04 ▲
625-AF10	10" Booster Fan – 650 CFM	2	127.28 ▲
625-AF12	12" Booster Fan – 975 CFM	1	177.08 ▲
625-AF14	14" Booster Fan – 1350 CFM	1	187.60 ▲



## Roof Flashing by



Easy to install. The no-caulk flashing slips over vent stack and automatically adjusts to pipe size and roof angle. 24 gauge galvanized steel.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-11830	1/2" – 3/4" – 1"	12	11.80 ▲
5-11840	1-1/4" – 1-1/2"	12	12.80 ▲
5-11853	2"	12	13.76 ▲
5-11866	3"	12	15.64 ▲
5-11879	4"	12	19.48 ▲
5-11921	1-1/4" – 1-1/2" (18 x 18 base)	12	17.84 ▲
5-11934	2" (18 x 18 base)	12	18.44 ▲

## Dektite Flashings



- Base gasket eliminates the need for any additional chemical sealers.
- Watertight seal reached at 30% compression of gasket.
- Seals on wet or oily surfaces.
- Made of EPDM rubber which is long-lasting, flexible, and weatherproof.
- Pipe diameter markings easily noticeable on flashings.
- Service temperature range of -30 degrees F to 250 degrees F.
- Resistant to ozone and ultra-violet light.

CATALOG NO.	DIMENSIONS	STANDARD PACK	PRICE/EACH
5-DEK1	1-1/4" to 2-1/8"	20	24.72 ▲
5-DEK2	2" to 2-3/4"	20	32.44 ▲
5-DEK3	2" to 4-3/4"	10	36.64 ▲
5-DEK5	4-1/2" to 6-3/4"	5	52.92 ▲
5-DEK7	6-1/4" to 8-3/4"	10	110.56 ▲
5-DEK8	6-1/4" to 11-3/4"	5	119.08 ▲
5-DEK9	11-1/2" to 17-3/8"	2	258.08 ▲

## Versa Cap® Flue and Hot Stack Caps by



Non-clogging positive draft design, recommended for flue or hot stack installation. Clamp fitting adjustable for all standard sizes. Aluminum model. U.L. Listed.

CATALOG NO.	PIPE O.D.	DOUBLE WALL	SINGLE WALL	TRANS.SITE	J-M	HEIGHT/OVERALL DIAMETER	STANDARD PACK	PRICE/EACH
6-3050	2-7/8"-5"	3 and 4	3 and 4	3 and 4	4-1/2" x 6-5/8"	12	38.96 ▲	
6-5070	4-7/8"-7"	5 and 6	5 and 6	5 and 6	4-3/4" x 9-1/2"	12	51.92 ▲	
6-7090	6-7/8"-9"	7 and 8	7 and 8	7 and 8	5-7/8" x 11-5/8"	12	74.28 ▲	
6-9011	8-7/8"-11"	9 and 10	9 and 10	9 and 10	6-1/2" x 12-3/4"	6	104.40 ▲	
6-1200	11-7/8"-14-1/2"	12	12 and 14	12	8-11/16" x 17-9/16"	2	198.72 ▲	

## Slant Back Roof Louver by



Easy to install. Aluminum construction. Fits all roof types.


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-NSB50A	Aluminum Slant Back Roof Louver	10	37.12 ▲



## Roof Louver by

Unique interior louver design, eliminating the need for a screen. The square hood has been designed for maximum air movement. Large nailing flange for easy installation. U.L. Listed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-R50A	Roof Louver – Aluminum	10	23.04 ▲



## Smokeys

Smoke emitter cartridges provide effective, low cost leak testing of heat exchangers, air ducts, tanks and boilers. Visual air balancing of HVAC systems. Cartridges produce clean, non-toxic, oil-free smoke through chemical reaction. Use also for fire drills as well as the placement and testing of smoke alarms/detectors.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
14145	45 second burn time, 150 cu. ft., pkg. of 10	1	23.20
14175	75 second burn time, 600 cu. ft., pkg. of 10	1	28.80
14250	2-1/2 minute burn time, 1,100 cu. ft., pkg. of 5	1	43.00
14340	4 minute burn time, 2,500 cu. ft., pkg. of 5	1	88.40
14460	6 minute burn time, 18,000 cu. ft., pkg. of 1	1	131.80

## Duct Strap, Ties, Clamps



### Heavy Duty Cable Ties

6.6 nylon, the heavy duty duct straps feature smooth insertion, and a locking mechanism that gives ductwork a firm hold. Accommodates 7 to 15 inch duct. Tensioning tool for 32"+ allows operator to adjust strap to any desired tension.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-P24	24" Long – Fits up to 6" Duct – 175 lb. Tensile	50	0.44
7-P36	36" Long – Fits up to 10" Duct – 175 lb. Tensile	50	0.48 ▲
7-P48	48" Long – Fits up to 14" Duct – 175 lb. Tensile	50	1.00 ▲
7-L300	Tensioning Tool for 120-175 lb. Ties	1	55.12



### Plastic Hanger Strap

Flexible, non-conductive. 3/4" wide x .050 thick. Load tested to 120 lbs. In handy dispenser box.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-P100	3/4" x 100' Roll (Boxed)	20	20.16 ▲



### Hanging Wire

18 gauge galvanized on reel.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-182G	2# Roll (330') 18 Gauge Galvanized	16 Rolls/Carton	16.24 ▲
710-185G	5# Roll (830') 18 Gauge Galvanized	16 Rolls/Carton	30.88 ▲



## Strapping Hanger Iron

Galvanized vent strapping, hanger iron, plumber's tape, pipe hanger tape and many other uses. 1/4" centers for bolts or nails.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-A1710	Hanger Iron (Galv.) 10' Rolls - 28 Gauge	50 Rolls/Case	3.24 ▲
710-A1650	Hanger Iron (Galv.) 50' Rolls - 28 Gauge	10 Rolls/Case	12.88 ▲
710-A16100	Hanger Iron (Galv.) 100' Rolls - 28 Gauge	6 Rolls/Case	25.56 ▲



## Duct Strap – Metallic – Roll

Galvanized duct strap in convenient cardboard dispenser. Solid strapping, easy to drill or nail.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-001	26 Gauge - 1" x 100'	1	23.52 ▲
710-002	30 Gauge - 1" x 100'	1	19.40 ▲
710-003	30 Gauge - 1-1/2" x 100'	1	29.68 ▲
710-004	26 Gauge - 1-1/2" x 100'	1	40.16 ▲
710-005	22 Gauge - 1" x 100'	1	31.80 ▲



## Duct Strap – Woven Polypropylene

Webbed duct strap possessing high tensile and abrasion resistance. Chemical resistant. Use for flex duct – easy to cut and staple to joists. U.L. Listed to U.L. spec 2043.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-100	1-3/4" x 100 Yards (Black)	24 Rolls	19.00
710-101	1-3/4" x 100 Yards (Silver)	24 Rolls	19.00
710-102	3" x 100 Yards (Black)	8 Rolls	35.00
710-103	3" x 100 Yards (Silver)	8 Rolls	35.00

## Tapes



### Cork Insulation Tape

Adheres firmly to all metals. Use on hot or cold pipes to stop condensation and drips.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-330	1/8" x 2" x 30' Roll (Black)	12	18.76 ▲

### Foam Insulation Tape

Superior self-adhesive foam tape can be used on hot or cold pipes. Fits well around valves and fittings. Easily cut and molded.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-9718	1/8" x 2" x 30' Roll (Black)	12	15.12 ▲



### Tommy Tape

Self-adhering silicone tape which fuses to itself in 24 hours and creates an air and water-tight bond. Tommy Tape is waterproof and can wrap around anything from extension cords to tool grip wraps. Tommy Tape amazingly does not crack and peel in cold weather.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
TTP-1	20 mil x 1" x 10' Tommy Tape - Black	10	11.80



**CUSTOMER SERVICE HOTLINE: (800) 995-2222**

## Teflon Tape



Made of pure white Teflon. Non-toxic. For use with chemicals, solvents, oxygen, and on food lines. Withstands up to 2000 psi of pressure.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
6-733	1/2" x 520" Teflon Tape	200	1.20 ▲
6-734	1/2" x 260" Teflon Tape	200	0.96 ▲
6-735	3/4" x 520" Teflon Tape	144	2.32 ▲
6-736	3/4" x 260" Teflon Tape	144	1.84 ▲



## Carton Sealing Tape

2" nominal width, 110 yd. length, clear. 2.4 mil.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
540-2110C	2" x 110 Yards – Clear	36	6.80 ▲



## Carton Tape Dispenser

Heavy duty, boxed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-DISP	Dispenser 2" Carton Tape	1	18.00

## Cloth Duct Tapes by

High-tack, excellent strength. Superior performance in sealing air handling systems. Heavy cloth content for easier tearing and additional strength. Made in the USA.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
PC-622-S	2" x 60 yds. Premium Grade Duct Tape – Silver	24	22.76 ▲
PC-622-B	2" x 60 yds. Premium Grade Duct Tape – Black	24	22.76 ▲
PC-609-S	2" x 60 yds. Industrial Grade Duct Tape – Silver	24	15.52 ▲
PC-609-B	2" x 60 yds. Industrial Grade Duct Tape – Black	24	15.52 ▲
PC-600-S	2" x 60 yds. Contractor Grade Duct Tape – Silver	24	14.12 ▲
PC-600-B	2" x 60 yds. Contractor Grade Duct Tape – Black	24	14.12 ▲
PC-783	2" x 60 yds. Metallized UL181B-FX Flex Duct Tape	24	36.00 ▲



## DiversiTech Stick-E-Tape

Self-adhesive aluminum tape with temperature range of -40°F to 200°F. Easily painted. Excellent vapor barrier; effective UV and water shield over urethane foam. Preferred duct and pipe wrap.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
50302	AFT-701-2, 2" x 50' roll	6	49.00 ▲
50304	AFT-701-4, 4" x 50' roll	3	97.92 ▲
50306	AFT-701-6, 6" x 50' roll	2	155.68 ▲



## Aluminum Foil Tape

Prevents heating and cooling losses. Blocks odors and moisture. Easy to handle. Use for HVAC and refrigeration systems. -35°F to +260°F working temperatures. 3-5 year shelf life. Made in USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-AF2	2" Aluminum Foil Tape – 50 yds.	24	19.44 ▲
640-AF25	2-1/2" Aluminum Foil Tape – 50 yds.	20	24.16 ▲
640-AF3	3" Aluminum Foil Tape – 50 yds.	16	29.20 ▲





## Foil Scrim Kraft Tape

Non-tearable, diamond patterned backing with an aggressive rubber based adhesive system for consistently dependable performance. Made in the USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-FSK2	2" Foil Scrim Kraft Tape – 50 yds.	24	19.26 ▲
640-FSK3	3" Foil Scrim Kraft Tape – 50 yds.	16	29.68 ▲



## UL Listed Foil Tape

Unique acrylic adhesive for airtight bonds on joints and seams of fiberglass duct systems. Flexible, easy to use. Meets or exceeds performance standard AFLS-100-73 and UL 181 A-P.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-UL25	2-1/2" UL 181 Listed Foil Tape – 60 yds.	20	42.36 ▲
640-UL3	3" UL 181 Listed Foil Tape – 60 yds.	16	50.84 ▲



## Flex Duct Tape

Specially designed to meet new UL181B-FX code for flex duct. Higher adhesion and tack than traditional cloth duct tapes. Conformable, hand tearable foil; 3 mil thickness. 2" x 120 yds. Code identification printed on the tape. Acrylic adhesive for superior performance in extreme environments. (-35°F to 260°F)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-FD2S	2" Silver Flex Duct Tape	24	31.52 ▲
640-FD2B	2" Black Flex Duct Tape	24	31.52 ▲
640-FD3S	3" Silver Flex Duct Tape	16	47.28 ▲
640-FD3B	3" Black Flex Duct Tape	16	47.28 ▲



## Scotch 3M Super 33+ Electrical Tape

Premium grade, 7 mil thick, all-weather vinyl insulating tape. Performs continuously in a temperature ambient of up to 220°F and as low as 0°F. Resealable plastic case. Made in USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
ET33	3/4" x 66' Super 33+ Electrical Tape	10	15.12 ▲



## Scotch 35 Vinyl Electrical Tape

This 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. Abrasion and weather resistant. Measures 3/4" x 66'.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
ET35N	Orange	10	15.16
ET35G	Green	10	15.16
ET35R	Red	10	15.16
ET35W	White	10	15.16



## Scotch 3M Super 88 Electrical Tape

Premium grade, 8.5 mil thick, all-weather vinyl insulating tape. Performs continuously in a temperature ambient of up to 220°F and as low as 0°F. Excellent resistance to abrasion, moisture, acids and corrosion. Packaged in a resealable plastic case. Made in the USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
ET44	3/4" x 66' Super 88 Electrical Tape	10	18.92 ▲



## Glass Cloth, Moisture Sealing, and Economy Electrical Tapes

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
GC275	1/2" x 66' Glass Cloth Electrical Tape by 3M	10	25.64 ▲
GC277	3/4" x 66' Glass Cloth Electrical Tape by 3M	10	38.24 ▲
ET130C1	1" x 30' Moisture Sealing Splicing Tape by 3M	10	35.52 ▲
ET22	3/4" x 66' Hiawatha Electrical Tape by 3M	10	5.88 ▲
6-3460	3/4" x 60' Economy Electrical Tape	10	2.04 ▲

## Pipe, Tubing, Fittings

BULK FITTINGS AVAILABLE



### Nylon Fittings

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
701-001	Adapter - 1/2 Barb x 1/2 MPT	2	2.64 ▲
701-002	Adapter - 1/2 Barb x 3/4 MPT	2	2.72 ▲
701-003	Adapter - 1/2 Barb x 3/8 MPT	2	2.36 ▲
701-004	Adapter - 1/4 Barb x 1/4 MPT	2	2.24 ▲
701-005	Adapter - 1/4 Barb x 3/8 MPT	2	2.32 ▲
701-006	Adapter - 3/4 Barb x 3/4 FPT	2	4.52 ▲
701-007	Adapter - 3/4 Barb x 3/4 MPT	2	2.92 ▲
701-008	Adapter - 3/4 MGHT x 3/4 FGHT	2	6.16 ▲
701-009	Adapter - 3/4 MGHT x 3/4 FPT	2	6.28 ▲
701-010	Adapter - 3/4 MGHT x 3/4 MPT	2	2.92 ▲
701-011	Adapter - 3/4 MPT x 3/4 FGHT	2	6.20 ▲
701-012	Adapter - 3/8 Barb x 1/2 MPT	2	2.44 ▲
701-013	Adapter - 3/8 Barb x 3/8 MPT	2	2.32 ▲
701-014	Adapter - 5/8 Barb x 3/4 MPT	2	3.84 ▲
701-041	Adapter - 1/2 Barb x 1/2 Female	2	3.28 ▲
701-042	Adapter - 3/8 Barb x 1/4 MPT	2	2.40 ▲
701-043	Adapter - 3/8 Barb x 3/4 MPT	2	2.84 ▲
701-015	Bushing - 1 MPT x 3/4 FPT	2	4.16 ▲
701-016	Bushing - 1/2 MPT x 3/8 FPT	2	3.52 ▲
701-017	Bushing - 3/4 MPT x 1/2 FPT	2	3.56 ▲
701-018	Elbow - 1/2 Barb	2	2.96 ▲
701-019	Elbow - 1/2 Barb x 3/4 FPT	2	4.44 ▲
701-020	Elbow - 1/2 Barb x 3/4 MPT	2	3.64 ▲
701-021	Elbow - 1/4 Barb x 1/4 MPT	2	2.64 ▲
701-022	Elbow - 1/4 Barb x 3/8 MPT	2	2.96 ▲
701-023	Elbow - 3/4 Barb	2	3.56 ▲
701-024	Elbow - 3/4 Barb x 3/4 FPT	2	5.20 ▲
701-025	Elbow - 3/4 Barb x 3/4 MPT	2	4.04 ▲
701-026	Elbow - 3/8 Barb x 1/2 MPT	2	3.16 ▲
701-027	Elbow - 3/8 Barb x 3/8 MPT	2	3.08 ▲
701-028	Elbow - 5/8 Barb x 3/4 MPT	2	3.84 ▲
701-040	Elbow - 5/8 Barb	2	4.20 ▲
701-044	Elbow - 1/2 MPT x 3/4 Barb	2	3.92 ▲
701-029	Hose Mender - 1/2 Barb	2	2.88 ▲
701-030	Hose Mender - 1/4 Barb	2	2.20 ▲
701-031	Hose Mender - 3/4 Barb	2	3.16 ▲
701-032	Hose Mender - 3/8 Barb	2	2.36 ▲
701-033	Hose Mender - 5/8 Barb	2	2.96 ▲
701-034	Tee - 1/2 Barb	2	3.88 ▲
701-035	Tee - 1/2 x 3/4 x 1/2	2	3.84 ▲
701-036	Tee - 1/4 Barb	2	3.48 ▲
701-037	Tee - 3/4 Barb	2	4.60 ▲
701-038	Tee - 3/8 Barb	2	3.60 ▲
701-039	Tee - 5/8 Barb	2	3.88 ▲

All fittings packaged with identification. To order nylon fittings in bulk, enter catalog number followed by the letter "B." For example, 701-001B is the bulk part number for 701-001. Bulk sold in packs of 100.

## Clear Vinyl Tubing



Applications include: air conditioning and refrigeration condensate drains, condensate pump discharge lines and humidifier overflows.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
7-14	1/4" ID	100	25.80 ▲
7-38	3/8" ID	100	28.16 ▲
7-12	1/2" ID	100	46.00 ▲
7-58	5/8" ID	100	56.40 ▲
7-34	3/4" ID	100	77.20 ▲
7-78	7/8" ID	50	55.40 ▲
7-10	1" ID	50	71.80 ▲

## Polyethylene Tubing



F.D.A. approved, flexible, non-toxic tubing. Tasteless and odorless, lightweight, low density. Ideal for drinking water lines, evaporative coolers, and radiant heating. I.D.: 11/64", O.D.: 1/4", Wall: 0.040, Max. W/P (in.) PSI @ 70F: 150.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
PE-104	Polyethylene Tubing – 100' Roll	1	30.52 ▲

## PVC Condensate Pipe

Polyvinyl Chloride, white PVC 1120



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/FOOT
5-2001	1/2" PVC – PSI 315	10' Straight End	
5-2002	3/4" PVC – PSI 200	10' Straight End	
5-2005	3/4" PVC – PSI 200	20' Belled End	CALL
5-401	3/4" PVC – Sch. 40	10' Straight End	FOR
5-407	3/4" PVC – Sch. 40	20' Belled End	QUOTE
5-404	2" PVC – Sch.40/DWV, ASTM 2665	10' Straight End	
5-405	3" PVC – Sch.40/DWV, ASTM 2665	10' Straight End	

## PVC Schedule 40 Pressure Fittings

### Tee (Slip x Slip x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-401005	1/2"	50	0.84 ▲
5-401007	3/4"	100	1.00 ▲
5-401010	1"	50	1.64 ▲
5-401012	1-1/4"	25	2.72 ▲
5-401015	1-1/2"	25	3.08 ▲
5-401020	2"	25	4.32 ▲
5-401025	2-1/2"	10	14.48 ▲
5-401030	3"	10	18.68 ▲

### 90 Ell (Slip x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-406005	1/2"	50	0.72 ▲
5-406007	3/4"	100	0.84 ▲
5-406010	1"	50	1.24 ▲
5-406012	1-1/4"	25	2.20 ▲
5-406015	1-1/2"	25	2.36 ▲
5-406020	2"	25	3.60 ▲
5-406025	2-1/2"	10	10.72 ▲
5-406030	3"	10	12.72 ▲



## 90 Ell Reducing (Slip x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-406101	3/4" x 1/2"	50	1.20 ▲
5-406130	1" x 1/2"	50	1.72 ▲
5-406131	1" x 3/4"	50	2.04 ▲



## 90 Ell (Slip x FPT)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-407005	1/2"	50	0.76 ▲
5-407007	3/4"	50	0.84 ▲
5-407010	1"	50	1.52 ▲
5-407012	1-1/4"	25	2.52 ▲
5-407015	1-1/2"	25	2.88 ▲
5-407020	2"	10	7.04 ▲
5-407025	2-1/2"	10	17.28 ▲
5-407030	3"	10	25.76 ▲



## 90 Ell Reducing (Slip x FPT)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-407074	1/2" x 3/4"	50	1.52 ▲
5-407101	3/4" x 1/2"	50	0.88 ▲
5-407130	1" x 1/2"	50	2.32 ▲
5-407131	1" x 3/4"	50	2.32 ▲



## 90 Street Ell (SPIG x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-409005	1/2"	50	1.68 ▲
5-409007	3/4"	50	2.08 ▲
5-409010	1"	50	3.36 ▲
5-409012	1-1/4"	25	4.04 ▲
5-409015	1-1/2"	25	4.36 ▲
5-409020	2"	10	8.16 ▲



## 90 Street Ell (MIPT x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-410005	1/2"	50	1.24 ▲
5-410007	3/4"	50	1.52 ▲
5-410010	1"	50	2.52 ▲
5-410012	1-1/4"	25	3.36 ▲
5-410015	1-1/2"	25	3.44 ▲
5-410020	2"	10	8.48 ▲



## 45 Ell (Slip x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-417005	1/2"	50	0.96 ▲
5-417007	3/4"	50	1.52 ▲
5-417010	1"	50	1.76 ▲
5-417012	1-1/4"	25	2.44 ▲
5-417015	1-1/2"	25	3.44 ▲
5-417020	2"	25	3.92 ▲
5-417025	2-1/2"	10	10.00 ▲
5-417030	3"	10	15.40 ▲



## Coupling (Slip x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-429005	1/2"	100	0.52 ▲
5-429007	3/4"	100	0.68 ▲
5-429010	1"	50	0.88 ▲
5-429012	1-1/4"	25	1.24 ▲
5-429015	1-1/2"	25	1.40 ▲
5-429020	2"	25	2.04 ▲
5-429025	2-1/2"	10	4.36 ▲
5-429030	3"	10	6.84 ▲

## Female Adapter (Slip x FIPT)




CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-435005	1/2"	100	0.72 ▲
5-435007	3/4"	100	0.88 ▲
5-435010	1"	50	0.96 ▲
5-435012	1-1/4"	25	1.48 ▲
5-435015	1-1/2"	25	1.72 ▲
5-435020	2"	25	2.28 ▲
5-435025	2-1/2"	10	5.52 ▲
5-435030	3"	10	7.32 ▲

## Female Adapter Reducing (Slip x FIPT)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-435074	1/2" x 3/4"	50	1.20 ▲
5-435075	1/2" x 1"	50	1.20 ▲
5-435101	3/4" x 1/2"	50	1.20 ▲
5-435102	3/4" x 1"	50	1.52 ▲
5-435131	1" x 3/4"	50	1.52 ▲

## Male Adapter (MIPT x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-436005	1/2"	100	0.64 ▲
5-436007	3/4"	100	0.72 ▲
5-436010	1"	50	1.04 ▲
5-436012	1-1/4"	25	1.24 ▲
5-436015	1-1/2"	25	1.72 ▲
5-436020	2"	25	2.16 ▲
5-436025	2-1/2"	10	6.36 ▲
5-436030	3"	10	9.04 ▲

## Male Adapter Reducing (MIPT x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-436074	1/2" x 3/4"	50	1.08 ▲
5-436101	3/4" x 1/2"	50	0.96 ▲
5-436102	3/4" x 1"	50	1.48 ▲
5-436130	1" x 1/2"	50	2.52 ▲
5-436131	1" x 3/4"	50	3.04 ▲

## Reducer Bushing (SPIG x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-437101	3/4" x 1/2"	100	0.68 ▲
5-437130	1" x 1/2"	100	1.16 ▲
5-437131	1" x 3/4"	100	1.16 ▲

## Reducer Bushing (SPIG X FIPT)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-438101	3/4" x 1/2"	100	0.96 ▲
5-438130	1" x 1/2"	100	1.52 ▲
5-438131	1" x 3/4"	100	1.52 ▲

## Cap (Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-447005	1/2"	100	0.64 ▲
5-447007	3/4"	100	0.68 ▲
5-447010	1"	50	0.96 ▲
5-447012	1-1/4"	25	1.48 ▲
5-447015	1-1/2"	25	1.48 ▲
5-447020	2"	25	1.88 ▲
5-447025	2-1/2"	10	5.56 ▲
5-447030	3"	10	6.00 ▲

## Cap (FIPT)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-448005	1/2"	100	1.20 ▲
5-448007	3/4"	100	1.24 ▲
5-448010	1"	50	1.96 ▲
5-448015	1-1/2"	25	2.28 ▲
5-448020	2"	10	3.96 ▲
5-448025	2-1/2"	10	6.04 ▲
5-448030	3"	10	7.64 ▲

## Plug (Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-449005	1/2"	50	1.24 ▲
5-449007	3/4"	50	1.48 ▲
5-449010	1"	50	1.84 ▲
5-449015	1-1/2"	25	3.00 ▲
5-449020	2"	10	3.72 ▲
5-449025	2-1/2"	10	6.12 ▲
5-449030	3"	10	8.16 ▲

## Plug (MIPT)




CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-450005	1/2"	50	1.52 ▲
5-450007	3/4"	50	1.72 ▲
5-450010	1"	50	2.64 ▲
5-450015	1-1/2"	25	3.00 ▲
5-450020	2"	10	3.72 ▲
5-450025	2-1/2"	10	5.08 ▲
5-450030	3"	10	7.84 ▲

## Adapter (Insert x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-474007	3/4"	50	1.68

## Traps (Slip x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-408	3/4" "P" Trap	100	2.16 ▲
5-409	3/4" Running Trap	100	2.16 ▲
5-410	3/4" Mini "P" Trap	100	2.16 ▲
5-411	1" "P" Trap	50	3.08 ▲
5-414	3/4" "J" Trap	100	2.16 ▲

## 3/4" Rubber Elbow

Allows for quick disconnect and reconnect of drain lines. Made of 60 DURO EPDM.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-520	3/4" Rubber Elbows	50	3.00

## Clean Out Tee



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
510-3400	3/4" Clean Out Tee	50	2.44 ▲



# PVC DWV Fittings

## Couplings (Hub x Hub)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-100020	2"	100	CALL
5-100030	3"	60	FOR
510-D102338	3" x 2"	20	QUOTE

## 90 Elbow (Hub x Hub)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-300020	2"	50	CALL
510-D304020	2" Long Sweep	25	FOR
5-300030	3"	25	QUOTE
510-D304030	3" Long Sweep	10	

## 45 Elbow (Hub x Hub)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-321020	2"	50	CALL FOR
5-321030	3"	20	QUOTE

## Plastic DWV J-Hooks



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
515-J2000	2" x 7-1/2" DWV Swiveling J-Hook	25	2.40 ▲
515-J3000	3" x 7-1/2" DWV Swiveling J-Hook	25	2.80 ▲

# CPVC-CTS Pipe and Fittings by

Flowgard Gold



Flowgard Gold is a patented CPVC formulated compound developed by BF Goodrich to improve the impact resistance of CPVC hot and cold water plumbing products.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
4700-12	1/2" x 10' CPVC Pipe	500'	
4701-12	1/2" Coupling S x S	20	
4704-12	1/2" Adapter M x S	20	
4703-12	1/2" Adapter F x S	25	
4707-12	1/2" 90° Elbow S x S	20	
4706-12	1/2" 45° Elbow S x S	20	
4711-12	1/2" Tee S x S x S	20	CALL
47072-12	1/2" 90° Street Ell S x S	10	FOR
4700-34	3/4" x 10' CPVC Pipe	250'	QUOTE
4701-34	3/4" Coupling S x S	20	
4704-34	3/4" Adapter M x S	10	
4703-34	3/4" Adapter F x S	25	
4707-34	3/4" 90° Elbow S x S	20	
4706-34	3/4" 45° Elbow S x S	20	
4711-34	3/4" Tee S x S x S	20	
47072-34	3/4" 90° Street Ell S x S	10	

# Black Iron and Steel Pipe Fittings

BPF-01  
BPF-02  
BPF-03



BPF-04  
BPF-05  
BPF-06



BPF-07  
BPF-08  
BPF-09



BPF-10  
BPF-11  
BPF-12



BPF-13  
BPF-14  
BPF-15



BPF-16  
BPF-17  
BPF-18



BPF-19  
BPF-20  
BPF-21



BPF-22  
BPF-23  
BPF-24



BPF-25  
BPF-26  
BPF-27



BPF-28  
BPF-29  
BPF-30



BPF-31  
BPF-32  
BPF-33



## Malleable Black Iron Pipe Fittings

- Material: ASTM A 197 Cupola Malleable Iron, 150 lb.
- Dimensions: ANSI B 16.3 Malleable Iron Threaded Fittings  
ANSI B 16.14 Ferrous Pipe Plugs, Bushings etc.  
ANSI B 16.39 Malleable Iron Threaded Pipe Unions
- Threads: ANSI B 2.1 or BS 21
- Tensile Strength: 28.4 kg/mm.min

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BPF-01	1/2" 90 Degree Elbow	50	1.28 ▲
BPF-02	3/4" 90 Degree Elbow	35	1.88 ▲
BPF-03	1" 90 Degree Elbow	20	2.84 ▲
BPF-04	1/2" 45 Degree Elbow	50	1.28 ▲
BPF-05	3/4" 45 Degree Elbow	40	1.92 ▲
BPF-06	1" 45 Degree Elbow	20	2.84 ▲
BPF-07	1/2" Coupling	40	1.00 ▲
BPF-08	3/4" Coupling	50	1.40 ▲
BPF-09	1" Coupling	25	2.24 ▲
BPF-10	3/4" x 1/2" Reducing Coupling	60	1.80 ▲
BPF-11	1" x 1/2" Reducing Coupling	30	2.44 ▲
BPF-12	1" x 3/4" Reducing Coupling	25	2.68 ▲
BPF-13	1/2" 90 Degree Street Elbow	60	1.48 ▲
BPF-14	3/4" 90 Degree Street Elbow	35	2.08 ▲
BPF-15	1" 90 Degree Street Elbow	30	3.04 ▲
BPF-16	1/2" Tee	40	1.60 ▲
BPF-17	3/4" Tee	35	2.32 ▲
BPF-18	1" Tee	20	3.68 ▲
BPF-19	1/2" x 1/2" x 3/4" Reducing Tee	30	2.88 ▲
BPF-20	3/4" x 1/2" x 1/2" Reducing Tee	30	2.88 ▲
BPF-21	3/4" x 1/2" x 3/4" Reducing Tee	40	2.88 ▲
BPF-22	3/4" x 1/2" Hex Bushing	50	1.24 ▲
BPF-23	1" x 1/2" Hex Bushing	50	1.84 ▲
BPF-24	1" x 3/4" Hex Bushing	50	1.96 ▲
BPF-25	1/2" Cap	50	1.00 ▲
BPF-26	3/4" Cap	40	1.24 ▲
BPF-27	1" Cap	25	1.80 ▲
BPF-28	1/2" Plug	50	0.92 ▲
BPF-29	3/4" Plug	30	1.08 ▲
BPF-30	1" Plug	20	1.48 ▲
BPF-31	1/2" Union	50	5.44 ▲
BPF-32	3/4" Union	35	7.04 ▲
BPF-33	1" Union	20	8.36 ▲

## A/C Secondary Condensate Drain Pans



- Rolled edges for durability
- Ribbed bottoms for rigidity
- Reinforced corners for strength

(SEE PAGE 17)

## Black Steel Welded Nipples



- ASTM A-120 (NOM-B-10)
- Sch 40
- 700 PSI test pressure
- Welded Steel

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BPN-1	1/2" x CL Black Welded Nipple	10	0.96 ▲
BPN-2	1/2" x 1-1/2" Black Welded Nipple	10	1.00 ▲
BPN-3	1/2" x 2" Black Welded Nipple	10	1.04 ▲
BPN-4	1/2" x 2-1/2" Black Welded Nipple	10	1.08 ▲
BPN-5	1/2" x 3" Black Welded Nipple	10	1.28 ▲
BPN-6	1/2" x 3-1/2" Black Welded Nipple	10	1.40 ▲
BPN-7	1/2" x 4" Black Welded Nipple	10	1.52 ▲
BPN-8	1/2" x 4-1/2" Black Welded Nipple	10	1.68 ▲
BPN-9	1/2" x 5" Black Welded Nipple	10	1.84 ▲
BPN-10	1/2" x 5-1/2" Black Welded Nipple	10	2.08 ▲
BPN-11	1/2" x 6" Black Welded Nipple	10	2.24 ▲
BPN-12	1/2" x 7" Black Welded Nipple	10	3.36 ▲
BPN-13	1/2" x 8" Black Welded Nipple	10	3.68 ▲
BPN-14	1/2" x 9" Black Welded Nipple	10	3.84 ▲
BPN-15	1/2" x 10" Black Welded Nipple	10	4.12 ▲
BPN-16	1/2" x 11" Black Welded Nipple	10	4.36 ▲
BPN-17	1/2" x 12" Black Welded Nipple	10	4.92 ▲
BPN-18	3/4" x CL Black Welded Nipple	10	1.28 ▲
BPN-19	3/4" x 1-1/2" Black Welded Nipple	10	1.36 ▲
BPN-20	3/4" x 2" Black Welded Nipple	10	1.44 ▲
BPN-21	3/4" x 2-1/2" Black Welded Nipple	10	1.52 ▲
BPN-22	3/4" x 3" Black Welded Nipple	10	1.68 ▲
BPN-23	3/4" x 3-1/2" Black Welded Nipple	10	1.96 ▲
BPN-24	3/4" x 4" Black Welded Nipple	10	2.08 ▲
BPN-25	3/4" x 4-1/2" Black Welded Nipple	10	2.24 ▲
BPN-26	3/4" x 5" Black Welded Nipple	10	2.48 ▲
BPN-27	3/4" x 5-1/2" Black Welded Nipple	10	2.68 ▲
BPN-28	3/4" x 6" Black Welded Nipple	10	2.92 ▲
BPN-29	3/4" x 7" Black Welded Nipple	10	4.08 ▲
BPN-30	3/4" x 8" Black Welded Nipple	10	4.56 ▲
BPN-31	3/4" x 9" Black Welded Nipple	10	4.88 ▲
BPN-32	3/4" x 10" Black Welded Nipple	10	5.20 ▲
BPN-33	3/4" x 11" Black Welded Nipple	10	5.52 ▲
BPN-34	3/4" x 12" Black Welded Nipple	10	5.76 ▲
BPN-35	1" x CL Black Welded Nipple	10	1.84 ▲
BPN-37	1" x 2" Black Welded Nipple	10	2.00 ▲
BPN-38	1" x 2-1/2" Black Welded Nipple	10	2.08 ▲
BPN-39	1" x 3" Black Welded Nipple	10	2.28 ▲
BPN-40	1" x 3-1/2" Black Welded Nipple	10	2.52 ▲
BPN-41	1" x 4" Black Welded Nipple	10	2.76 ▲
BPN-42	1" x 4-1/2" Black Welded Nipple	10	3.00 ▲
BPN-43	1" x 5" Black Welded Nipple	10	3.20 ▲
BPN-44	1" x 5-1/2" Black Welded Nipple	10	3.52 ▲
BPN-45	1" x 6" Black Welded Nipple	10	3.84 ▲
BPN-46	1" x 7" Black Welded Nipple	10	5.00 ▲
BPN-47	1" x 8" Black Welded Nipple	10	5.60 ▲
BPN-48	1" x 9" Black Welded Nipple	10	6.20 ▲
BPN-49	1" x 10" Black Welded Nipple	10	6.52 ▲
BPN-50	1" x 11" Black Welded Nipple	10	7.16 ▲
BPN-51	1" x 12" Black Welded Nipple	10	7.80 ▲
BPN-A12	1/2" Black Welded Nipple Assortment Pack	66	84.12
BPN-A34	3/4" Black Welded Nipple Assortment Pack	66	108.56
BPN-A1	1" Black Welded Nipple Assortment Pack	60	139.84

# Copper Fittings

## 90 Degree Ell C x C\*

CATALOG NO.	O.D. SIZE	I.D. SIZE	STANDARD PACK	PRICE/EACH
C235-0002	3/8	1/4	25	2.32 ▲
C235-0025	1/2	3/8	25	2.32 ▲
C235-0050	5/8	1/2	100	0.80 ▲
C235-0090	3/4	5/8	25	4.72 ▲
C235-0100	7/8	3/4	25	1.72 ▲
C235-0150	1-1/8	1	10	4.20 ▲
C235-0215	1-3/8	1-1/4	50	6.36 ▲
C235-0295	1-5/8	1-1/2	35	9.92 ▲
C235-0390	2-1/8	2	17	17.96 ▲



## 90 Degree Street Ell Ftg. x C\*

C254-0002	3/8	1/4	25	4.20 ▲
C254-0025	1/2	3/8	25	2.84 ▲
C254-0050	5/8	1/2	25	1.16 ▲
C254-0090	3/4	5/8	25	4.92 ▲
C254-0100	7/8	3/4	25	2.52 ▲
C254-0150	1-1/8	1	10	6.36 ▲
C254-0215	1-3/8	1-1/4	50	9.64 ▲
C254-0295	1-5/8	1-1/2	35	12.64 ▲
C254-0390	2-1/8	2	18	27.52 ▲



## 90 Degree Long Turn Ell C x C\*

C242-0001	1/4	1/8	25	4.52 ▲
C242-0002	3/8	1/4	25	3.60 ▲
C242-0025	1/2	3/8	25	4.32 ▲
C242-0050	5/8	1/2	25	3.84 ▲
C242-0090	3/4	5/8	25	4.16 ▲
C242-0100	7/8	3/4	10	5.28 ▲
C242-0150	1-1/8	1	10	7.60 ▲
C242-0215	1-3/8	1-1/4	35	12.08 ▲
C242-0295	1-5/8	1-1/2	25	16.20 ▲
C242-0390	2-1/8	2	12	42.68 ▲



## Street Ell Ftg. x C\*

C272-0002	3/8	1/4	25	4.16 ▲
C272-0025	1/2	3/8	25	7.84 ▲
C272-0050	5/8	1/2	25	5.60 ▲
C272-0090	3/4	5/8	25	6.60 ▲
C272-0100	7/8	3/4	10	6.68 ▲
C272-0150	1-1/8	1	10	10.84 ▲
C272-0215	1-3/8	1-1/4	35	16.00 ▲
C272-0295	1-5/8	1-1/2	25	22.24 ▲



## 45 Degree Ell C x C\*

C290-0002	3/8	1/4	25	4.52 ▲
C290-0025	1/2	3/8	25	3.64 ▲
C290-0050	5/8	1/2	25	1.44 ▲
C290-0090	3/4	5/8	25	7.00 ▲
C290-0100	7/8	3/4	25	2.44 ▲
C290-0150	1-1/8	1	10	6.12 ▲
C290-0215	1-3/8	1-1/4	60	8.32 ▲
C290-0295	1-5/8	1-1/2	40	9.96 ▲
C290-0390	2-1/8	2	18	16.72 ▲



## Street 45 Degree Ftg. x C\*

C295-0002	3/8	1/4	25	6.36 ▲
C295-0025	1/2	3/8	25	4.32 ▲
C295-0050	5/8	1/2	25	1.68 ▲
C295-0090	3/4	5/8	25	10.52 ▲
C295-0100	7/8	3/4	25	2.52 ▲
C295-0150	1-1/8	1	10	8.12 ▲
C295-0215	1-3/8	1-1/4	60	10.20 ▲
C295-0295	1-5/8	1-1/2	40	12.52 ▲
C295-0390	2-1/8	2	18	19.80 ▲



\*All copper fittings are certified to ANSI/NSF 61

## Coupling (Socket) w/Rolled Tube Stop C x C\*



CATALOG NO.	O.D. SIZE	I.D. SIZE	STANDARD PACK	PRICE/EACH
C165-0002	3/8	1/4	25	0.60 ▲
C165-0025	1/2	3/8	25	0.76 ▲
C165-0050	5/8	1/2	25	0.60 ▲
C165-0090	3/4	5/8	25	1.72 ▲
C165-0100	7/8	3/4	25	1.44 ▲
C165-0150	1-1/8	1	10	2.36 ▲
C165-0215	1-3/8	1-1/4	100	4.16 ▲
C165-0295	1-5/8	1-1/2	60	5.20 ▲
C165-0390	2-1/8	2	40	9.04 ▲

## Reducer Coupling w/Stop C x C\*



C165-0007	3/8 X 1/4	1/4 X 1/8	25	3.80 ▲
C165-0032	1/2 X 3/8	3/8 X 1/4	25	1.20 ▲
C165-0058	5/8 X 1/2	1/2 X 3/8	25	1.20 ▲
C165-0059	5/8 X 3/8	1/2 X 1/4	25	1.32 ▲
C165-0093	3/4 X 5/8	5/8 X 1/2	25	2.92 ▲
C165-0094	3/4 X 1/2	5/8 X 3/8	25	3.44 ▲
C165-0149	7/8 X 3/4	3/4 X 5/8	25	2.12 ▲
C165-0107	7/8 X 5/8	3/4 X 1/2	25	2.12 ▲
C165-0159	1-1/8 X 7/8	1 X 3/4	10	3.80 ▲
C165-1498	1-1/8 X 3/4	1 X 5/8	10	4.08 ▲
C165-0222	1-3/8 X 1-1/8	1-1/4 X 1	100	5.36 ▲
C165-0303	1-5/8 X 1-3/8	1-1/2 X 1-1/4	100	8.80 ▲
C165-0304	1-5/8 X 1-1/8	1-1/2 X 1	100	8.80 ▲
C165-0398	2-1/8 X 1-5/8	2 X 1-1/2	50	13.72 ▲
C165-0399	2-1/8 X 1-3/8	2 X 1-1/4	50	13.72 ▲

## Fitting Reducer Coupling Ftg. x C\*



C410-0007	3/8 X 1/4	1/4 X 1/8	25	1.68 ▲
C410-0032	1/2 X 3/8	3/8 X 1/4	25	1.72 ▲
C410-0033	1/2 X 1/4	3/8 X 1/8	25	1.96 ▲
C410-0058	5/8 X 1/2	1/2 X 3/8	25	1.40 ▲
C410-0059	5/8 X 3/8	1/2 X 1/4	25	1.40 ▲
C410-0149	7/8 X 3/4	3/4 X 5/8	25	2.12 ▲
C410-0107	7/8 X 5/8	3/4 X 1/2	25	2.12 ▲
C410-0159	1-1/8 X 7/8	1 X 3/4	10	3.36 ▲
C410-1498	1-1/8 X 3/4	1 X 5/8	25	3.64 ▲
C410-0160	1-1/8 X 5/8	1 X 1/2	10	3.76 ▲
C410-0161	1-1/8 X 1/2	1 X 3/8	20	3.92 ▲
C410-0222	1-3/8 X 1-1/8	1-1/4 X 1	100	5.80 ▲
C410-0223	1-3/8 X 7/8	1-1/4 X 3/4	100	5.80 ▲
C410-0224	1-3/8 X 5/8	1-1/4 X 1/2	100	5.80 ▲
C410-0303	1-5/8 X 1-3/8	1-1/2 X 1-1/4	100	7.68 ▲
C410-0304	1-5/8 X 1-1/8	1-1/2 X 1	100	7.68 ▲
C410-0305	1-5/8 X 7/8	1-1/2 X 3/4	100	7.68 ▲
C410-0306	1-5/8 X 5/8	1-1/2 X 1/2	100	7.68 ▲
C410-0398	2-1/8 X 1-5/8	2 X 1-1/2	50	14.32 ▲
C410-0399	2-1/8 X 1-3/8	2 X 1-1/4	50	14.32 ▲
C410-0400	2-1/8 X 1-1/8	2 X 1	50	14.32 ▲

## Male Adapter C x M\*



C101-0005	3/8 X 1/2	1/4 X 1/2	50	4.20 ▲
C101-0007	3/8 X 1/8	1/4 X 1/8	50	6.76 ▲
C101-0025	1/2 X 3/8	3/8 X 3/8	25	4.04 ▲
C101-0050	5/8 X 1/2	1/2 X 1/2	25	1.68 ▲
C101-0057	5/8 X 3/4	1/2 X 3/4	25	4.72 ▲
C101-0058	5/8 X 3/8	1/2 X 3/8	50	4.08 ▲
C101-0100	7/8 X 3/4	3/4 X 3/4	25	2.64 ▲
C101-0150	1-1/8 X 1	1 X 1	10	6.92 ▲
C101-0159	1-1/8 X 3/4	1 X 3/4	10	10.20 ▲
C101-0215	1-3/8 X 1-1/4	1-1/4 X 1-1/4	10	10.20 ▲
C101-0222	1-3/8 X 1	1-1/4 X 1	10	15.28 ▲
C101-0295	1-5/8 X 1-1/2	1-1/2 X 1-1/2	10	11.72 ▲
C101-0390	2-1/8 X 2	2 X 2	5	19.80 ▲

\*All copper fittings are certified to ANSI/NSF 61

## Female Adapters C x F\*

CATALOG NO.	O.D. SIZE	I.D. SIZE	STANDARD PACK	PRICE/ EACH
C105-0025	1/2 X 3/8	3/8 X 3/8	25	5.28 ▲
C105-0050	5/8 X 1/2	1/2 X 1/2	50	2.56 ▲
C105-0057	5/8 X 3/4	1/2 X 3/4	10	5.48 ▲
C105-0058	5/8 X 3/8	1/2 X 3/8	25	4.04 ▲
C105-0059	5/8 X 1/4	1/2 X 1/4	50	4.04 ▲
C105-0100	7/8 X 3/4	3/4 X 3/4	10	3.48 ▲
C105-0107	7/8 X 1/2	3/4 X 1/2	25	5.48 ▲
C105-0150	1-1/8 X 1	1 X 1	10	8.08 ▲
C105-0159	1-1/8 X 3/4	1 X 3/4	25	11.72 ▲
C105-0215	1-3/8 X 1-1/4	1-1/4 X 1-1/4	10	11.72 ▲
C105-0295	1-5/8 X 1-1/2	1-1/2 X 1-1/2	10	18.36 ▲
C105-0390	2-1/8 X 2	2 X 2	1	24.88 ▲

## Cap\*

C154-0002	3/8	1/4	25	0.76 ▲
C154-0025	1/2	3/8	25	1.16 ▲
C154-0050	5/8	1/2	25	0.60 ▲
C154-0090	3/4	5/8	25	1.24 ▲
C154-0100	7/8	3/4	25	1.04 ▲
C154-0150	1-1/8	1	10	2.36 ▲
C154-0215	1-3/8	1-1/4	200	3.32 ▲
C154-0295	1-5/8	1-1/2	140	4.80 ▲
C154-0390	2-1/8	2	60	8.80 ▲

## Unions C x Brass\*

C657-0025	1/2	3/8	100	13.72 ▲
C657-0050	5/8	1/2	50	7.84 ▲
C657-0100	7/8	3/4	100	9.92 ▲
C657-0150	1-1/8	1	50	17.48 ▲

## Tee C x C x C\*

C460-0002	3/8	1/4	25	5.04 ▲
C460-0025	1/2	3/8	25	3.84 ▲
C460-0050	5/8	1/2	50	1.32 ▲
C460-0090	3/4	5/8	25	8.36 ▲
C460-0100	7/8	3/4	20	3.20 ▲
C460-0150	1-1/8	1	10	9.64 ▲
C460-0215	1-3/8	1-1/4	35	14.72 ▲
C460-0295	1-5/8	1-1/2	20	20.36 ▲
C460-0390	2-1/8	2	10	31.76 ▲

## Reducing Tee C x C x C\*

C460-0058	5/8 X 5/8 X 1/2	1/2 X 1/2 X 3/8	25	6.68 ▲
C460-0107	7/8 X 7/8 X 5/8	3/4 X 3/4 X 1/2	10	3.08 ▲
C460-0117	7/8 X 5/8 X 7/8	3/4 X 1/2 X 3/4	10	3.76 ▲
C460-0159	1-1/8 X 1-1/8 X 7/8	1 X 1 X 3/4	10	9.64 ▲
C460-0160	1-1/8 X 1-1/8 X 5/8	1 X 1 X 1/2	10	9.64 ▲
C460-0222	1-3/8 X 1-3/8 X 1-1/8	1-1/4 X 1-1/4 X 1	40	14.32 ▲
C460-0223	1-3/8 X 1-3/8 X 7/8	1-1/4 X 1-1/4 X 3/4	50	14.32 ▲
C460-0303	1-5/8 X 1-5/8 X 1-3/8	1-1/2 X 1-1/2 X 1-1/4	25	15.12 ▲
C460-0304	1-5/8 X 1-5/8 X 1-1/8	1-1/2 X 1-1/2 X 1	30	15.12 ▲
C460-0305	1-5/8 X 1-5/8 X 7/8	1-1/2 X 1-1/2 X 3/4	35	15.12 ▲
C460-0398	2-1/8 X 2-1/8 X 1-5/8	2 X 2 X 1-1/2	10	23.96 ▲
C460-0399	2-1/8 X 2-1/8 X 1-3/8	2 X 2 X 1-1/4	15	23.96 ▲

## U-Type Strap\*

C947-0025	1/2	3/8	100	0.52 ▲
C947-0050	5/8	1/2	100	0.56 ▲
C947-0100	7/8	3/4	100	0.76 ▲
C947-0150	1-1/8	1	100	0.80 ▲
C947-0215	1-3/8	1-1/4	100	1.04 ▲
C947-0295	1-5/8	1-1/2	100	1.12 ▲
C947-0390	2-1/8	2	100	1.20 ▲

\*All copper fittings are certified to ANSI/NSF 61

# Cements, Sealants, Adhesives



## PVC Cement – Clear

PVC Cement is clear. All cans have brush-top applicator.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-14	1/4 Pint – Oatey #31012	24	5.96 ▲
5-12	1/2 Pint – Oatey #31013	24	8.88 ▲
5-10	1 Pint – Oatey #31014	24	15.32 ▲



## All-purpose Clear Cement for ABS, PVC and CPVC Pipe and Fittings

Heavy-bodied clear cement recommended for use on ABS, PVC, and CPVC pipe and fittings up to 12" in diameter. Flows freely and provides a thick layer of cement on the pipe. Apply at temperatures 40° to 90°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30818	Clear Cement – 4 oz.	24	6.88 ▲
530-30821	Clear Cement – 8 oz.	24	11.00 ▲
530-30834	Clear Cement – 16 oz.	24	20.44 ▲



## PVC Gray Cement for High Efficiency Furnaces, Vent and Make-Up Air

Medium-bodied gray colored cement for use on Sch. 40 conduit, drain waste, and vent pipe. Flows freely and covers with a thicker layer than regular PVC. Can be applied at temperatures 40° to 100°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30883	Gray Cement – 4 oz.	24	7.12 ▲
530-30884	Gray Cement – 8 oz.	24	10.36 ▲
530-30885	Gray Cement – 16 oz.	24	18.00 ▲

NSF and UPC listed. Exceeds ASTM D-2564.



## Purple Primer for PVC Pipe and Fittings (Black Label)

Recommended for all PVC and CPVC installations – all sizes/schedules. Purple tinted primer formulated to remove surface dirt and grease as well as soften the pipe surface to allow for a fast, secure and permanent solvent weld. For use in areas where codes call for primer verification.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30755	Purple Primer – 4 oz.	24	6.96 ▲
530-30756	Purple Primer – 8 oz.	24	10.08 ▲
530-30757	Purple Primer – 16 oz.	24	19.56 ▲

NSF and UPC listed. Exceeds ASTM F-656.



## Heavy Duty PVC Cement

Heavy bodied clear cement recommended for use on PVC pipe and fittings up to 12" in diameter for Sch. 40 and Sch. 80 potable water pressure pipe, gas, conduit, drain waste and vent pipe. Exceeds ASTM D-2564.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30850	Heavy Duty Cement – 4 oz.	24	8.08 ▲
530-30863	Heavy Duty Cement – 8 oz.	24	11.68 ▲
530-30876	Heavy Duty Cement – 16 oz.	24	19.00 ▲

## Rain-R-Shine Blue Cement



Medium bodied blue colored cement for PVC pipe and fittings up to 6 inches in diameter. A very fast setting cement formulated for wet conditions and/or when quick pressurization and fast installation is needed. Exceeds ASTM D-2654.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30890	4 oz. Rain-R-Shine cement	24	7.28 ▲
530-30891	8 oz. Rain-R-Shine cement	24	12.00 ▲
530-30893	16 oz. Rain-R-Shine cement	24	20.04 ▲

## All Weather PVC Cement



Medium bodied cement for PVC pipe and fittings up to 6'. Formulated for fast initial set-up from 10°F. to 100°F. Exceeds ASTM D-2564.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-31132	16 oz. All Weather Cement	24	24.52 ▲
530-31133	32 oz. All Weather Cement	12	36.04 ▲

## Pro-Air Duct Sealant – UL 181 AM-BM Listed



Water-based fiber-reinforced duct sealant/mastic formulated for indoor/outdoor use. Meets U.L. Class 1 rating and local codes while featuring long term flexibility and strength. Use on metal heating, ventilating, and air conditioning duct systems; as well as fiberglass duct board systems and flex duct systems. Recommended for use to 10" of water column pressure without the need for fiberglass mesh reinforcement.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
800-008	1/10 Gallon Tube	12	7.04 ▲
800-009	1 Gallon	4	50.60 ▲

## DiversiGum Sealing Compound



Non-hardening. For plugging openings through foundations or around refrigeration tube entry.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-202-1	1 lb. Slug	24	5.12 ▲
6-202-2	2 lb. Slug	20	9.68 ▲
AG-25	3/8" x 25' Caulking Cord	12	15.00 ▲



## Caulkers

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-100	Caulker – Super Ratchet Type	12	20.96 ▲
7-200	Caulk Gun – Standard Duty	12	7.24

## Silicone Sealant

Food grade 100% RTV Silicone Sealant. Can be used in applications for continuous use to 450°F. UV and water resistant. Long-term flexibility. Non-paintable. Available in 10.3 fl. oz. tube for use in standard caulk gun or in 3 fl. oz. squeeze tube.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-4000	Clear Silicone Sealant 10.3 fl. oz. Tube	12	11.36 ▲
7-4001	Clear Silicone Sealant 3 fl. oz. Squeeze Tube	36	6.84 ▲
7-4100	White Silicone Sealant 10.3 fl. oz. Tube	12	11.36 ▲
7-4101	White Silicone Sealant 3 fl. oz. Squeeze Tube	36	6.84 ▲
7-4200	Aluminum Silicone Sealant 10.3 fl. oz. Tube	12	11.36 ▲

## High Temp Red Silicone Sealant



A one part non-slumping paste that cures to a tough, rubbery solid at room temperature. Formulated to perform at temperatures ranging from -85°F to 500°F for continuous operation, and to 600°F for intermittent exposure. Tack free cure time – 15 minutes. Full cure time – 24 hours.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-4300	High Temp Red Silicone Sealant – 10.1 oz. Cartridge	12	19.28 ▲

## 25 Year Acrylic Latex Painter's Caulk



For both interior and exterior use. DiversiTech's 25 Year Acrylic Latex Painter's Caulk forms a tough, paintable resilient bond to all building material surfaces. Excellent resistance to water, weathering and moisture vapor.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-4500	Acrylic Latex Caulk – White 10.1 oz. Cartridge	12	4.28 ▲
7-4400	Acrylic Latex Caulk – Clear 10.1 oz. Cartridge	12	5.96 ▲

## Foam Products, Sealants, Adhesives

### Foam Sealant – One Component



One component closed-cell expanding polyurethane foam sealant for lineal caulking applications. Air-moisture cure. Tack free in 20 minutes; fully cured in 12 hours. Paintable. Use for insulating and sealing around windows, doors, pipes, ducts and vents. Non-toxic when cured. Paint to protect from UV exposure. "R" value 4.7 (1" thickness). Foam contains fire retarding chemical and is U.L. Listed but not rated as a firestop product. Environmental concerns have led us to replace CFC's and HCFC's with hydrocarbon material in our one component foam products. See instructions on each product to ensure safe use and quality results.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
01714	Foam 12 oz. can – Yields 275' (3/8" bead)	12	14.56 ▲
01724	Foam 20 oz. can – Yields 460' (3/8" bead)	12	28.32 ▲

### Foam Sealant – Two Component



Two component closed-cell expanding polyurethane foam sealant for cavity filling, surface coating and insulation applications. Rapid chemical cure (Component A and Component B). Tack free in 2 minutes, fully cured in 20 minutes. Use for insulation repairs in refrigerated enclosures. Spray coat and insulate tanks, pipes, tubs and panels. Non-toxic when cured. Paint to protect from UV exposure. "R" value 5 (1" thickness). Kits include dispensing nozzles, hose and flow control mechanism. Foam contains fire retarding chemicals and is U.L. Listed but is not rated as a firestop product.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
10012	Foam – 2 Kit – 12 bd. ft. Kit – Yields 1 cu. ft.	12	70.72 ▲
10180	Foam – 2 Kit – 180 bd. ft. Kit – Yields 15 cu. ft.	1	1,092.00 ▲
10600	Foam – 2 Kit – 600 bd. ft. Kit – Yields 50 cu. ft.	1	2,552.16 ▲

### Special! Firestop Products for Class A Buildings



U.L. Classified. Code Approved. Seal penetrations of plumbing, refrigeration and AC lines, ducts, vents and electrical cable through fire-rated floors, walls and ceilings. Easy-to-use, non-shrinking, non-toxic and permanently flexible. Blocks fire, gas, smoke, air and water migration. Use ceramic fiber filler together with putty or caulk for thick penetrations. Technical bulletins available.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
16491	Firestop Caulk – Red – 10.3 fl. oz. cartridge	10	51.20 ▲



## Geocel Caulking Sealant

Exceptional bonding and sealing caulk for interior and exterior applications involving seams, joints, ductwork, flashing and any similar use. Excellent adhesion to virtually any surface (metals, fiberglass, wood, concrete, brick and most plastics) even if moisture is present. Resealable, paintable, flexible. Will not crack, chip or peel. Specially formulated for the HVACR industry. "Brush Grade" Geocel is a thinner viscosity co-polymer sealant which may be applied with a brush to form a flexible, waterproof seal/coating for roofs, walls, ducts, drain pans and other related applications.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
18001	Geocel Sealant – 11 oz. cartridge – Clear	24	12.64 ▲
18002	Geocel Sealant – 11 oz. cartridge – White	24	12.64 ▲
18003	Geocel Sealant – 11 oz. cartridge – Aluminum	24	12.64 ▲
18004	Geocel Sealant – 11 oz. cartridge – Brown	24	12.64 ▲
18005	Geocel Sealant – 11 oz. cartridge – Black	24	12.64 ▲
19101	Geocel Sealant (Brush Grade) – 1 gal. can – Clear	4	93.60 ▲
19102	Geocel Sealant (Brush Grade) – 1 gal. can – White	4	93.60 ▲



## Pro-Air Industrial Grade Spray Adhesive

A clear, pressure sensitive aerosol adhesive with exceptional tack and shear strength characteristics. An excellent choice for most permanent adhesive applications: duct liner and wrap, sheet aluminum, fiberglass insulation board, and much more. The aerosol package offers a specially designed web spray pattern for even, controlled distribution. Flammability meets aerosol flame extension test requirements. Coverage is approximately 90-100 square feet per pound.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
315-20	Spray Adhesive – 12 oz	12	10.96 ▲
GP1-12BL	Spray Adhesive – 12 lb Disposable Cylinder	1	326.28 ▲
GP1-40BL	Spray Adhesive – 38 lb Disposable Cylinder	1	726.00 ▲
GN-23H	Spray Gun	1	404.80 ▲
SH-06	6' Spray Hose	1	147.84 ▲
SH-12	12' Spray Hose	1	205.04 ▲

## DiversiTech's Condensate Pumps

- 22' of lift standard versus 20' from other pumps
- Metal Hang Tabs for easy mounting
- Overflow Safety Switch
- Pan Pill Dispenser
- Indicator Lights show pump status
- Durable Float made of foamed polyethylene
- Four Inlets versus two or three on other pumps

**NEW**



(SEE PAGE 18)

# Thermostat Guards

DiversiTech offers a full line of industry-standard Thermostat Guards. Each guard is manufactured to precise tolerances. Available in both clear plastic as well as a heavy-duty steel design.



## 585-TG

- The perfect guard for most applications
- Clear plastic
- Ring Base and Solid Base included
- T-Stat Clearance 8-1/4" x 4-1/2" x 3-1/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG	Clear Plastic w/Two Bases	1	28.48



## 585-TG1

- The perfect guard for standard size wall T-Stats
- Clear plastic
- Ring Base and Solid Base included
- T-Stat Clearance 5-3/4" x 3-1/2" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG1	Clear Plastic w/Two Bases	1	28.08



## 585-TG2

- Medium in size
- Clear plastic
- Ring Base and Solid Base included
- T-Stat Clearance 4-3/4" x 4-1/4" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG2	Clear Plastic w/Two Bases	1	27.24



## 585-TG3

- Our most versatile guard in a solid steel construction
- Beige Steel
- Solid Base included
- T-Stat Clearance 6" x 4" x 3"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG3	Beige Steel w/Solid Base	1	37.44



## 585-TG4

- Our most versatile guard in a solid steel construction
- Beige Steel
- Ring Base included
- T-Stat Clearance 6" x 4" x 3"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG4	Beige Steel w/Ring Base	1	37.44



### **585-TG5**

- Compact design
- Ideal for pneumatic T-Stats as well as small T-Stats
- Solid Base included
- T-Stat Clearance 3-1/2" x 3-1/4" x 2-1/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG5	Clear Plastic w/Solid Base	1	22.68



### **585-TG6**

- Low Profile design
- Clear plastic
- Engineered for electronic thermostats
- Ring Base and Solid Base included
- T-Stat Clearance 6-1/4" x 3-3/4" x 1-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG6	Clear Plastic w/Two Bases	1	26.40



### **585-TG7**

- Our most versatile guard in solid steel
- Beige Steel
- Solid Base included
- T-Stat Clearance 5-1/2" x 3-1/2" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG7	Steel Guard w/Solid Base	1	38.28



### **585-TG8**

- The most secure guard in our line
- Constructed of 20 gauge steel
- Extremely strong and tamper proof
- Hinged, Ring Base included
- T-Stat Clearance 5" x 3" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG8	Steel Guard w/Ring Base	1	38.28



### **585-TG9**

- Combination of the 585-TG3 and 585-TG4
- Contains both Ring and Solid bases

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG9	Steel Guard w/Two Bases	1	41.80

## **Cross Reference**

DIVERSITECH PART NO.	BEKO PART NO.	BRAMEC PART NO.	MARS PART NO.
585-TG	BTG-UK2	13012	70220
585-TG1	BTG-RK	13016	70210
585-TG2	BTG-K	13008	70205
585-TG3	BTG-UM	13010	70223
585-TG4	BTG-UWM	13011	70224
585-TG5	BTG-EK	13004	70201
585-TG6	BTG-DK	13018	70217
585-TG7	BTG-54VL	13002	70215
585-TG8	BTG-54VLW	13001	70216

# Stranded Copper THHN Wire

UL, 600 V, 90°C Stranded THHN wire. 19 strand copper. Part numbers in parentheses.



CLEAR DISPENSER PACK	STANDARD PACK	PRICE/ROLL
<b>08 Gauge 10 ft THHN Wire in Clear Dispenser Pack</b> Black (W801), Red (W802), Green (W803), Blue (W804), White (W805)	1 Roll	
<b>10 Gauge 10 ft THHN Wire in Clear Dispenser Pack</b> Black (W101), Red (W102), Green (W103), Blue (W104), White (W105)	1 Roll	CALL
<b>12 Gauge 15 ft THHN Wire in Clear Dispenser Pack</b> Black (W121), Red (W122), Green (W123), Blue (W124), White (W125)	1 Roll	FOR
<b>14 Gauge 20 ft THHN Wire in Clear Dispenser Pack</b> Black (W141), Red (W142), Green (W143), Blue (W144), White (W145)	1 Roll	QUOTE



50 FT. SPOOL	STANDARD PACK	PRICE/SPOOL
<b>08 Gauge 50 ft Spool</b> Black (W801-50), Red (W802-50), Green (W803-50), Blue (W804-50), White (W805-50)	1 Spool	
<b>10 Gauge 50 ft Spool</b> Black (W101-50), Red (W102-50), Green (W103-50), Blue (W104-50), White (W105-50)	1 Spool	CALL
<b>12 Gauge 50 ft Spool</b> Black (W121-50), Red (W122-50), Green (W123-50), Blue (W124-50), White (W125-50)	1 Spool	FOR
<b>14 Gauge 50 ft Spool</b> Black (W141-50), Red (W142-50), Green (W143-50), Blue (W144-50), White (W145-50)	1 Spool	QUOTE



100 FT. SPOOL	STANDARD PACK	PRICE/SPOOL
<b>08 Gauge 100 ft Spool</b> Black (W801-100), Red (W802-100), Green (W803-100), Blue (W804-100), White (W805-100)	1 Spool	
<b>10 Gauge 100 ft Spool</b> Black (W101-100), Red (W102-100), Green (W103-100), Blue (W104-100), White (W105-100)	1 Spool	CALL
<b>12 Gauge 100 ft Spool</b> Black (W121-100), Red (W122-100), Green (W123-100), Blue (W124-100), White (W125-100)	1 Spool	FOR
<b>14 Gauge 100 ft Spool</b> Black (W141-100), Red (W142-100), Green (W143-100), Blue (W144-100), White (W145-100)	1 Spool	QUOTE


# Terminals, Connectors



## Term Lok Compressor Repair Kit

Finally, a product that simplifies the repair of burned or damaged spade terminals when reconnecting or replacing a compressor. Fits both non-burned and burned terminals. Connects to the compressor via precision brass cylinders that fit over the terminals and connect with stainless steel set screws. Wires are permanently attached. Standard factory 600V, 65 strand machine wire. Easy to install and guaranteed for the life of the compressor.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
TLC-3-8	3 Wire, 8 Gauge Connection Kit	1	103.76 ▲
TLC-3-10	3 Wire, 10 Gauge Connection Kit	1	74.68 ▲
TLC-3-12	3 Wire, 12 Gauge Connection	1	69.40 ▲



## Replacement Compressor Leads

Extreme heat within compressors typically causes failure of wiring insulation. This can cause corrosion to the inner strands of copper within the wire used for compressor hook-up. This reduces the power flow to the compressor causing the unit to overheat and can prevent the compressor from starting. A MINIMUM of 12" of wire must be removed. The DiversiTech Replacement Compressor Leads are ideal for replacing this corroded wiring. 24" leads also available for replacing wire all the way to the contactor and capacitor.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CC33	Compressor Leads - 12" w/Butt	3	15.80
CC33-18	Compressor Leads - 18" w/Butt	3	19.80
CC33-24	Compressor Leads - 24" w/Ring	3	22.00



## Multi Color Test Leads

Easy to use multi-colored test leads. 5 colors (white, red, black, yellow, green) with 2 connections each for easy testing on the job. Wire is 18 gauge, 18" long.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CT800	Multi Color Test Leads	1	16.40



## Test Leads

Alligator clips are covered by pure vinyl boots for flexibility at any temperature without cracking.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FTL3	Pair, Red and Black - 36"	1	15.00
FTL3D	Pair, Red and Black - 36" - Super Heavy Duty	1	23.00
ACK4	Two Red and Two Black Boots with Four Alligator Clips	1	9.00

## Butt Connectors – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
B211	Butt Connector 22-18 W	18	4.00
B211C	Butt Connector 22-18 W	100	19.40
B222	Butt Connector 16-14 W	18	4.00
B222C	Butt Connector 16-14 W	100	19.40
B233	Butt Connector 12-10 W	11	4.00
B233C	Butt Connector 12-10 W	100	31.80
BA22	Butt Connectors Assorted	16	4.00
BS22	Splice Connectors 18-14 W	10	4.00

## Special Disconnects



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DMM2	Double Male Insulated .250	4	4.00
DMM2C	Double Male Insulated .250	100	83.40
DS20	Stud Adapter #8, .250	15	4.00
DS20C	Stud Adapter #8, .250	100	16.00
DS21	Stud Adapter #10, .250	20	4.00
DS21C	Stud Adapter #10, .250	100	16.00
DS22	F/M Piggyback 16-14 W. .250	10	4.00
DS22C	F/M Piggyback 16-14 W. .250	100	32.00
DS23	F/M Piggyback .250 (Volkswagen)	20	4.00
DS23C	F/M Piggyback .250 (Volkswagen)	100	16.00
DS24	F/M Wire Piggyback 16-14 W. .250	5	4.00
DS24C	F/M Wire Piggyback 16-14 W. .250	100	46.00
DS224	F/M Wire Piggyback Insulated 16-14 W. .250	6	4.00
DS224C	F/M Wire Piggyback Insulated 16-14 W. .250	100	55.80
DS25	Stud Adapter .250, #6 Screw	5	4.00
DS25C	Stud Adapter .250, #6 Screw	100	72.20
DS26	Double Male Screw Mount Connector	5	4.00
DS26C	Double Male Screw Mount Connector	100	68.40
DS27	F/M Open Barrel Piggyback	8	4.00
DS27C	F/M Open Barrel Piggyback	100	42.00
DSC3	F/M Piggyback .250 (Chair)	7	4.00
DSC3C	F/M Piggyback .250 (Chair)	100	47.40
DXF1	Female Disconnect Full Ins. 22-18 W. .250	10	4.00
DXF1C	Female Disconnect Full Ins. 22-18 W. .250	100	43.00
DXF2	Female Disconnect Full Ins. 16-14 W. .250	10	4.00
DXF2C	Female Disconnect Full Ins. 16-14 W. .250	100	43.00
DXF3	Female Disconnect Full Ins. 12-10 W. .250	7	4.00
DXF3C	Female Disconnect Full Ins. 12-10 W. .250	100	47.40
DXM1	Male Disconnect Full Ins. 22-18 W. .250	10	4.00
DXM1C	Male Disconnect Full Ins. 22-18 W. .250	100	43.00
DXM2	Male Disconnect Full Ins. 16-14 W. .250	10	4.00
DXM2C	Male Disconnect Full Ins. 16-14 W. .250	100	43.00
DXM3	Male Disconnect Full Ins. 12-10 W. .250	7	4.00
DXM3C	Male Disconnect Full Ins. 12-10 W. .250	100	47.40

## Flag Disconnects



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FD11	Flag Disconnect 22-18 W. .187	25	4.00
FD11C	Flag Disconnect 22-18 W. .187	100	13.20
FD12	Flag Disconnect 22-18 W. .250	25	4.00
FD12C	Flag Disconnect 22-18 W. .250	100	13.20
FD21	Flag Disconnect 16-14 W. .187	25	4.00
FD21C	Flag Disconnect 16-14 W. .187	100	13.80
FD22	Flag Disconnect 16-14 W. .250	25	4.00
FD22C	Flag Disconnect 16-14 W. .250	100	13.80
FD32	Flag Disconnect 12-10 W. .250	10	4.00
FD32C	Flag Disconnect 12-10 W. .250	100	33.40
FD211	Full Insulated Flag Disconnect 22-18 W. .187	6	4.00
FD211C	Full Insulated Flag Disconnect 22-18 W. .187	100	62.20
FD212	Full Insulated Flag Disconnect 22-18 W. .250	6	4.00
FD212C	Full Insulated Flag Disconnect 22-18 W. .250	100	62.20
FD221	Full Insulated Flag Disconnect 16-14 W. .187	6	4.00
FD221C	Full Insulated Flag Disconnect 16-14 W. .187	100	62.20
FD222	Full Insulated Flag Disconnect 16-14 W. .250	6	4.00
FD222C	Full Insulated Flag Disconnect 16-14 W. .250	100	62.20



## Flag Rings

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FR22	Flag Ring 16-14 W. 10 S.	20	4.00
FR22C	Flag Ring 16-14 W. 10 S.	100	16.40



## Grommets – Vinyl (By Panel Hole Size)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
GV04	1/4" Grommets	18	4.00
GV05	5/16" Grommets	15	4.00
GV06	3/8" Grommets	13	4.00
GV07	7/16" Grommets	12	4.00
GV08	1/2" Grommets	12	4.00
GV10	5/8" Grommets	7	4.00
GV12	3/4" Grommets	3	4.00
GV14	7/8" Grommets	4	4.00
GV16	1" Grommets	4	4.00
GVA1	Assorted Grommets – Small	15	4.00
GVA2	Assorted Grommets – Large	5	4.00

Sizes shown above also available in 100 packs.

## Hook Terminals – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
H211	Hook, 22-18 W, 8 Stud	14	4.00
H211C	Hook, 22-18 W, 8 Stud	100	22.00
H212	Hook, 22-18 W, 10 S	14	4.00
H212C	Hook, 22-18 W, 10 S	100	22.00
H221	Hook, 16-14 W, 8 Stud	14	4.00
H221C	Hook, 16-14 W, 8 Stud	100	22.00
H222	Hook, 16-14 W, 10 S	14	4.00
H222C	Hook, 16-14 W, 10 S	100	22.00
H231	Hook, 12-10 W, 8 Stud	10	4.00
H231C	Hook, 12-10 W, 8 Stud	100	29.80
H232	Hook, 12-10 W, 10 S	10	4.00
H232C	Hook, 12-10 W, 10 S	100	29.80

## Heat Shrink Tubing – Polyolefin 50% Shrink Commercial Grade – Black



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
HS03	3/16" I.D. Expanded – 4" Long	8	4.00
HS03B	3/16" I.D. Expanded – Per Foot	Bulk	1.08
HS04	1/4" I.D. Expanded – 4" Long	7	4.00
HS04B	1/4" I.D. Expanded – Per Foot	Bulk	1.32
HS06	3/8" I.D. Expanded – 4" Long	6	4.00
HS06B	3/8" I.D. Expanded – Per Foot	Bulk	1.48
HS08	1/2" I.D. Expanded – 4" Long	5	4.00
HS08B	1/2" I.D. Expanded – Per Foot	Bulk	2.00
HS012	3/4" I.D. Expanded – 4" Long	4	4.00
HS012B	3/4" I.D. Expanded – Per Foot	Bulk	2.68
HS16	1" I.D. Expanded – 4" Long	3	4.00
HS16B	1" I.D. Expanded – Per Foot	Bulk	4.08
HS24	1.5" I.D. Expanded – Per Foot	Bulk	8.00
HS32	2" I.D. Expanded – Per Foot	Bulk	12.00
HSA1	Assorted 3/16, 1/4, 3/8" – 4" Long	7	4.00
HSA2	Assorted 1/2, 3/4, 1" – 4" Long	4	4.00

Available in lengths up to 250 ft. Use bulk price for any length of any size.

## Rings – Butted Seam – Not Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R010	Ring 22-18 W. 6 Stud	30	4.00
R010C	Ring 22-18 W. 6 Stud	100	10.80
R011	Ring 22-18 W. 8 Stud	30	4.00
R011C	Ring 22-18 W. 8 Stud	100	10.80
R012	Ring 22-18 W. 10 Stud	30	4.00
R012C	Ring 22-18 W. 10 Stud	100	10.80
R013	Ring 22-18 W. 1/4 Stud	20	4.00
R013C	Ring 22-18 W. 1/4 Stud	100	15.80
R014	Ring 22-18 W. 5/16 Stud	20	4.00
R014C	Ring 22-18 W. 5/16 Stud	100	15.80
R015	Ring 22-18 W. 3/8 Stud	20	4.00
R015C	Ring 22-18 W. 3/8 Stud	100	15.80
R020	Ring 16-14 W. 6 Stud	30	4.00
R020C	Ring 16-14 W. 6 Stud	100	10.80
R021	Ring 16-14 W. 8 Stud	30	4.00
R021C	Ring 16-14 W. 8 Stud	100	10.80
R022	Ring 16-14 W. 10 Stud	30	4.00
R022C	Ring 16-14 W. 10 Stud	100	10.80
R023	Ring 16-14 W. 1/4 Stud	20	4.00
R023C	Ring 16-14 W. 1/4 Stud	100	15.80
R024	Ring 16-14 W. 5/16 Stud	20	4.00
R024C	Ring 16-14 W. 5/16 Stud	100	15.80
R025	Ring 16-14 W. 3/8 Stud	20	4.00
R025C	Ring 16-14 W. 3/8 Stud	100	15.80
R030	Ring 12-10 W. 6 Stud	20	4.00
R030C	Ring 12-10 W. 6 Stud	100	15.80
R031	Ring 12-10 W. 8 Stud	20	4.00
R031C	Ring 12-10 W. 8 Stud	100	15.80
R032	Ring 12-10 W. 10 Stud	20	4.00
R032C	Ring 12-10 W. 10 Stud	100	15.80
R033	Ring 12-10 W. 1/4 Stud	15	4.00
R033C	Ring 12-10 W. 1/4 Stud	100	22.60
R034	Ring 12-10 W. 5/16 Stud	15	4.00
R034C	Ring 12-10 W. 5/16 Stud	100	22.60
R035	Ring 12-10 W. 3/8 Stud	15	4.00
R035C	Ring 12-10 W. 3/8 Stud	100	22.60

## Rings – Brazed Seam – Not Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R042	Ring 8 W. 10 Stud	5	4.00
R042C	Ring 8 W. 10 Stud	100	61.40
R043	Ring 8 W. 1/4 Stud	5	4.00
R043C	Ring 8 W. 1/4 Stud	100	61.40
R044	Ring 8 W. 5/16 Stud	5	4.00
R044C	Ring 8 W. 5/16 Stud	100	61.40
R045	Ring 8 W. 3/8 Stud	5	4.00
R045C	Ring 8 W. 3/8 Stud	100	61.40
R052	Ring 6 W. 10 Stud	3	4.00
R052C	Ring 6 W. 10 Stud	100	95.80
R053	Ring 6 W. 1/4 Stud	3	4.00
R053C	Ring 6 W. 1/4 Stud	100	95.80
R054	Ring 6 W. 5/16 Stud	3	4.00
R054C	Ring 6 W. 5/16 Stud	100	95.80
R055	Ring 6 W. 3/8 Stud	3	4.00
R055C	Ring 6 W. 3/8 Stud	100	95.80
R056	Ring 6 W. 1/2 Stud	2	4.00
R056C	Ring 6 W. 1/2 Stud	100	139.60

## Rings – Butted Seam – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R210	Ring 22-18 W. 6 Stud	16	4.00
R210C	Ring 22-18 W. 6 Stud	100	20.40
R211	Ring 22-18 W. 8 Stud	16	4.00
R211C	Ring 22-18 W. 8 Stud	100	20.40
R212	Ring 22-18 W. 10 Stud	16	4.00
R212C	Ring 22-18 W. 10 Stud	100	20.40
R213	Ring 22-18 W. 1/4 Stud	12	4.00
R213C	Ring 22-18 W. 1/4 Stud	100	27.80
R214	Ring 22-18 W. 5/16 Stud	12	4.00
R214C	Ring 22-18 W. 5/16 Stud	100	27.80
R215	Ring 22-18 W. 3/8 Stud	12	4.00
R215C	Ring 22-18 W. 3/8 Stud	100	27.80
R220	Ring 16-14 W. 6 Stud	16	4.00
R220C	Ring 16-14 W. 6 Stud	100	20.40
R221	Ring 16-14 W. 8 Stud	16	4.00
R221C	Ring 16-14 W. 8 Stud	100	20.40
R222	Ring 16-14 W. 10 Stud	16	4.00
R222C	Ring 16-14 W. 10 Stud	100	20.40
R223	Ring 16-14 W. 1/4 Stud	12	4.00
R223C	Ring 16-14 W. 1/4 Stud	100	27.80
R224	Ring 16-14 W. 5/16 Stud	12	4.00
R224C	Ring 16-14 W. 5/16 Stud	100	27.80
R225	Ring 16-14 W. 3/8 Stud	12	4.00
R225C	Ring 16-14 W. 3/8 Stud	100	27.80
R230	Ring 12-10 W. 6 Stud	12	4.00
R230C	Ring 12-10 W. 6 Stud	100	27.80
R231	Ring 12-10 W. 8 Stud	12	4.00
R231C	Ring 12-10 W. 8 Stud	100	27.80
R232	Ring 12-10 W. 10 Stud	12	4.00
R232C	Ring 12-10 W. 10 Stud	100	27.80
R233	Ring 12-10 W. 1/4 Stud	10	4.00
R233C	Ring 12-10 W. 1/4 Stud	100	32.40
R234	Ring 12-10 W. 5/16 Stud	10	4.00
R234C	Ring 12-10 W. 5/16 Stud	100	32.40
R235	Ring 12-10 W. 3/8 Stud	10	4.00
R235C	Ring 12-10 W. 3/8 Stud	100	32.40

## Rings – Brazed Seam – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R242	Ring 8 W. 10 Stud	4	4.00
R242C	Ring 8 W. 10 Stud	100	81.60
R243	Ring 8 W. 1/4 Stud	4	4.00
R243C	Ring 8 W. 1/4 Stud	100	81.60
R244	Ring 8 W. 5/16 Stud	4	4.00
R244C	Ring 8 W. 5/16 Stud	100	81.60
R245	Ring 8 W. 3/8 Stud	4	4.00
R245C	Ring 8 W. 3/8 Stud	100	81.60
R252	Ring 6 W. 10 Stud	3	4.00
R252C	Ring 6 W. 10 Stud	100	108.80
R253	Ring 6 W. 1/4 Stud	3	4.00
R253C	Ring 6 W. 1/4 Stud	100	108.80
R254	Ring 6 W. 5/16 Stud	3	4.00
R254C	Ring 6 W. 5/16 Stud	100	109.80
R255	Ring 6 W. 3/8 Stud	3	4.00
R255C	Ring 6 W. 3/8 Stud	100	109.80
R256	Ring 6 W. 1/2 Stud	3	4.00
R256C	Ring 6 W. 1/2 Stud	100	125.00
RSA2	Rings and Spades Assorted	15	4.00

## Spade Terminals – Not Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
S010	Spade 22-18 W. 6 Stud	30	4.00
S010C	Spade 22-18 W. 6 Stud	100	10.80
S011	Spade 22-18 W. 8 Stud	30	4.00
S011C	Spade 22-18 W. 8 Stud	100	10.80
S012	Spade 22-18 W. 10 Stud	30	4.00
S012C	Spade 22-18 W. 10 Stud	100	10.80
S020	Spade 16-14 W. 6 Stud	30	4.00
S020C	Spade 16-14 W. 6 Stud	100	10.80
S021	Spade 16-14 W. 8 Stud	30	4.00
S021C	Spade 16-14 W. 8 Stud	100	10.80
S022	Spade 16-14 W. 10 Stud	30	4.00
S022C	Spade 16-14 W. 10 Stud	100	10.80
S030	Spade 12-10 W. 6 Stud	22	4.00
S030C	Spade 12-10 W. 6 Stud	100	15.80
S031	Spade 12-10 W. 8 Stud	22	4.00
S031C	Spade 12-10 W. 8 Stud	100	15.80
S032	Spade 12-10 W. 10 Stud	22	4.00
S032C	Spade 12-10 W. 10 Stud	100	15.80

## Spade Terminals – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
S210	Spade 22-18 W. 6 Stud	16	4.00
S210C	Spade 22-18 W. 6 Stud	100	20.40
S211	Spade 22-18 W. 8 Stud	16	4.00
S211C	Spade 22-18 W. 8 Stud	100	20.40
S212	Spade 22-18 W. 10 Stud	16	4.00
S212C	Spade 22-18 W. 10 Stud	100	20.40
S220	Spade 16-14 W. 6 Stud	16	4.00
S220C	Spade 16-14 W. 6 Stud	100	20.40
S221	Spade 16-14 W. 8 Stud	16	4.00
S221C	Spade 16-14 W. 8 Stud	100	20.40
S222	Spade 16-14 W. 10 Stud	16	4.00
S222C	Spade 16-14 W. 10 Stud	100	20.40
S230	Spade 12-10 W. 6 Stud	12	4.00
S230C	Spade 12-10 W. 6 Stud	100	27.80
S231	Spade 12-10 W. 8 Stud	12	4.00
S231C	Spade 12-10 W. 8 Stud	100	27.80
S232	Spade 12-10 W. 10 Stud	12	4.00
S232C	Spade 12-10 W. 10 Stud	100	27.80

## Snap Spade Terminals – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
SS210C	Spade 22-18 W. 6 Stud	100	21.60
SS211C	Spade 22-18 W. 8 Stud	100	21.60
SS212C	Spade 22-18 W. 10 Stud	100	21.60
SS220C	Spade 16-14 W. 6 Stud	100	21.60
SS221C	Spade 16-14 W. 8 Stud	100	21.60
SS222C	Spade 16-14 W. 10 Stud	100	21.60
SS230C	Spade 12-10 W. 6 Stud	100	31.80
SS231C	Spade 12-10 W. 8 Stud	100	31.80
SS232C	Spade 12-10 W. 10 Stud	100	31.80

## Block Spades – 0.20 Wide To Fit Terminal Blocks



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
SN010	Uninsulated, 22-18 W. 6 Stud	30	4.00
SN010C	Uninsulated, 22-18 W. 6 Stud	100	10.80
SN020	Uninsulated, 16-14 W. 6 Stud	30	4.00
SN020C	Uninsulated, 16-14 W. 6 Stud	100	10.80
SN210	Insulated, 22-18 W. 6 Stud	16	4.00
SN210C	Insulated, 22-18 W. 6 Stud	100	20.40
SN220	Insulated 16-14 W. 6 Stud	16	4.00
SN220C	Insulated 16-14 W. 6 Stud	100	20.40

## Disconnects – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
D210	Female Disconnect 22-18 W. 0.110 (1/8")	16	4.00
D210C	Female Disconnect 22-18 W. 0.110 (1/8")	100	20.40
D211	Female Disconnect 22-18 W. 0.187 (3/16")	16	4.00
D211C	Female Dis29p4.928connect 22-18 W. 0.187 (3/16")	100	20.40
D212	Female Disconnect 22-18 W. 0.250 (1/4")	16	4.00
D212C	Female Disconnect 22-18 W. 0.250 (1/4")	100	20.40
D220	Female Disconnect 16-14 W. 0.110 (1/8")	16	4.00
D220C	Female Disconnect 16-14 W. 0.110 (1/8")	100	20.40
D221	Female Disconnect 16-14 W. 0.187 (3/16")	16	4.00
D221C	Female Disconnect 16-14 W. 0.187 (3/16")	100	20.40
D222	Female Disconnect 16-14 W. 0.250 (1/4")	16	4.00
D222C	Female Disconnect 16-14 W. 0.250 (1/4")	100	20.40
D232	Female Disconnect 12-10 W. 0.250	12	4.00
D232C	Female Disconnect 12-10 W. 0.250	100	25.80
D233	Female Disconnect 12-10 W. 0.375 (3/8")	6	4.00
D233C	Female Disconnect 12-10 W. 0.375 (3/8")	100	52.80
DM11	Male Disconnect 22-18 W. 0.187 (3/16")	16	4.00
DM11C	Male Disconnect 22-18 W. 0.187(3/16")	100	21.80
DM12	Male Disconnect 22-18 W. 0.250	16	4.00
DM12C	Male Disconnect 22-18 W. 0.250	100	20.40
DM21	Male Disconnect 16-14 W. 0.187	16	4.00
DM21C	Male Disconnect 16-14 W. 0.187	100	20.40
DM22	Male Disconnect 16-14 W. 0.250	16	4.00
DM22C	Male Disconnect 16-14 W. 0.250	100	20.40
DM32	Male Disconnect 12-10 W. 0.250	12	4.00
DM32C	Male Disconnect 12-10 W. 0.250	100	25.80
DA22	Assorted Female Disconnects	18	4.00

## Compressor Terminals



The only terminals recommended for the wiring of compressors. Made from a phosphorous bronze material to allow for a very tight grip while allowing full current flow.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CC32	Compressor Terminals .250	6	4.00
CC32C	Compressor Terminals .250	100	51.80

## Alligator Clips



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ACK4	Two Red and Two Black Boots w/4 Clips	1	9.00

## Disconnects – Not Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
D010	Female Disconnect 22-18 W. 0.110 (1/8")	30	4.00
D010C	Female Disconnect 22-18 W. 0.110 (1/8")	100	11.20
D011	Female Disconnect 22-18 W. 0.187 (3/16")	30	4.00
D011C	Female Disconnect 22-18 W. 0.187 (3/16")	100	11.20
D012	Female Disconnect 22-18 W. 0.250 (1/4")	30	4.00
D012C	Female Disconnect 22-18 W. 0.250 (1/4")	100	11.20
D021	Female Disconnect 16-14 W. 0.187	30	4.00
D021C	Female Disconnect 16-14 W. 0.187	100	11.20
D022	Female Disconnect 16-14 W. 0.250	30	4.00
D022C	Female Disconnect 16-14 W. 0.250	100	11.20
D032	Female Disconnect 12-10 W. 0.250	25	4.00
D032C	Female Disconnect 12-10 W. 0.250	100	13.60
D033	Female Disconnect 12-10 W. 0.375 (3/8")	10	4.00
D033C	Female Disconnect 12-10 W. 0.375 (3/8")	100	33.20
D0M11	Male Disconnect 22-18 W. 0.187	25	4.00
D0M11C	Male Disconnect 22-18 W. 0.187	100	11.20
D0M12	Male Disconnect 22-18 W. 0.250	30	4.00
D0M12C	Male Disconnect 22-18 W. 0.250	100	11.20
D0M22	Male Disconnect 16-14 W. 0.250	30	4.00
D0M22C	Male Disconnect 16-14 W. 0.250	100	11.20
D0M32	Male Disconnect 12-10 W. 0.250	25	4.00
D0M32C	Male Disconnect 12-10 W. 0.250	100	13.60

## Hose Clamps



Partial stainless, worm drive, adjustable. 300 series stainless steel 1/2" band with plated 5/16" slotted hex head screw and housing. Recommended for most applications. 100% interlock construction features one-piece housing which directly locks into the band. Spot weld free design.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-4H	No. 4, 7/32" – 5/8" diameter, 3/16" – 5/16" hose I.D.	10	1.16 ▲
B-6H	No. 6, 3/8" – 7/8" diameter, 1/4" – 3/8" hose I.D.	10	1.16 ▲
B-8H	No. 8, 7/16" – 1" diameter, 5/16" – 1/2" hose I.D.	10	1.16 ▲
B-10H	No. 10, 9/16" – 1-1/16" diameter, 3/8" – 5/8" hose I.D.	10	1.16 ▲
B-12H	No. 12, 9/16" – 1-1/4" diameter, 5/8" – 3/4" hose I.D.	10	1.28 ▲
B-16H	No. 16, 11/16" – 1-1/2" diameter, 3/4" – 1" hose I.D.	10	1.28 ▲
B-20H	No. 20, 3/4" – 1-3/4" diameter, 1" – 1-1/4" hose I.D.	10	1.28 ▲
B-24H	No. 24, 1-1/16" – 2" diameter, 1-1/4" – 1-1/2" hose I.D.	10	1.28 ▲
B-28H	No. 28, 1-5/16" – 2-1/4" diameter, 1-1/4" – 1-3/4" hose I.D.	10	1.28 ▲
B-32H	No. 32, 1-9/16" – 2-1/2" diameter, 1-1/2" – 2" hose I.D.	10	1.28 ▲
B-36H	No. 36, 1-13/16" – 2-3/4" diameter, 1-3/4" – 2-1/4" hose I.D.	10	1.28 ▲

## Heavy Duty Peghooks



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
4-PH	4" Without Vinyl Safety Tip	10	0.48
4-PHT	4" With Vinyl Safety Tip	10	0.56
6-PH	6" Without Vinyl Safety Tip	10	0.60
6-PHT	6" With Vinyl Safety Tip	10	0.68
8-PH	8" Without Vinyl Safety Tip	10	0.76
8-PHT	8" With Vinyl Safety Tip	10	0.84
10-PH	10" Without Vinyl Safety Tip	10	0.92
10-PHT	10" With Vinyl Safety Tip	10	1.00
12-PH	12" Without Vinyl Safety Tip	10	1.08
12-PHT	12" With Vinyl Safety Tip	10	1.16



## Generic Re-Order Tags

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
GRT100	Generic Re-Order Tags	100	20.00

## High Temperature Terminals

DiversiTech high temperature terminals are made of nickel plated steel. The nickel plating prevents rust and provides a good electrical conductivity. They tolerate temperatures up to 900°F and withstand vibration well.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
BH11	Butt Connectors 22-18 W.	20	4.00
BH11C	Butt Connectors 22-18 W.	100	14.20
BH22	Butt Connectors 16-14 W.	20	4.00
BH22C	Butt Connectors 16-14 W.	100	14.20
BH33	Butt Connectors 12-10 W.	18	4.00
BH33C	Butt Connectors 12-10 W.	100	17.60
DH11	Female Disconnects 22-18 W. 0.187 (3/8")	20	4.00
DH11C	Female Disconnects 22-18 W. 0.187 (3/8")	100	17.40
DH12	Female Disconnects 22-18 W. 0.250 (1/4")	20	4.00
DH12C	Female Disconnects 22-18 W. 0.250 (1/4")	100	17.40
DH21	Female Disconnects 16-14 W. 0.187	20	4.00
DH21C	Female Disconnects 16-14 W. 0.187	100	17.40
DH22	Female Disconnects 16-14 W. 0.250	20	4.00
DH22C	Female Disconnects 16-14 W. 0.250	100	17.40
DH32	Female Disconnects 12-10 W. 0.250	13	4.00
DH32C	Female Disconnects 12-10 W. 0.250	100	26.00
DHM12	Male Disconnects 22-18 W. 0.250	20	4.00
DHM12C	Male Disconnects 22-18 W. 0.250	100	14.00
DHM21	Male Disconnects 16-14 W. 0.187 (3/8")	20	4.00
DHM21C	Male Disconnects 16-14 W. 0.187 (3/8")	100	14.00
DHM22	Male Disconnects 16-14 W. 0.250	20	4.00
DHM22C	Male Disconnects 16-14 W. 0.250	100	14.00
FH22	Flag Disconnects 16-14 W. 0.250	18	4.00
FH22C	Flag Disconnects 16-14 W. 0.250	100	19.60
FH32	Flag Disconnects 12-10 W. 0.250	12	4.00
FH32C	Flag Disconnects 12-10 W. 0.250	100	27.00
HTA2	Assorted Hi-Temp Terminals	20	4.00
RH10	Ring 22-18 W. 6 Stud	22	4.00
RH10C	Ring 22-18 W. 6 Stud	100	13.40
RH11	Ring 22-18 W. 8 Stud	22	4.00
RH11C	Ring 22-18 W. 8 Stud	100	13.40
RH12	Ring 22-18 W. 10 Stud	22	4.00
RH12C	Ring 22-18 W. 10 Stud	100	13.40
RH13	Ring 22-18 W. 1/4 Stud	22	4.00
RH13C	Ring 22-18 W. 1/4 Stud	100	16.40
RH20	Ring 16-14 W. 6 Stud	22	4.00
RH20C	Ring 16-14 W. 6 Stud	100	13.40
RH21	Ring 16-14 W. 8 Stud	22	4.00
RH21C	Ring 16-14 W. 8 Stud	100	13.40
RH22	Ring 16-14 W. 10 Stud	22	4.00
RH22C	Ring 16-14 W. 10 Stud	100	13.40

## High Temperature Terminals

DiversiTech high temperature terminals are made of nickel plated steel. The nickel plating prevents rust and provides a good electrical conductivity. They tolerate temperatures up to 900°F and withstand vibration well.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
RH23	Ring 16-14 W. 1/4 Stud	18	4.00
RH23C	Ring 16-14 W. 1/4 Stud	100	17.80
RH30	Ring 12-10 W. 6 Stud	15	4.00
RH30C	Ring 12-10 W. 6 Stud	100	20.60
RH31	Ring 12-10 W. 8 Stud	15	4.00
RH31C	Ring 12-10 W. 8 Stud	100	20.60
RH32	Ring 12-10 W. 10 Stud	15	4.00
RH32C	Ring 12-10 W. 10 Stud	100	20.60
RH33	Ring 12-10 W. 1/4 Stud	15	4.00
RH33C	Ring 12-10 W. 1/4 Stud	100	23.00
RH34	Ring 12-10 W. 5/16 Stud	15	4.00
RH34C	Ring 12-10 W. 5/16 Stud	100	23.00
RH35	Ring 12-10 W. 3/8 Stud	15	4.00
RH35C	Ring 12-10 W. 3/8 Stud	100	23.00
RH43	Ring, 8 Wire, 1/4 Stud	4	4.00
RH55	Ring, 6 Wire, 3/8 Stud	3	4.00
RH65	Ring, 4 Wire, 3/8 Stud	2	4.00
SH12	Spade 22-18 W. 10 Stud	22	4.00
SH12C	Spade 22-18 W. 10 Stud	100	12.00
SH22	Spade 16-14 W. 10 Stud	22	4.00
SH22C	Spade 16-14 W. 10 Stud	100	12.00
SH32	Spade 12-10 W. 10 Stud	22	4.00
SH32C	Spade 12-10 W. 10 Stud	100	20.60

## White Nylon Wire Ties



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WT04	Wire Ties, 4" Nylon	40	4.00
WT04C	Wire Ties, 4" Nylon	100	5.12
WT05	Wire Ties, 5" Nylon	35	4.00
WT05C	Wire Ties, 5" Nylon	100	8.00
WT07	Wire Ties, 7" Nylon	30	4.00
WT07C	Wire Ties, 7" Nylon	100	8.80
WT11	Wire Ties, 11" Nylon	15	4.00
WT11C	Wire Ties, 11" Nylon	100	18.00
WT15	Wire Ties, 15" Nylon	12	4.00
WT15C	Wire Ties, 15" Nylon	100	25.00
WTA1	Wire Ties, Assorted 4", 7" and 11"	30	4.00

## Black Nylon Wire Ties

Ultraviolet resistant for outdoor use.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTB05	Black Nylon Ties, 5"	35	4.00
WTB05C	Black Nylon Ties, 5"	100	8.32
WTB07	Black Nylon Ties, 7"	30	4.00
WTB07C	Black Nylon Ties, 7"	100	9.20
WTB11	Black Nylon Ties, 11"	15	4.00
WTB11C	Black Nylon Ties, 11"	100	21.00
WTB15	Black Nylon Ties, 15"	12	4.00
WTB15C	Black Nylon Ties, 15"	100	24.60
WTBA1	Wire Ties, Assorted 4", 7" and 11"	28	4.00



## Wire Tie Mounts

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTM1	Wire Tie Mounts – Adhesive Back	4	4.00
WTM1C	Wire Tie Mounts – Adhesive Back	100	66.00
WTM2	Wire Tie Mounts – #8 Screw	7	4.00
WTM2C	Wire Tie Mounts – #8 Screw	100	35.40

## White Nylon Ties w/Mounting Hole

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTM05	Wire Ties, 5" w/Mounting Hole	13	4.00
WTM05C	Wire Ties, 5" w/Mounting Hole	100	23.20
WTM07	Wire Ties, 7" w/Mounting Hole	11	4.00
WTM07C	Wire Ties, 7" w/Mounting Hole	100	29.80
WTM11	Wire Ties, 11" w/Mounting Hole	6	4.00
WTM11C	Wire Ties, 11" w/Mounting Hole	100	54.20
WTM14	Wire Ties, 14" w/Mounting Hole	5	4.00
WTM14C	Wire Ties, 14" w/Mounting Hole	100	64.60

## Black Nylon Ties w/Mounting Hole

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTMB05	Wire Ties, 5" w/Mounting Hole	12	4.00
WTMB05C	Wire Ties, 5" w/Mounting Hole	100	25.60
WTMB07	Wire Ties, 7" w/Mounting Hole	10	4.00
WTMB07C	Wire Ties, 7" w/Mounting Hole	100	30.80
WTMB11	Wire Ties, 11" w/Mounting Hole	6	4.00
WTMB11C	Wire Ties, 11" w/Mounting Hole	100	59.60
WTMB14	Wire Ties, 14" w/Mounting Hole	5	4.00
WTMB14C	Wire Ties, 14" w/Mounting Hole	100	66.20

## Cable Tie Assortment Pack

Prepackaged resealable bags also suitable for hanging on peg board. Available in 7" and 11", 150 piece bags or 5", 8" and 11", 450 piece bags, black or natural. Carton with header card 14" high.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BAG
7-711	7" and 11" Natural	25 Bags	18.40
7-711-B	7" and 11" Black	25 Bags	21.00
7-5811	6", 8", and 11" Natural	30 Bags	36.00
7-5811-B	6", 8", and 11" Black	30 Bags	40.00

Minimum Loop Tensile 50 lb. Sold as complete display only.

## Wire and Cable Clamps – Nylon

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WC02	1/8" Diameter	40	4.00
WC03	3/16" Diameter	40	4.00
WC04	1/4" Diameter	35	4.00
WC05	5/16" Diameter	35	4.00
WC06	3/8" Diameter	30	4.00
WC07	7/16" Diameter	30	4.00
WC08	1/2" Diameter	25	4.00
WC09	9/16" Diameter	20	4.00
WC10	5/8" Diameter	20	4.00
WC12	3/4" Diameter	15	4.00
WC14	7/8" Diameter	15	4.00
WC16	1" Diameter	14	4.00
WCA1	Cable Clamps, Assorted, 1/8" to 1"	26	4.00

All the above sizes are available in 100 pk's.





## Compartmented Storage Boxes

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
MB21	21 Compartmented Metal Box	1	50.00
MB22	21 Compartmented Metal Box w/230 of the most popular items including hi-temp and compressor terminals, nylon ties and clamps	1	100.00



## Transparent Plastic Boxes

Boxes are made of soft, pliable, durable K-resin with 18 compartments containing the most popular terminals, including hi-temp and compressor terminals.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PA10	180 Terminals (10 Each Kind)	1	60.00
PA25	450 Terminals (25 Each Kind)	1	104.00
PA25AP	Appliance Parts Technician Assortment – Mostly Hi-Temp	1	104.00
PA18	"K" Resin Plastic Box Only	1	20.00

## High Temperature Wire, 400°F, 600 V.

7 strand tin coated copper wire with silicone rubber insulation protected by a braided fiberglass jacket. Use on the front of all gas furnaces with spark ignition because of flame roll-out on start up. Also on all power feeds to electric strip and duct heaters. Also used on all heat producing food preparation equipment.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
WHT20	14 gauge, 10 ft. black, 10 ft. white	1	26.40 ▲
WHTB14-50	14 gauge, black, 50 ft.	1	66.00 ▲
WHTR14-50	14 gauge, red, 50 ft.	1	66.00 ▲
WHTW14-50	14 gauge, white, 50 ft.	1	66.00 ▲
WHTB12-20	12 gauge, black, 20 ft.	1	33.00 ▲
WHTB12-50	12 gauge, black, 50 ft.	1	82.52 ▲
WHTB10-20	10 gauge, black, 20 ft.	1	50.60 ▲
WHTB10-50	10 gauge, black, 50 ft.	1	126.52 ▲



## Upfront Stripper

Serrated plier nose for pulling and looping wire. Precision ground stripping stations for stripping 20-10 AWG wire. Features: scissors-type cutter, automatic spring return, handle lock, and air pocket cushion grips. Made in USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
450-15E	Stripper w/lock	1	21.20 ▲



## Ergonomic Cutter

Snub nose, high leverage wire cutter. Features scissors action, spring return and air pocket cushion grips. Heat treated, precision ground blades. Made in the U.S.A.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
450-39E	Ergonomic Cutter	1	21.36 ▲

# Wire Connectors



## Wire Connectors – Contractor Packs

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
C222	Closed End Connectors 22-14 W	18	4.00
C222C	Closed End Connectors 22-14 W	100	22.00
C223	Closed End Connectors 18-10 W	15	4.00
C223C	Closed End Connectors 18-10 W	100	30.00
C241	Wire Connectors – Blue	20	4.00
C243	Wire Connectors – Orange	15	4.00
C245	Wire Connectors – Yellow	13	4.00
C247	Wire Connectors – Red	10	4.00
C312	Winged Wire Connectors – Yellow, 3 - #12	13	4.00
C312L	Winged Wire Connectors – Yellow, 3 - #12	50	13.80
C512	Winged Wire Connectors – Red, 5 - #12	10	4.00
C512L	Winged Wire Connectors – Red, 5 - #12	50	18.20

## Wire Connectors – Screw-On

Color-coded wire connectors make quick, secure connections for positive continuity. Tough, high-dielectric thermoplastic shell resists chemical action from hydrocarbons, dilute acid or alkaline solutions and features deep skirt design to prevent exposure of bare wire.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
623-001	Gray, Size 71B, #22 to #16 AWG, 300V Max.	100/Box	8.80
623-002	Blue, Size 72B, #22 to #16 AWG, 300V Max.	100/Box	9.60
623-003	Orange, Size 73B, #22 to #14 AWG, 600V Max.	100/Box	11.96
623-004	Yellow, Size 74B, #18 to #10 AWG, 600V Max.	100/Box	12.80
623-005	Red, Size 76B, #18 to #10 AWG, 600V Max.	100/Box	18.80

U.L. Listed. CSA Approved.

## Wire Connectors – Winged

Wings give surer grip and offset center design provides great twisting leverage. Expandable square-wire spring instantly adjusts to the shape and size to create a strong, vibration-resistant connection. Same superior shell as screw-on type.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
623-000	Lg. Gray, Size 78B, #14 to #8 AWG, 600V Max.	50/Box	18.00
623-006	Yellow, Size 84, #22 to #10 AWG, 600V Max.	100/Box	14.00
623-007	Red, Size 86, #18 to #10 AWG, 600V Max.	100/Box	21.00
623-008	Blue, Size 88, #10 to #6, 600V Max.	50/Box	22.00

U.L. Listed. C.S.A. Approved.

## Porcelain Wire Connectors

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CPN1	Small	15	4.00
CPN1C	Small	100	24.00
CPN2	Medium	10	3.80
CPN2C	Medium	100	28.00
CPN3	Large	10	4.00
CPN3C	Large	100	34.00



# Thermometers



IRT-2



IRT-4



IRT-6

## Infrared Thermometers

These Infrared Thermometers deliver exceptional performance at a great price. Upgraded temperature range, optical performance, and accuracy. Each comes with a carrying case, battery and wrist strap.

Key Features	IRT-2	IRT-4	IRT-6	IRT-11
Style	Gun	Gun	Stick	Gun
Temp. Range	-4 to 500 °F	-4 to 788 °F	-4 to 788 °F	-40 to 608 °F
Distance to Spot	6:1	8:1	8:1	8:1
Laser Target	Yes	Yes	Yes	Yes
°F and °C Selectable	Yes	Yes	No	Yes
Raytek Cross Reference	MT2	MT4U	ST20XX	ST30XX

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
IRT-2	Economy Gun Style Infrared Thermometer	1	188.00
IRT-4	Gun Style Infrared Thermometer	1	243.00
IRT-6	Stick Style Infrared Thermometer	1	245.80
IRT-11	Negative Range Infrared Thermometer	1	280.00



## HVAC & General Purpose Infrared Thermometer

- Temperature range: -67° to 482°F; -55° to 250°C
- HVAC Infrared, Pocket Size
- Dimensions 22.5 x 60 x 104 mm
- Response Time: 1 second

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-IRT203	Infrared Thermometer	1	285.44



## Digital Psychrometer – Precision Temperature & Humidity Instrument

- Electronic Capacitance Type Polymer Film Sensor
- Microprocessor-based Design
- F/C Switch Data Hold
- Low Battery Indicator
- Memory (Min/Max)
- Wet Bulb and Dry Bulb Temperature
- Dew Point Measurement
- Accuracy: Humidity +/-5% @25°C from 10% to 90% RH
- Temperature +/- 1°C, 1°F (All temp. ranges)
- Ideal for setting up new equipment
- Batteries Included

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-SAM990DW	Digital Psychrometer	1	279.92

## Temperature/Humidity Pen – Thermo/Hygrometer

- Reads Temperature and Humidity Simultaneously
- Memory (Min/Max)
- Pocket Size w/Clip
- F/C Switch
- Reset Switch and Hold Switch
- Humidity Range: 5 to 95 RH
- Accuracy: Humidity +/-3% from 10% to 90% RH
- Temperature Range – 14°F to 122°F
- Batteries Included



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-PTH8708	Thermal Hygrometer Pen	1	140.00



## Jumbo Display – Thermo/Hygrometer

- Displays Inside Humidity and Temperature
- Jumbo Display (3" x 1.5")
- 2 Key Operation: Min/Max and Reset
- Memory for High and Low Temp. and Humidity
- Wall or Desk Mount
- Low Battery Indicator (Battery Included)
- 14°F to 122°F

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-DTH03	Jumbo Thermo/Hygrometer	1	93.60



## CFM Master II Digital Airflow/Temperature Meter – One Piece

- One Piece instrument that can record up to 8 multi point readings
- Single Hand Air Flow Measurement
- Displays: FPM MPH/KPH Knots/MPS/CFM
- 80 to 6900 FPM
- Multi Point and Single Point Average
- Data Hold, Min/Max
- Auto Power Off
- F and C Switchable (14°F to 122°F)
- Includes Hard Case

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-DCF8906	CFM Airflow Meter	1	473.20



## Superheat Thermometer w/2 Probes and Hard Case

- Single "K" Type Thermocouple Input
- 2 "K" Type Probes
- C and F Readings
- T1, T2, or T1-T2 Readings
- -58°F to 2000°F
- MAX Reading Memory
- Low Battery Indicator (Battery Included)
- Auto Power Off
- Includes Hard Case

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-DT8803	Superheat Thermometer	1	260.00



## Digital Folding Thermometer

- Min/Max
- Stainless Steel Folding Probe
- On/Off Closure
- Data Hold/Test Function
- Adjustable Probe Angle
- F/C Switch (-58° to 302°F, -50° to 150°C)
- Low Battery Indicator (Battery Included)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-PT300M	Digital Folding Thermometer	1	75.40



## Deluxe Digital Pocket Thermometer

- Water and Drop Resistant, Rugged Construction
- Data Hold
- F/C Switch
- On/Off Switch
- Auto Power Off
- 2.5" Probe
- Protective Cover w/Clip
- -40°F to 300°F, -40°C to 150°C

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-HDT303K	Deluxe Digital Thermometer	1	43.80



## Refrigeration/Freezer Thermometer

- Stainless Steel
- Hanging or Free Standing
- Round Dial
- 20°F to 80°F

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-FT80R	Refrigeration Thermometer	1	14.20



## Refrigeration/Freezer Thermometer – Bulb Type

- Horizontal Reading
- Hanging or Free Standing
- 40°F to 80°F

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-FT80H	Horizontal Refrigeration Thermometer	1	10.00

**NEW!**

## Pocket Temperature/Humidity Pen

- Temperature Range 14° to 122°F (-10° to 50°C)
- Simultaneous display of relative humidity and temperature

- Pocket size for quick and reliable measurements
- Protected Cover with pocket clip
- Batteries included

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-LAM122	Pocket Temperature/Humidity Pen	1	165.72



## Pocket Thermometers

1" diameter dials with 5" stems (.145 dia.). Adjustable for recalibration. All stainless steel construction. Polycarbonate crystal. 1% accuracy full scale. Plastic pocket sheath included. Carded.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
TD-1	Thermometer 0 +220°F	12	7.80
TD-2	Thermometer -40 +160°F	12	7.80



## Digital Thermometer

Temperature range from -40° F to 230° F. Packaged on attractive display card.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
541-300	Digital Thermometer	1	32.00



## Leak Test Gauge – 2" 30 psi Capacity

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
TG-30	3/4 FPT. Conn.	1	21.00
TG-30-1	1" FPT. Conn.	1	29.00 ▲
TG-05	3/4" FPT., 5 psi	1	48.00
TG-30-12	1/2" FPT. Conn.	1	17.60



## Audible/Visual Circuit Tester

- Contact and Non Contact Audible and Visual Indication
- Detects Hot Side
- 70 to 250 VAC
- Detects Break in Line

- Checks Fuses
- Detects the Presence of AC Voltage "Non Contact" Through Wires, Dry Wall & Wood
- 3 Position Sensitivity
- Batteries Included

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-CT500AV	Deluxe Circuit Tester	1	26.00



## LED Screwdriver Continuity Tester

- A Screwdriver/Tester You Can See!
- Self Test
- AC Voltage Test 70 to 250VAC
- Continuity Test
- Polarity Check

- Checks Fuses
- Bright Red LED
- When the tip is in direct contact with the live (HOT) part of the AC Voltage, the red LED lights up.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-ST600LED	Red LED Screwdriver	1	11.00

# Refrigerant Charging



## Insta-Charge

Faster, safer and more economical method for charging LIQUID refrigerant through the low pressure side of an air conditioning or refrigeration system, without damaging the compressor. Insta-Charge's unique internal restrictor reduces liquid flow to a level below the capacity of the compressor. Converts liquid refrigerant to a saturated vapor for fast entry. Insta-Charge connects directly to the refrigerant can or cylinder valve. Adds liquid tracing dye faster. Eliminates heating of refrigerant cylinder. Made of light weight aluminum. Sold at a fraction of the cost of other fast charging devices.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
RC-1	Insta-Charge	1	15.80



## Oil Transfer System by Gauge-Pro

A quick and easy way to change refrigerant oil with no spillage or mess. Unique hand pump creates a powerful vacuum for the transfer of oil to or from the compressor crankcase at a faster rate. Oil transfers back and forth between the compressor and waste oil tank by creating a vacuum. Oil never touches the pump, thus preventing cross contamination. Pump, durable waste oil container and all hoses are included.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
GOTS-1	1-1/4 Gallon	1	230.00
GOTS-2	2-1/2 Gallon	1	260.00
GOTS-2P	Hand Pump for GOTS-2	1	134.00
GOTS-12C	Cap with Fitting	1	46.40
GOTS-12D	5/16" Poly Tube w/Plug	1	19.60
GOTS-12H	3/8" Vinyl Hose Connection	1	30.80
GOTS-12W	Cap Washer	1	3.20

# Refrigerant Recovery Products



## Refrigerant Recovery Cylinders

DOT Classified for recovery, recycling, service and reclaim. Liquid and vapor valves ("Y" valve or separate valve configurations) are installed in all cylinders. Painted yellow/gray per ARI guidelines. Float switches have 3-pin Brad Harrison connectors.

CATALOG NO.	DESCRIPTION	DOT CLASS	3/4" NPT PLUG	FLOAT SWITCH	WATER CAP.	TARE WT.	PRICE/EACH
02033	30 lb.	4BA400	YES	NO	26.2 lbs.	17 lbs.	
02035	30 lb.	4BA400	NO	YES	26.2 lbs.	17 lbs.	
02053	50 lb.	4BA400	YES	NO	47.7 lbs.	28 lbs.	CALL
02055	50 lb.	4BA400	NO	YES	47.7 lbs.	28 lbs.	FOR
02100	100 lb.	4BW400	YES	NO	123 lbs.	48 lbs.	QUOTE
02255	250 lb.	4BW260	YES	NO	239 lbs.	85 lbs.	

**Caution:** Never overfill cylinders. Maximum refrigerant capacity is limited to 80% of the water capacity of the cylinder in lbs. (see table above). DOT requires cylinders to be retested every five years. Some recovery equipment uses weight scales to cut off refrigerant fill at 80% of capacity. Be sure cylinder tare weight is correct for this type of equipment.

**DOT Classification Example:** 4BA400: 400 psi working pressure; 800 psi test pressure (double the working pressure); 1,600 psi minimum burst pressure (double the test pressure). Pressure relief/safety valve is set to release at between 75-100% of the test pressure. For example, in the 4BA400 tanks which have a 800 psi test pressure, the relief valve opens at between 600 psi and 800 psi.

# Refrigerant Labels

## DiversiTech Refrigerant ID Labels

These 3" x 4" self-adhesive vinyl labels use a high-tack acrylic adhesive and UV cured screen printing. Color coded to conform to refrigerant labeling convention. Each label indicates the type of refrigerant (eg. R-11), the chemical name (eg. Trichloromonofluoromethane) and the UN No. (eg. UN 1078). Avoid costly mistakes by properly identifying the type of refrigerant contained in recovery cylinders and air conditioning and refrigeration equipment. Custom labels available.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
04000	Assorted Labels (12,22,502) Package of 30	30	23.80
04010	R-408A (FX10) Refrigerant ID Labels	10	10.00
04011	R-11 Refrigerant ID Labels	10	10.00
04012	R-12 Refrigerant ID Labels	10	10.00
04013	R-13 Refrigerant ID Labels	10	10.00
04022	R-22 Refrigerant ID Labels	10	10.00
04023	R-23 Refrigerant ID Labels	10	10.00
04056	R-409A (FX56) Refrigerant ID Labels	10	10.00
04113	R-113 Refrigerant ID Labels	10	10.00
04114	R-114 Refrigerant ID Labels	10	10.00
04123	R-123 Refrigerant ID Labels	10	10.00
04134	R-134a Refrigerant ID Labels	10	10.00
04401	R-401A (MP39) Refrigerant ID Labels	10	10.00
04402	R-402A (HP80) Refrigerant ID Labels	10	10.00
04404	R-404A (HP62/FX70) Refrigerant ID Labels	10	10.00
04406	R-406A (GHG) Refrigerant ID Labels	10	10.00
04407	R-407C (SUVA 9000/KLEA 66) Refrigerant ID Labels	10	10.00
04410	R-410A (AZ20) Refrigerant ID Labels	10	10.00
04451	R-401B (MP66) Refrigerant ID Labels	10	10.00
04452	R-402B (HP81) Refrigerant ID Labels	10	10.00
04500	R-500 Refrigerant ID Labels	10	10.00
04502	R-502 Refrigerant ID Labels	10	10.00
04503	R-503 Refrigerant ID Labels	10	10.00
04507	R-507 (AZ50) Refrigerant ID Labels	10	10.00
04509	R-416A Refrigerant ID Labels	10	10.00
<b>NON-FLAMMABLE GAS LABELS (4" x 4")</b>			
04700	Non Flammable Gas Labels	10	10.00
<b>EPA WARNING LABELS FOR REFRIGERANT (1" x 3")</b>			
04800	EPA Fill-In Warning Labels	10	7.00
04801	EPA Warning Labels R-11 CFC	10	7.00
04802	EPA Warning Labels R-12 CFC	10	7.00
04803	EPA Warning Labels R-22 HCFC	10	7.00
<b>SYSTEM REFRIGERANT/OIL LABELS (3" x 4")</b>			
04850	Refrigerant Removed Labels	10	10.00
04852	System Refrigerant/Oil Labels	10	10.00
<b>SYSTEM LUBRICANT IDENTIFICATION LABELS (2" x 3")</b>			
04870	Polyol Ester Oil Labels	10	10.00
04871	Mineral Oil Labels	10	10.00
04872	Alkylbenzine Oil Labels	10	10.00
04873	Polyalkylene Glycol Oil Labels	10	10.00

# Line Piercing Valves and Tools

## Insta-Tap Refrigerant Recovery Tool



The fastest, easiest way to evacuate refrigerant before disposal of a unit. Snaps onto refrigerant line for full and immediate flow. Punctures super large hole for maximum full flow discharge to recovery unit. One tool fits all sizes from 3/16" to 7/8" O.D. hard tubing. Replaceable needle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
QT-100	Insta-Tap Tool	1	72.00
QT-100N	Replaceable Hardened Steel Needle and Gasket	1	7.80
QT-100G	Replacement Gasket Only	3	0.68

## Copper Saddle Valve



For copper-to-copper brazing. Penetrates line in one easy operation with no holes to drill. Steel pin with valve core pierces line and is locked into valve body by tightening cap. Teflon ring assures positive seal. Available in sizes from 1/4" to 1-1/8".



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
VLC-4	1/4" O.D. Tube Size	6	32.76 ▲
VLC-5	5/16" O.D. Tube Size	6	32.76 ▲
VLC-6	3/8" O.D. Tube Size	6	32.76 ▲
VLC-8	1/2" O.D. Tube Size	4	23.52 ▲
VLC-10	5/8" O.D. Tube Size	3	19.56 ▲
VLC-12	3/4" O.D. Tube Size	2	14.72 ▲
VLC-14	7/8" O.D. Tube Size	2	14.72 ▲
VLC-18	1-1/8" O.D. Tube Size	2	14.72 ▲
VLC-25	Additional Teflon Rings	25	10.52 ▲

## Core Storer



All steel valve core remover and storage container. Completely knurled for easier grip, thus eliminating slippage when using with oily or greasy hands. Core Storer features a compartment for storing extra valve cores. Four replacement cores are included with each tool.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VCR-1	Core Remover and Storer	1	14.08 ▲




## Core Removal Tool

Designed to remove and replace valve cores without losing the refrigerant charge. Connects to any 1/4" male flare fitting. Saves time, saves refrigerant.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VCRT-1	Core Removal Tool	1	79.60 ▲
VCRT-1R	Extractor Rod Assembly	1	21.00 ▲
VCRT-1RK	O-Ring Kit	1	2.52 ▲
VCRT-1S	Replacement Shut Off Stem	1	21.00 ▲

## "MAC" – The Ultimate in Line Piercing Valves



Install valve. Connect charging hose. Service. That's all there is to it! MAC features uniport: 1 connection for piercing and servicing. Sealed with refrigerant resistant "O" rings. Needle automatically back seats after servicing, leaving line free of restriction. Connect to tubing with 2 socket-head screws. (Hex wrench is included with each valve.) Needle depressor is inserted into head of needle. Wing cap is turned down easily by hand until line is pierced. Wing cap is removed and system may be serviced with any charging hose with built-in depressor. When hose is removed, spring loaded needle back-seats forming a leak proof seal. Needle depressor is discarded and wing cap forms extra precautionary seal.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
QTM-1	"Mac" 1/4", 5/16", 3/8" O.D. Tube Size	36	5.64
QTM-2	"Mac" 1/2", 5/8" O.D. Tube Size	36	6.12
QTM-3	"Mac" 3/16", 1/4" O.D. Tube Size	36	7.00

## Quick-Tap



Similar to Tap-A-Line but features a valve core in the 1/4" male port. Simply pierce the line and back seat the needle. Flow starts when depressor type charging hose is connected. Flow shuts off automatically when hose is removed. If valve core is not desired, it may be removed. Connect hose, pierce line and back seat needle. This method offers full unrestricted flow. Valve core can be removed or changed at any time without loss of refrigerant if needle is front seated.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
QT-1	Quick-Tap 1/4", 5/16", 3/8" O.D. Tube Size	1	7.60
QT-2	Quick-Tap 1/2", 5/8" O.D. Tube Size	1	8.20

## Quick-Tap-2



Identical to Quick-Tap except that a nylon handle replaces the hex wrench. Phillips-head screws are used.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
QTH-1	Quick-Tap-2 1/4", 5/16", 3/8" O.D. Tube Size	1	12.20
QTH-2	Quick-Tap-2 1/2", 5/8" O.D. Tube Size	1	13.00

## Icemaker Kit



Supplies water to most refrigerators with automatic icemakers, humidifiers and evaporative coolers. Contains self-tapping valve and all necessary fittings.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-400	Icemaker Kit – Copper – 16'	1	21.12 ▲
750-401	Icemaker Kit – Poly Tube – 25'	1	13.20 ▲
750-402	Icemaker Kit – Copper – 25'	1	31.48 ▲


## Self Tapping Water Tap Valve



Installs on all copper tube lines from 3/8" O.D. to 1-1/8" O.D. Installs without shutting off water. No drilling required. Features 1/4" compression fitting. Stainless steel piercing needle. Special molded gasket seals on both tubing and valve. Will not slip or turn on tubing.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
QAV-2	Self Tapping Water Tap Valve	1	7.00

# Capillary Tubing and Driers




## Capillary Tubing

Made in the U.S.A., this high quality tubing is precision drawn so that the internal diameter is held to a tolerance of  $\pm 0.002$ . It is thoroughly dehydrated with the ends sealed. Each piece is individually packaged.

CATALOG NO.	I.D.	LENGTH	O.D.	STANDARD PACK	PRICE/PACK
CAP-26	.026	100 ft.	.072	1	
CAP-26-12	.026	12 ft.	.072	1	
CAP-31	.031	100 ft.	.083	1	
CAP-31-10	.031	10 ft.	.083	1	
CAP-36	.036	100 ft.	.087	1	
CAP-36-10	.036	10 ft.	.087	1	
CAP-42	.042	100 ft.	.093	1	
CAP-42-10	.042	10 ft.	.093	1	
CAP-44	.044	100 ft.	.109	1	
CAP-44-10	.044	10 ft.	.109	1	
CAP-49	.049	100 ft.	.099	1	
CAP-49-10	.049	10 ft.	.099	1	
CAP-50	.050	100 ft.	.114	1	
CAP-50-10	.050	10 ft.	.114	1	CALL
CAP-54	.054	100 ft.	.106	1	FOR
CAP-54-10	.054	10 ft.	.106	1	QUOTE
CAP-55	.055	100 ft.	.125	1	
CAP-55-10	.055	10 ft.	.125	1	
CAP-59	.059	100 ft.	.112	1	
CAP-59-10	.059	10 ft.	.112	1	
CAP-64	.064	100 ft.	.125	1	
CAP-64-10	.064	10 ft.	.125	1	
CAP-70	.070	100 ft.	.125	1	
CAP-70-10	.070	10 ft.	.125	1	
CAP-75	.075	100 ft.	.125	1	
CAP-75-10	.075	10 ft.	.125	1	
CAP-80	.080	100 ft.	.145	1	
CAP-80-10	.080	10 ft.	.145	1	
CAP-85	.085	100 ft.	.145	1	
CAP-85-10	.085	10 ft.	.145	1	
CAP-90	.090	100 ft.	.145	1	
CAP-90-10	.090	10 ft.	.145	1	

## Universal Spun Copper Driers

Manufactured with the latest generation Grace Davison MS-594 Molecular Sieves compatible with more than 20 different types of refrigerants, including R-134A. They can be used in all hermetic and open refrigeration systems using CFC, HCFC and HFC gases and mixes such as commercial and domestic refrigerators, freezers and air conditioners ranging from 1/8 to 2.0 HP. Hermetically sealed with extended ends.



CATALOG NO.	OUTLET	INLET	DIAMETER	LENGTH	DESSICANT GRAMS	RECOMM. R12	TONNAGE R22	STANDARD PACK	PRICE EACH
DX-3	1/4"	1/4"	3/4"	7-11/16"	10	1/3	1/2	24	4.44 ▲
DX-4	Multiple	1/4"	1"	9"	18	3/4	1-1/2	1	8.96 ▲
DXA-5	1/4"	1/4"	1"	9-1/4"	20	3/4	1-1/2	1	13.88 ▲



## Liquid Line Driers

High moisture and acid capacity. Maximum filtration capacity. Exceptional compatibility with new polyester oils. Compatible with all existing and new refrigerants and blends including 134a, 401A/B, 402A/B, 404A, 407A/B/C, 410A, 502, 507A. Spring loaded, molecular sieve and activated alumina. Solid coppersweat fittings. Powder paint exterior coating surpasses 500 hour ASTM salt spray test and resists corrosion. Eliminates concern of additive stripping. 032 MF liquid line dryer features 1/4" SAE steel female flare outlet. 500 psig design pressure (600 psig available on all models designed for R-410A applications with XH11 desiccant. Extended copper ends available (select models). Various inlet/outlet fitting combinations available U.L. listed SA3441, CSA certified LR46423.

CATALOG NO.	VIRGINIA KMP	CAPACITY	CONNECTION	PRICE/EACH
DAD032	WLD-032 Flare		1/4	17.88
DAD032S	WLD-032 Sweat		1/4	17.88
DAD052	WLD-052 Flare		1/4	18.68
DAD052S	WLD-052 Sweat		1/4	18.68
DAD053	WLD-053 Flare		3/8	18.68
DAD053	WLD-053 Sweat		3/8	18.68
DAD082	WLD-082 Flare		1/4	25.12
DAD083	WLD-083 Flare		3/8	25.12
DAD083S	WLD-083 Sweat		3/8	25.12
DAD084S	WLD-084 Sweat		1/2	25.12
DAD163	WLD-163 Flare		3/8	31.52
DAD163S	WLD-163 Sweat		3/8	31.52
DAD164	WLD-164 Flare		1/2	31.92
DAD164S	WLD-164 Sweat		1/2	32.00
DAD165	WLD-165 Flare		5/8	33.52
DAD303	WLD303 Flare		3/8	48.64
DAD303S	WLD-303 Sweat		3/8	48.64
DAD304	WLD-304 Flare		1/2	48.64
DAD304S	WLD-304 Sweat		1/2	48.64
DAD305	WLD-305 Flare		5/8	48.64
DAD305S	WLD-305 Sweat		5/8	48.64



## Suction Line Driers

Parker Hannifin developed the solid-core clean-up dryer for use in a system suction line. The compact design incorporates a large outside diameter shell, which results in a shorter lay-in length, and a larger core, which provides a greater filtration area for maximum operating efficiency.

The core material has controlled porosity which effectively removes and holds a maximum amount of contaminants with a minimum of pressure drop. It collects and holds inorganic acids and other harmful contaminants from a motor burnout. This binding process protects the core from acid decomposition.

Access valves on both the inlet and outlet sides make it easy to measure pressure accurately. Occasionally, enough contaminant matter may collect in the filter core to cause a slight pressure drop. The access valves on the SLD make it easy to determine if a pressure drop exists and to measure the amount of the drop.

The original DSLD, solid core, activated alumina suction line filter dryer. High acid capacity. Low pressure drop – exceptionally high flow rates. Designed for system clean-up. 500 hours salt spray protection. Shortest system cut-out lengths allow installation in tight areas. Two access valves simplify pressure drop measurement. Flare or solid copper sweat fittings. UL listed – File No. SA3441. CSA listed LR46423.

CATALOG NO.	VIRGINIA KMP	CAPACITY	CONNECTION	CUBIC INCH	PRICE/EACH
DSLD13-5SVHH	AL-24-55C		5/8	13	74.00
DSLD13-6SVHH	AL-30-6SC		3/4	13	76.00
DSLD27-7SVHH	AL-30-7SC		7/8	27	116.88
DSLD27-9SVHH	AL-44-9SC		1 1/8	27	117.40
DSLD54-11SVHH	AL-75-11SC		1 3/8	64	193.72
DSLD54-13SVHH	AL-75-13SC		1 5/8	54	220.48
DSLD8-3V-HH	VSD-3		3/8	8	62.64
DSLD8-4V-HH	VSD-4		1/2	8	62.88
DSS-SLD305SV	VSD-5 & S		5/8	30	56.80
DSS-SLD306SV	VSD-6 & S		3/4	30	56.40
DSS-SLD307SV	VSD-7 & S		7/8	30	58.88
DSLD8-4SV-HH	SSD-4SC		1/2	8	62.88
DSLD13-9SV-HH	SSD-9SC		1 1/8	13	91.28
DSLD305SV	SBF-5SC		5/8	30	56.08

## Bi Flow Driers



The "DBF" Series is designed specifically for heat pump or reverse cycle application. External check valves are not required since they are incorporated within the filter dryer shell. The core design filters out contaminant particles down to 25 microns. 100% copper sweat or nickel plated flare fittings. Desiccant core provides reliable and effective, removal of solid contaminants, acid and moisture. Model BF-163S-XF features XH11 desiccant design for R-410A applications. Provides three times the filtration as the standard bi-flow. Core is cushioned in fiber gaskets to protect core and to insure trouble-free performance. Powder paint exterior coating surpasses 500 hour ASTM salt spray test and resists corrosion. U.L. listed file SA3441, CSA certified LR46423.

CATALOG NO.	VIRGINIA KMP	CONNECTION	PRICE/EACH
DBF083	V2A-083 Flare	3/8	54.80
DBF083S	V2A-083 & Sweat	3/8	54.80
DBF084	V2A-084 Flare	1/2	54.80
DBF084S	V2A-084 Sweat	1/2	54.80
DBF163	V2A-163 Flare	3/8	72.48
DBF163S	V2A-163 Sweat	3/8	72.48
DBF164	V2A-164 Flare	1/2	74.36
DBF164S	V2A-164 Sweat	1/2	74.36
DBF165S	V2A-165S Sweat	5/8	78.04

## Shells



Parker replacement filter cores and dryer shells are designed to provide flexibility over a wide range of applications. All models are designed for use in both the liquid and suction line of refrigeration or air conditioning systems. In single or multiple-core applications, cores may be loaded individually for ease of installation in tight spots. A wide range of fittings for suction-line applications and interchangeable laying-in dimensions with other manufactured models increase product versatility.

CATALOG NO.	VIRGINIA KMP	CONNECTION	CORES REQUIRED	PRICE/EACH
DP485	VS-48-5	5/8	1	303.44
DP487	VS-48-7	7/8	1	304.24
DP489	VS-48-9	1 1/8	1	317.20
DP4811	VS-48-11	1 3/8	1	325.40
DP4813	VS-48-13	1 5/8	1	345.52
DP4817	VS-48-17	2 1/8	1	403.84
DP4821	N/A	N/A	1	351.36
DP967	VS-96-7	7/8	2	353.36
DP969	VS-96-9	1 1/8	2	353.88
DP9611	VS-96-11	1 3/8	2	379.96
DP9613	VS-96-13	1 5/8	2	379.96
DP9617	VS-96-17	2 1/8	2	403.84
DP9621	N/A	2 5/8	N/A	423.64
DP9625	N/A	3 1/8	N/A	444.56
DP1449	VS-144-9	1 1/8	3	477.68
DP14411	VS-144-11	1 3/8	3	478.20
DP14413	VS-144-13	1 5/8	3	482.16
DP14417	VS-144-17	2 1/8	3	491.80
DP19211	VS-192-11	1 3/8	4	553.60
DP19213	VS-192-13	1 5/8	4	556.16
DP19217	VS-192-17	2 1/8	4	571.80

## Cores



CATALOG NO.	VIRGINIA KMP	PRICE/EACH
DPCX-48	VS-48-H	52.24
DPCK-48HH	VS-48-SC	60.80
DPFE-48BF	VS-48-F	50.32
DPCK-48	VS-48-D	40.12
DPCK-100	VS-100-H	115.68
DZ-48	N/A	98.16



## Ball Valves

Parker's RB01 Ball Valves are used as service valves in split air conditioning and heat-pump systems or in commercial refrigeration applications. The valves isolate sections of a system for servicing and provide a means for charging refrigerant into a unit.

CATALOG NO.	VIRGINIA KMP	CONNECTION	PRICE/EACH
BV-101010	RB-5S	5/8	79.36
BV-141414	RB-7S	7/8	87.52
BV-181818	RB-9S	1 1/8	170.88
BV-221822	RB-11S	1 3/8	177.40



## Sight Glasses

Parker's PSG Sight Glass and Moisture indicator provides a quick visual diagnosis of refrigerant and moisture levels within a system. The sight glass indicates if the system has the proper refrigerant level, a restricted dryer or excessive pressure-drop. The moisture indicator recognizes moisture within the system. Provides early warning that a potential failure exists resulting in corrosion, chemical damage, restricted flow, or even compressor failure. Etch-resistant glass with a simple color comparison provides easy viewing and quick diagnostics. Flare models feature forged brass body and fittings for corrosion resistance. Sweat models feature copper fittings to permit solder installation without disassembly. Leak-proof design is compact and short in length to easily fit within a unit and provide accuracy in performance. U.L. listed.

CATALOG NO.	VIRGINIA KMP	CONNECTION	PRICE/EACH
DPSG-2	LDE-2	1/4	33.28
DPSG-3	LDE-3	3/8	33.72
DPSG-4	LDE-4	1/2	41.44
DPSG-5	LDE-5	5/8	43.60
DPSG-2MF	LDE-2-MF	1/4	33.28
DPSG-3MF	LDE-3-MF	3/8	33.72
DPSG-4MF	LDE-4-MF	1/2	41.52
DPSG-5MF	LDE-5-MF	5/8	43.60
DPSG-2S	LDE-2-S	1/4	33.28
DPSG-3S	LDE-3-S	3/8	33.72
DPSG-4S	LDE-4-S	1/2	41.44
DPSG-5S	LDE-5-S	5/8	43.60
DPSG-7S	LDE-7-S	7/8	76.64
DPSG-9S	LDE-9-S	1 1/8	79.00



## Suction Accumulators

The Parker "U" tube accumulator design is a result of extensive laboratory testing. It takes into account all of the requirements essential for heat pump applications, including safe holding volume (relative to the system's total charge), protected flow control for positive refrigerant and oil return, and minimum pressure drop across the accumulator. Standard accumulator models are designed for application on heat pump and refrigeration systems from 1/4 through 12 tons. Liquid refrigerant holding requirements of suction accumulator may vary by application. Because of the diversity in heat pump systems, accumulator capacity selection should be determined by actual testing.

CATALOG NO.	VIRGINIA KMP	CONNECTION	LIQUID CAPACITY	PRICE/EACH
DPA3060-10-4	VA-30-4S	1/2	2 lbs	76.40
DOA3060-10-5	VA-31-5S	5/8	2.5 lbs	85.92
DPA3060-15-5	VA-32-5S	5/8	3 lbs	86.20
DPA3060-15-6	VA-35-6S	3/4	3.5 lbs	87.84
DPA4065-9-5C	VA-44-5SRD	5/8	5 lbs	98.80
DPA4065-9-6C	VA-44-6SRD	3/4	5 lbs	96.32
DPA5083-9-6C	VA-54-6SRD	3/4	6 lbs	96.32
DPA5083-9-7C	VA-54-7SRD	7/8	6 lbs	95.60
DPA5083-11-6C	VA-56-6SRD	3/4	9 lbs	101.12
DPA5083-12-7C	VA-56-7SRD	7/8	9 lbs	105.04
DPA5083-15-7C	VA-57-7SRD	7/8	9.5 lbs	103.96
DPA6125-15-9C	VA-57-9SRD	1 1/8	9.5 lbs	196.56
DPA6125-18-9-C	VA-59-11SRD	1 3/8	12 lbs	204.28
DPA6125-15-11C	VA-610-9SRD	1 1/8	12 lbs	206.84
DPA6125-22-11C	VA-611-11SRD	1 3/8	13 lbs	225.12

# Access Fittings



VA-24


VA-3-346

VA-39

## Access Fittings

A convenient low-cost port for refrigeration servicing. May be installed in any position on either high or low side for charging, purging, quick testing or pressure checking. DiversiTech's access fittings have 1/4" SAE male flare access ports and include a quick seal cap and a stainless and brass special refrigerant valve core.

CATALOG NO.	DESCRIPTION	CONNECTION	STANDARD PACK	PRICE/PACK	
VAU-24	VA-3-346	3 Way Solder Type	For 3/16" O.D. tube or 1/4" and 3/8" solder fitting	6	14.68 ▲
VAX-2	VA-39	9 Way Solder Type	For 3/16", 1/4", 5/16", 3/8" or 1/2" tube. Also fits 3/16", 1/4" and 5/16" solder fitting or 1/8" hole may be drilled in larger size tube	6	21.72 ▲
VE-2	VA-24	Straight Solder Type	1/8" O.D.S.	6	17.64 ▲
VS-4	VA-34	Straight Solder Type	3/16" O.D.S. x 1/4" O.D.F.	6	17.64 ▲
VST-4	VA-46	Straight Solder Type	1/4" O.D.S. x 3/8" O.D.F.	6	15.48 ▲
VST-4X	VA-58	Straight Solder Type	5/16" O.D.S. x 1/2" O.D.F.	6	19.56 ▲
VST-44	VA-68	Straight Solder Type	3/8" O.D.S. x 1/2" O.D.F.	6	19.56 ▲
VST-44X	VAU-24	Half Union	1/8" MPT	6	16.56 ▲
VT-24	VAU-45	Half Union	1/4" MPT	6	17.36 ▲
VT4	VAX-2	Extended Copper Tube	1/8" O.D. tube	6	16.04 ▲
VTR-24	VAX-3	Extended Copper Tube	3/16" O.D. x 1/8" I.D.	6	16.04 ▲
VTS-3-10	VAX-4	Extended Copper Tube	1/4" O.D. x 3/16" I.D.	6	17.64 ▲
VTS-46	VAX-5	Extended Copper Tube	5/16" O.D. x 1/4" I.D.	3	10.04 ▲
VU-4	VAX-6	Extended Copper Tube	3/8" O.D. x 5/16" I.D.	3	10.72 ▲
VUR-4	VAX-8	Extended Copper Tube	1/2" O.D.	3	24.44 ▲
VVC-1	VE-2	Threaded Elbow	1/8" MPT	3	21.04 ▲
VC-4	VS-4	Swivel Nut w/Depressor	1/4" female flare forged swivel nut	6	46.92 ▲
VC-4R	VST-4	Swivel Tee	1/4" Access on run x 1/4" female flare with w/Permanent Depressor	3	24.44 ▲
	VST-44	Swivel Tee	1/4" Access on run x 1/4" access on "T" - w/Permanent Depressor	3	28.76 ▲
	VST-4X	Swivel Tee	1/4" Access on run x 1/4" female flare with w/No Depressor	3	24.44 ▲
	VST-44X	Swivel Tee	1/4" Access on run x 1/4" access on "T" - w/No Depressor	3	28.76 ▲
	VT-4	Forged Brass Tee	1/4" Access all ends with 2 flare nuts, 1 core and cap	3	29.16 ▲
	VT-24	Threaded Tee	1/8" MPT on branch, 1/4" flare x 1/4" flare access on run.	3	25.12 ▲
	VTR-24	Threaded Tee	1/8" MPT x 1/4" male flare on run x access on branch	3	21.04 ▲
	VTS-10	Solder Tee Type	5/8" O.D. tube	1	8.84 ▲
	VTS-12	Solder Tee Type	3/4" O.D. tube	1	10.88 ▲
	VTS-14	Solder Tee Type	7/8" O.D. tube	1	11.32 ▲
	VTS-18	Solder Tee Type	1-1/8" O.D. tube	1	13.12 ▲
	VTS-46	Solder Tee Type	1/4" O.D.S. x 5/16" O.D.F.	3	15.36 ▲
	VTS-56	Solder Tee Type	5/16" O.D.S. x 3/8" O.D.F.	3	20.36 ▲
	VTS-68	Solder Tee Type	3/8" O.D.S.	3	17.24 ▲
	VTS-810	Solder Tee Type	1/2" O.D.S.	3	18.72 ▲
	VTS-3-10	Solder Tube Elbow	5/8" O.D.S.	1	19.20
	VTS-3-12	Solder Tube Elbow	3/4" O.D.S.	1	20.00
	VTS-3-14	Solder Tube Elbow	7/8" O.D.S.	1	22.00
	VTS-3-18	Solder Tube Elbow	1-1/8" O.D.S.	1	27.60
	VU-4	Female Flare Union	1/4" female flare w/copper gasket	6	32.56 ▲
	VUR-4	Full Union	1/4" O.D. flare tube w/forged flare nut	6	32.56 ▲
	VC-4	Flare Cap	1/4"	12	11.40 ▲
	VC-4R	Flare Cap with Core Remover	1/4"	12	19.56 ▲
	VVC-1	Valve Core		6	4.08



Part # MR-1. Mac Rack countertop display with the most popular access fittings and valves.

## Control Disconnect



VD-4A



VD-24

Ideal for use with controls in centrifugal systems. Use to quickly disconnect or connect all controls without refrigerant loss or system pumpdown. Installs easily before any high or low pressure control, oil failure control, water regulating valve. Model VD-4A adapts to any Access Fitting with a 1/4" male flare connection, enabling a service engineer to build up a system in the field. All brass; metal-to-metal seat; will not leak.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
VD-4	1/4" Female Flare	4	41.60
VD-4A	1/4" Female Flare Adapter	4	24.80
VD-24	1/8" MPT	4	37.60
VD-45	1/4" MPT	4	39.20

U.S. Patent No. 4,193,419.

## Thermal Controls



### Fusible Links

Fusible Links are temperature-sensitive, one time devices. Engineered as safety links, they open the circuit if the designed limit temperature is reached.

CATALOG NO.	Fusible Temp °F	Type	Prong Type	STANDARD PACK	PRICE/EACH
HFL-4257	257°	In-Line		4	3.20
HFL-4300	300°	In-Line		4	3.20
HFL-4333	333°	In-Line		4	3.20
HFL-5257	257°	Face Plate	Straight	2	7.12
HFL-5258	257°	Face Plate	Right Angle	2	7.12
HFL-5300	300°	Face Plate	Straight	2	7.12
HFL-5301	300°	Face Plate	Right Angle	2	7.12
HFL-5333	333°	Face Plate	Straight	2	7.12

### Replacement Element Kits

Field repair damaged element sections of electric heaters. Each kit contains a specific KW replacement element, two ceramic terminal insulator sets, plated bolts, nuts and washers.



CATALOG NO.	Wattage at 240V		In Place Length (Inches)		STANDARD PACK	PRICE/PACK
	Minimum	Maximum	Minimum	Maximum		
HEK-100	1000	750	14"	35"	1	15.60
HEK-200	2000	1500	26"	65"	1	16.60
HEK-400	4000	3000	45"	135"	1	17.80
HEK-500	5000	3750	54"	162"	1	18.80

### Sequencers

Used in electric heat systems to stage blower motors and heating elements. All are for 24V control.



CATALOG NO.	NO. CIRCUITS	KILKON NO.	SWITCH CONFIGURATION	DELAY ON TIME MIN-MAX SECONDS	DELAY OFF TIME MIN-MAX SECONDS	STANDARD PACK	PRICE/PACK
HDR-101	1 Main	60000A0211	SPST-NO	1-24	45-75	1	24.64
HDR-102	1 Main	60000A0147	SPST-NO	30-75	1-40	1	24.64
HDR-201	2 Main	60000E0110	DPST-NO	1-24	45-75	1	29.92
HDR-202	2 Main	60000E0109	DPST-NO	30-70	1-40	1	30.80
HDR-211	2 Main Staged	60200A0117	DPST-NO	30-110	1-40	1	31.24
HDR-212	2 Main Staged	60200A0127	DPST-NO	1-25	50-110	1	31.24
HDR-221	3 Main Staged	51172-131-6	DPST-NO SPST-NO	1-25	50-110	1	51.40
HDR-222	4 Main Staged	51172-131-7	2 DPST-NO	1-40	50-110	1	60.00

# Time Delays/Monitors



## Adjustable Delay on Break Timer

Adjusts from 6 seconds to 8 minutes. Spin-proof knob. Works with 24, 120 or 240 VAC control circuits. Supports up to 1.5 Amps. Two wire hookup for easy installation. Solid state with quick disconnect terminals. Mounts with one self-tapping screw. Conformal coated circuitry protects against moisture and shock. UR recognized for USA and Canada. Works with anticipator type thermostats.

**HOW IT WORKS:** Immediately upon application of power, the Delay on Break timer enables circuit operation. Once power is interrupted, the circuit opens for the time set on the dial. After the time period elapses, the circuit closes, allowing the protected motor or compressor to start. For typical HVAC applications, the operation of the timer is transparent and will go unnoticed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ADB-1	Adjustable Delay on Break	1	15.60
ADB-2	Adjustable Delay on Break w/Terminal Leads	1	15.60



## Adjustable Delay on Make Timer

Ideal for random starting of multiple units. Adjusts from 6 seconds to 8 minutes. Spin proof knob. Works with 24, 120 or 240 VAC control circuits. Supports up to 1.5 Amps. Two wire hookup for easy installation. Solid state with quick-disconnect terminals. Mounts with one self-tapping screw. Conformal coated circuitry protects against moisture and shock. UR recognized for US and Canada. Works with anticipator type thermostats.

**HOW IT WORKS:** These timers delay circuit closure upon application of power. Only after the set time period elapses and power remains ON will the circuit close, allowing the protected motor or compressor to start. For typical HVAC installations, timers are adjusted to random times to prevent power circuit overloads. They are sometimes called random start timers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ADM-1	Adjustable Delay on Make	1	15.60
ADM-2	Adjustable Delay on Make w/Terminal Leads	1	15.60

## Digital Three Phase Line Voltage Monitor

Offers continuous protection against voltage anomalies which can damage compressors, motors and other sensitive electrically operated devices.

**PROTECTION:** Loss of Phase, Phase Reversal, Voltage Imbalance, Low Voltage, High Voltage

**DISPLAY:** Large custom LCD display indicates all operating conditions at a glance. Three large sets of digits provide easy system troubleshooting.

**VOLTMETER:** Three independent voltmeters read both line and contactor load (backside) voltages.

**MONITORED VOLTAGE:** 160 to 600 Volts 50-60 Hz.

**POWER SUPPLY:** Power for the WPC-500 is automatically derived from any active phase. System operation is not dependent on the control voltage or a specific phase for power.

**CONTROL VOLTAGE:** 19-277 VAC. Anticipator load is provided for operation with 24 volt electronic and mechanical thermostats.

**OPERATING VOLTAGE SET POINT:** 175 to 650 VAC. Digitally adjustable in one volt increments.

**VOLTAGE TRIP POINT:** Adjustable in 1% increments between 6% and 18% of selected operating voltage. Restart voltage set point (hysteresis) fixed at cutout voltage + 3%.

**VOLTAGE SYMMETRY:** Adjustable imbalance trip point from 2% to 25% of selected operating voltage.

**RESPONSE TIMES:** Phase Loss/Reversal: 100 mS max.

Imbalance: Adjustable Response Timer

Over or Under Voltage: Adjustable Response Timer

**LOCKOUT DELAY TIMER:** Fully adjustable 0 to 720 Seconds (0 to 12 minutes). Digital display shows remaining time and user set points.

**SEQUENTIAL START TIMER:** 0 to 30 seconds in one second increments.

**RESPONSE TIMER:** 0.1 to 20 Seconds. Digital display shows remaining time and user set points.

**MEMORY:** Up to 25 past fault conditions are stored for later retrieval and analysis. The faults may be displayed or cleared by the front panel buttons.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DTP-3	Digital 3-Phase Motor Protector	1	280.00

## Digital Single Phase Line Voltage Monitor



Automatic voltage monitor and control system. Continuously measures incoming line voltage, allowing detection of any voltage outside the tolerances that you set. If these limits are exceeded, the response timer begins counting. You may also set response time – a short time for a quick response or a long time to avoid nuisance tripping. If the voltage remains outside the tolerance after the time has elapsed, the DSP-1 will turn off its output relay and protect your device. While output is off, an additional delay timer activates to avoid rapid restarts.

**FEATURES:**

- Digital voltmeter displays instantaneous line voltage
- Automatic voltage tester adjusts from 90 to 300 volts
- Adjustable response timer (0.1 to 10 sec.) prevents nuisance tripping
- Adjustable delay timer (1 to 720 sec.) prevents rapid restarts
- Digital display makes for easy viewing and operation

**SPECIFICATIONS:**

Voltmeter:	70 to 325 Volts
Voltage Set Point:	90 to 300 Volts
Tolerance Limits:	6 to 18%
Response Timer:	0.1 to 10 seconds
Delay Timer:	1 to 720 seconds
Output Relay:	10 Amps, 250 VAC resistive, single-pole/double-throw
Control Input:	18 to 250 VAC with anticipator load for 24 volt thermostats

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DSP-1	Digital Single Phase Motor Protector	1	80.00



## Wet Switch Flood Detector

A solid state control designed to help prevent flooding, damage to carpets, walls, furniture, ceilings, etc. Now has a built-in test and reset button for easier installation. Turns system off when detecting moisture due to condensate or drain leaks. One or two drops will cause Wet Switch to turn off a unit, alerting a serviceman to a moisture problem. A lit LED indicates the Wet Switch is activated and has turned the unit off. Re-set simply by drying the absorbent pad with a paper towel and pressing the reset switch. Connects to 24 VAC. More than one unit may be connected to a system. 2 amp contact rating. Simple 3 wire installation. Sales displays available. U.S. Patent No. 4,787,212.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WS-1	Wet Switch Flood Detector	1	101.20



## Safety Overflow Switch

The DiversiTech SOS™ (Safety Overflow Switch) is an electronic device that snaps on to existing 3/4" PVC condensate drain lines. The SOS senses when the drain line fills with water then locks out the compressor contactor. No moving parts to foul up. Easy 2-wire connection to 24 volt contactor circuits. Bright yellow LED shows trouble. Cycle power to reset. Size 2 X 1.5 inches

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
SOS-1	Safety Overflow Switch	1	64.00



## A/C Condensate Float Switch

Designed for use in condensate drain pan overflow. Easily installed on the side of the auxiliary drain pan. Single pole, double throw normally OPEN or normally CLOSED.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-JMP	Condensate Float Switch	1	25.00

U.L. Listed; CSA Certified. 5 Amps @ 125 VAC; 3 Amps @ 250 VAC.



## 007 Control Checker

A lifetime tool for monitoring and checking safety controls and operating controls. One unit for all voltages 24-460 VAC or DC without switching dials or meters. Compact, 4 oz, reliable. Saves troubleshooting. For normally closed controls, 007 connects in parallel with safety control. When the safety control opens in response to a problem in the system, 007 red LED turns on and remains on until reset manually. With intermittent problem, the LED remains on indicating the control is open. For operating controls, 007 verifies the status of all types indicating if there is power to the holding coil, the NC contact is open or closed, the thermostat contacts are open or closed, there is power to the contactor or starting holding coil, the overloads are open or closed, or there is a bad connection either on control or power side. NOTE: May use with lockout relays. Features battery check and reset switch. Includes 9-volt battery. 007 may be used over and over. U.S. Pat. No. 4,092,625.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
TC-007	007 Control Checker	1	53.00

## Tattle-Tale Control Monitor

Identifies open controls in seconds. A single use monitoring device for determining which safety control has opened in response to a malfunction. Saves wasted hours tracing a safety control shutdown, even if intermittent. A quick, inexpensive way to visually spot where the problem is. Simply install in parallel with each safety control. When a control opens, the red indicator flag pops up. You will know immediately which area of the system is experiencing problems. Disposable, safe, simple to use, and pocket sized. Monitors safety controls, fuses, overload relays, motor protectors, freeze controls, limit controls, safety switches, fusible links, or steam control. CAUTION: Not to be used with lockout relays, use TC-007.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
TT-24	24 Volt AC or DC	3	34.20
TT-120	120 Volt AC or DC	3	34.20
TT-240	240 Volt AC or DC	3	34.20

Tolerance on all voltages shown is  $\pm 20\%$ . U.S. Pat. No. 4,250,480.

## Hard Start Kits



### Torque Plus – DST-5 300% Boost, DST-6 500% Boost

Totally solid state, our DST-5 is just right for all permanent split capacitor (PSC) compressors from 1/2 to 10 H.P. It can be used on units that operate on 120 through 288 Volts. The DST-6 offers a larger capacitor for severely hard-to-start compressors. The DST-6 can be used on all PSC single phase compressors from 1-1/2 to 10 H.P. A unique combination of relay and safety timer. The capacitor is automatically disconnected in 0.5 seconds if the compressor fails to start.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
DST-5	Torque Plus, 300% Torque Multiplier	1	20.72
DST-6	Torque Plus, 500% Torque Multiplier	1	31.56



### VariTorque™ 690% Boost, Adjustable & Automatic, Instant Recycling

DiversiTech is pleased to introduce the next generation in Compressor Hard Start technology – the Varitorque™ 690% Boost, Instant Recycling Hard Start Kit. Adjustable starting torque allows installer to optimize motor starting and minimize problems normally associated with hard start kits. Adjust to reduce electrical load problems including light flicker on compressor startup. Includes patent pending circuitry which protects capacitor, motor and relay. LED indicator provides easy 2 wire hookup. 1/2 to 10 HP.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
DST-10	VariTorque Hard Start Kit	1	79.20

# Compressor Heaters



Extends the life of air conditioners and refrigeration compressors. Corrosion resistant exterior. High temperature silicone rubber element and insulated leads. Voltages through 600. Wattage for each model matches compressor requirements. Moisture proof, easy to install. Nominal power consumption. UL listed, CSA certified.

CATALOG NO.	RATED VOLTS	RATED WATTS	FITS COMPRESSOR	GIRTH DIMENSIONS			STANDARD PACK	PRICE/PACK
				MIN.	MAX	SHAPE		
CH-100	240	50	Bendix/Westinghouse: C, D	30-3/16"	37"	OVL	1	34.88 ▲
CH-100-3	480		Copeland: Y				1	34.88 ▲
			Hitachi: 753FH3-H, 1001FH4-H					
			Tecumseh: B, C, CL, AG, AV					
			Carlyle: W (70-88)					
CH-101	240	54	Aspera: H	27-7/16"	34-1/4"	OVL	1	34.88 ▲
CH-101-1	208		Bendix/Westinghouse: E				1	34.88 ▲
CH-101-2	120		Bristol/Sunstrand: H10A, H21A,				1	34.88 ▲
CH-101-3	480		Carrier: 6A25, 26, 28, 29, 6A35,				1	34.88 ▲
			Copeland: CR					
CH-102	240	60	Aspera: J	25-3/4"	32-9/16"	OVL	1	34.88 ▲
CH-102-2	120		Bristol/ Sunstrand: H10C, H20C,				1	34.88 ▲
CH-102-3	480		Trane: D4340/7669				1	34.88 ▲
CH-196	240	40	Copeland	19-7/8"	26-5/8"	RND	1	35.92 ▲
CH-196-2	120		6" Scroll				1	35.92 ▲
CH-196-3	480						1	35.92 ▲
CH-196-6	575						1	35.92 ▲
CH-230	240	70	Copeland	21-5/8"	28-1/2"	RND	1	35.92 ▲
CH-230-3	480		7-1/2" Scroll				1	35.92 ▲
CH-230-6	575						1	35.92 ▲
CH-103	240	45	Bendix/Westinghouse: A	24-3/4"	31-9/16"	OVL	1	34.88 ▲
CH-103-2	120		Copeland: RR, SR				1	34.88 ▲
			Tecumseh: AB, AW					
CH-104	240	75	Bristol/Sunstrand: H10G, H20G,	41-1/2"	48-5/16"	RND	1	35.92 ▲
CH-104-3	480		Carrier: 6A88				1	35.92 ▲
CH-105	240	50	Copeland: VR	32-1/2"	39-5/16"	RND	1	34.88 ▲
			Trane: D4340/7670					
			Westinghouse: CD072, CD090					
CH-135	240	45	Copeland: JR	20-5/16"	27-1/8"	OVL	1	34.88 ▲
CH-135-2	120		Tecumseh: AK				1	34.88 ▲
CH-197	240	25	Fedders/Chrysler: 2870908	13-3/4"	20-9/16"	RND	1	34.88 ▲
			Sanyo: CR15F, CR20F, CR33F					
CH-202-3	480	70	Copeland: BR	33-3/4"	36-3/4"	RND	1	34.88 ▲
CH-280	240	70	Copeland 7.25 Scroll	20-4/5"	28"	RND	1	31.32 ▲

# Bearings



## Cushioned Pillow Blocks

CATALOG NO.	GEM NO.	DESCRIPTION	INDUSTRY NO.	LAU NO.	BEARING SHAFT SIZE	PRICE/EACH
535-BB1	PB901	Bronze Bearing Pillow Block	NAH8A		1/2"	13.04
535-BB2	PB902	Bronze Bearing Pillow Block	NAH10A	38-2204-01	5/8"	5.48
535-BB3	PB903	Bronze Bearing Pillow Block	NAH12A	38-2086-01	3/4"	5.28
535-BB4	PB904	Bronze Bearing Pillow Block	NAH16A	38-2087-01	1"	5.48



## Side Flange Mount Pillow Blocks

CATALOG NO.	GEM NO.	DESCRIPTION	INDUSTRY NO.	PRICE/EACH
535-BB5	PB905	Cushioned Flange Block	NVH12A	6.32
535-BB6	PB906	Cushioned Flange Block	NVH10A	14.72



## Direct Drive Furnace Blower Motors

- Installs with all Standard 48 Frame Mounting Brackets
- Standard Shaft Length, Diameter, and Flats
- Automatic Thermal Overload Protector
- Standard Motor Casing Size
- 2.5" Diameter Hub Rings included
- Low Power Consumption
- Continuous Duty, Air Over
- Uses 370V Capacitors
- Electrically Reversible
- Class B Insulation
- Speed: 1075/3
- Quiet Operation
- 60 HZ

CATALOG NO.	HP	VOLTAGE	SPEED	PRICE/EACH
WG840583	1/4	115	1075/3	119.40▲
WG840584	1/4	208-230	1075/3	119.40▲
WG840585	1/3	115	1075/3	119.40▲
WG840586	1/3	208-230	1075/3	119.40▲
WG840587	1/2	115	1075/3	146.40▲
WG840588	1/2	208-230	1075/3	146.40▲
WG840589	3/4	115	1075/3	170.24▲
WG840590	3/4	208-230	1075/3	170.24▲
WG840595	1	115	1075/3	259.12▲
WG840596	1	208-230	1075/3	259.12▲



## Condenser Fan Motors

- Installs with all Standard 48 Frame Mounting Brackets
- Standard Shaft Length, Diameter, and Flats
- Drain Holes with Plugs in both end plates
- Automatic Thermal Overload Protector
- Standard Motor Casing Size
- Low Power Consumption
- 60 C Ambient Design
- Electrically Reversible
- Continuous Air Over
- Class B Insulation
- Speed: 1075/1
- Quiet Operation
- Extended Studs
- 30" Leads
- 60 HZ.


CATALOG NO.	HP	VOLTAGE	SPEED	PRICE
WG840727	1/6	208-230	1075/1	109.72▲
WG840728	1/4	208-230	1075/1	109.72▲
WG840729	1/3	208-230	1075/1	117.80▲
WG840730	1/2	208-230	1075/1	132.12▲

## Motor Brackets



### DiversiTech Motor Bracket

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
A60306K	DMB-1Three Ring Welded Construction for mounting to blower housing	1	27.80
A60306K	DMB-2Double Wire Lug Mounting Kit for 48 frame motors	1	19.40



### Rheem Motor Bracket

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
A60306K	Mounting plate for use on Rheem Condensing Units	1	18.80

# Fin Tools

## Multi-Head Fin-Tool



Conveniently straightens and cleans condenser and evaporator fins. Each nylon head slides into the master handle and tightens in place. The heads are designed to fit units with fin spacing of 4 – 24 fins per inch. Each head is engraved with its own size and is color coded for fast identification. The heads are angled so that when inserted in the handle, the hand is a safe distance from the sharp fins. Fin-Tool heads may also be reversed in the handle, so that combing with an upward stroke (recommended method) may be done easily, with proper leverage. The master handle rests comfortably in a man-size grip, is rigid and long lasting.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
T-100	Kit (1 Handle and 6 Heads: 8, 9, 10, 11, 12, 14)	12	14.60
T-1	Handle Only – Black	1	3.40
T-8	Head 8 FPI – Orange	3	2.60
T-9	Head 9 FPI – Yellow	3	2.60
T-10	Head 10 FPI – Natural	3	2.60
T-11	Head 11 FPI – Blue	3	2.60
T-12	Head 12 FPI – Green	3	2.60
T-14	Head 14 FPI – Lt. Green	3	2.60
T-101	Kit (1 Handle and 6 Heads: 13, 15, 16, 17, 18, 20)	12	14.60
T-13	Head 13 FPI – Pink	3	2.60
T-15	Head 15 FPI – Aqua	3	2.60
T-16	Head 16 FPI – Brown	3	2.60
T-17	Head 17 FPI – Blue	3	2.60
T-18	Head 18 FPI – Red	3	2.60
T-20	Head 20 FPI – Purple	3	2.60
T-21	Head 21 & 22 FPI – Rose (for Carrier unit)	3	2.60
T-23	Head 23 & 24 FPI – Black (for Carrier unit)	3	2.60

U.S. Patent No. 4,018,076.



T-200



T-300

## Fin-Tool

Long lasting metal fin straightener. Straightens and cleans condenser and evaporator fins. One tool for all units. The heavy duty spring wire bristles automatically adjust to ALL fin spacings. An exclusive tension adjustment band is featured to allow maximum rigidity and ease of operation. Straightens most severely damaged fins.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
T-200	Fin-Tool	1	17.28 ▲
T-300	Fin-Tool with heavy duty bicycle handle	12	22.80 ▲



**Fin Whisk** A plastic handled whisk for cleaning condenser and evaporator fins.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-26	Fin Whisk Brush	12	2.48

## SuperComb

Easier to grip, easier to use tool for straightening condenser and evaporator fins. Straightens 50% more fins in one stroke. Keeps hands a safe distance from fins. Easy to grip, strong, durable, heavy duty nylon. Color coded for easy identification. Sold individually or 6 per set. Sales display available.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
T-408	8 and 10 FPI – Orange	6	5.00
T-409	9 and 15 FPI – Yellow	6	5.00
T-411	11 and 13 FPI – Blue	6	5.00
T-412	12 and 14 FPI – Green	6	5.00
T-417	16 and 17 FPI – Lime	6	5.00
T-418	18 and 20 FPI – Red	6	5.00
T-400	Set of 6 – 1 Each: T-408, T-409, T-411, T-410, T-417, T-418	1	26.00

## Expano Adjustable Condenser Tube Cleaner

Fast, thorough, economical way to remove mineral scale and sludge from inside water-cooled condenser tubes. Saves time-consuming brushing or flushing. Expano attaches to a threaded rod which fits into an Expano handle or your electric drill. With a reaming action, the tough stainless steel blades scrape everywhere inside the tube, providing a free, unrestricted flow. Virtually clogproof, this tool may be expanded or reduced in diameter to fit scale deposits – not just the tube. Note: Use EC-810 couplings for connecting additional rods.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
E-5	5/16" to 3/8" I.D. Tubes	1	32.80
E-6	3/8" to 1/2" I.D. Tubes	1	32.80
E-8	1/2" to 5/8" I.D. Tubes	1	32.80
E-10	5/8" to 1" I.D. Tubes	1	32.80
EB-6	Blades for E-5 and E-6	1	6.40
EB-8	Blades for E-8	1	6.40
EB-10	Blades for E-10	1	6.40
EC-56	Couplings for E-5 and E-6	3	3.20
EC-810	Couplings for E-8 and E-10	3	3.20
EE-30	Rods – 30" 1/4-28	3	12.08 ▲
EE-48	Rods – 48" 1/4-28	3	14.76 ▲
EH-1	Handle	1	5.00



## Compressor Tote

Makes light work of a heavy job. Powder coated, strong steel construction. Recommended for use with all compressors up to 5 tons. Compatible with high efficiency compressors. Pick up a compressor from its box. Carry a compressor up a ladder. Now with black protective finish.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
ACT-6	Compressor Tote	6	78.40



## All Purpose Sprayers

All-purpose spray bottles. Gallon size bottle has a 28" flexible hose and easy-to-carry handle. Lightweight and versatile. Best for the really big jobs in hard-to-reach places. Adjustable nozzle will atomize any low viscosity liquid. Will adjust from a mist to a 12' jet stream or anything in between. The one pint container is imprinted with a measured ounce guide. Ideal for spraying water treatment chemicals.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BS-64	Gallon Size Sprayer	6	14.00
BS-16	Pint Size Sprayer	12	4.80
BS-32	Quart Size Sprayer	12	6.40

## Allen Wrenches

The finest quality wrenches available anywhere.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AW-8	3" handle, 8 bits, Standard Fold-Ups .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"	1	11.60 ▲
AW-9	4" handle, 9 bits, Standard Fold-Ups 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1	17.48 ▲
AWL-5	5-1/4" handle, 5 bits, Long Arm Fold-Ups 3/16", 7/32", 1/4", 5/16", 3/8"	1	24.00 ▲
AWL-9	6-1/4" handle, 9 bits, Long Arm Fold-Ups 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1	23.00 ▲

## Allen Duracast™ Fold Ups



Featuring unique "double foldout" design. This convenient pocket wrench set opens from both the top and bottom, for fast, easy access to each and every bit. Instead of unfolding the top wrenches to get at the wrenches underneath, all you do is turn the FOLD UP over. Specially contoured handle, so you'll never cut your hands or snag your clothing.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AWZ-2500	3-1/2" handle, 9 bits .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16"	1	30.00 ▲
AWZ-3000	4-1/4" handle, 9 bits 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1	32.80 ▲


## Allen Wrenches – Long Arm



Most needed combination of Allen Wrenches packaged in clearly marked vinyl pouches.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AW-96	9 Keys, 6" long arm series: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1	43.00 ▲
AW-712	7 Keys, 12" long arm series: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"	1	60.00 ▲

## Allen Wrenches – Individual Sizes



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AW-96-8	Allen Wrench 6" x 1/8"	25	2.40 ▲
AW-96-10	Allen Wrench 6" x 5/32"	25	2.72 ▲
AW-712-8	Allen Wrench 12" x 1/8"	25	8.20 ▲
AW-712-10	Allen Wrench 12" x 5/32"	25	8.20 ▲

## 4-Piece Hook and Pick Set



For separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers. Bright-dipped, anodized hex-shaped aluminum handles with powerful magnet on end. Handy screw-in hook, pick, point and scribe. High carbon polished needle steel. All in a compact zip-lock vinyl pouch that fits in your shirt pocket! Set includes four screw-in tips plus handle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
MHP-4	4-Piece Hook and Pick Set	1	14.60

## ScrewGrab®



Helps remove or tighten screws even if they are stripped. One drop of ScrewGrab® on the screwdriver tip or hex wrench grabs the screw so it turns or tightens more easily. Stops tools from slipping off rounded or deformed fasteners. Torque is increased over 400%. Works instantly, wipes clean, non-staining, non-sticky, non-corrosive, non-irritating. Unlimited shelf life.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CSG-1	ScrewGrab® - 0.5 fl. oz.	12	9.60



## Mechanical Screw Starter

A simple, easy way to end fumbling with hard to position screws. Just insert the screw on the prongs of the screw starter, and a simple twist will lock the screw ready for trouble free starting. Tool automatically releases and resets. Use with ferrous or non-ferrous screws. Nylon handle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
S-3	One End Slotted, Phillips on Other, 9-1/4"	1	17.20



## Reach-It

Retracts to 5" long. Made of durable chrome plated brass. Match can be quickly inserted.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
R-1	Reach-It extends to 26-3/4"	12	8.72 ▲



## Magnetic Retrieving Tool

Extra high flux magnet for greater pickup. Super adjustable telescoping action. Bright chrome plated brass handle. This magnet is powerful and it will outperform the standard Alinco V Magnet 4 to 1. With the adjustable telescoping handle, you can pick up ferrous objects where your hand cannot reach. When closed, it fits neatly in your pocket for easy accessibility on every job.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-601	Tool – Pocket Telescopic extends from 5-7/8" to 25-9/16" (Carded)	12	12.32 ▲



## Telescopic Inspection Mirror – American Made

Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel mirrors for viewing to 360°. Precision engineered links are made from tempered spring steel to withstand the stresses of constant repositioning. Moves freely, holds desired position.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
M-1	1-1/4" Circular – extends 6-1/4" to 18-1/4"	12	14.40
M-2	2-1/4" Circular – extends 10" to 14"	12	16.60
M-3	2-1/8" x 3-1/2" Rectangular – extends 11-1/4" to 15-1/4"	12	16.60
M-4	7/8" Circular – extends 6-1/2"	12	11.20
M-5	1" x 2" Oval – extends 8-1/2"	12	11.20
M-3G	Refill Mirrors Only 2-1/8" x 3-1/2"	12	2.80
M-5G	Refill Mirrors Only Oval 1' x 2"	12	2.00
M-1R	Replacement Head for M-1	1	6.20
M-2R	Replacement Head for M-2	1	7.20
M-3R	Replacement Head for M-3	1	7.20
M-4R	Replacement Head for M-4	1	5.40
M-5R	Replacement Head for M-5	1	6.20

## Toggle Switches



Single pole-double pole – A.C. Underwriters' Listed CSA APP. No. 10016. Furnished with screw terminals. Rating A: 20A – 125VAC, 20A – 250VAC, 1 H.P. at 120-240V Rating B: 15A – 125/250VAC, 3/4 H.P. at 240V

CATALOG NO.	DESCRIPTION	RATING	STANDARD PACK	PRICE/EACH
TS-1	SP-ST	A	1	6.44 ▲
TS-2	SP-DT	A	1	7.36 ▲
TS-3	SP-DT-CO	B	1	7.24 ▲
TS-4	DP-ST	A	1	9.20 ▲
TS-5	DP-DT	A	1	11.48 ▲
TS-6	DP-DT-CO	B	1	11.48 ▲



## Toggle Switch Cover

Weatherproof body for toggle switches up to 15/16" long.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
625-B1	Toggle Switch	5	9.56

## Fast Orange Hand Cleaner



Three out of five people prefer Fast Orange over other hand cleaners. The first biodegradable, waterless hand cleaner with aloe, lanolin, and jojoba. Smooth lotion and extra-fine pumice available. USDA Approved.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HCO-7	7-1/2 fl. oz. Smooth Squeeze Bottle	12	5.56 ▲
HCO-15	15 oz. Smooth Squeeze Bottle	12	9.16 ▲
HCO-64	1/2 gal. Smooth w/Dispenser	6	29.88 ▲
HCO-128	1 gal. Smooth w/Dispenser	4	44.72 ▲
HCP-3	3 oz. Pumice Squeeze Tube	12	3.92 ▲
HCP-7	7-1/2 fl. oz. Pumice Squeeze Bottle	12	5.56 ▲
HCP-15	15 oz. Pumice Squeeze Bottle	12	90.64 ▲
HCP-64	1/2 gal. Pumice w/Dispenser	6	29.88 ▲
HCP-128	1 gal. Pumice w/Dispenser	4	44.72 ▲



## Kimberly-Clark Waterless Hand Wipes

These wipes go wherever hands go to get dirty. Full sized 12" x 12" wipes for full sized cleaning. Natural cleaning agent is tough on grease, grime, ink, and paint. Dual textured – smooth for wiping on one side and tough for scrubbing on the other. More wipes with our new 75 count bucket.


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BUCKET
5-42272	Kimberly-Clark Waterless Hand Wipes	1 Bucket	37.12 ▲

## Gallo Gun and Swoosh CO<sub>2</sub> Cartridges



Clears condensate drains with a SWOOSH! A lightweight (3 oz.) portable tool designed to blow out drain lines instantly. New larger SWOOSH CO<sub>2</sub> cartridges now deliver 1200 PSI of oil free food grade to clear the line. Each unit comes equipped with a tapered fitting to work on 3/8" – 3/4" drain openings. Flexible hose assembly maneuvers through cabinets, coils and hard to reach drains. Cartridges are environmentally safe and recyclable. No need for air or nitrogen tanks. Reduces labor costs and time on Service Calls.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
GG-1	Gallo Gun for A/C Condensate Lines	6	96.00 ▲
GGC-12	SWOOSH CO <sub>2</sub> Cartridges (12/Pack)	6	56.00 ▲
GG-1A	Gallo Gun Adapter Kit	1	21.00
GG-1H	Gallo Gun Hose Assembly	1	12.00



### POP-103 Gallo Gun Countertop Display

A great way to display the Gallo Gun along with its cartridges. Fits 6 Gallo Guns and 12 packs of SWOOSH CO<sub>2</sub> cartridges per display.\* Ask about it today!

\*Buy the product and get a FREE countertop display!

Use the Gallo Gun to  
**CLEAR THE LINE**  
with a SWOOSH!

DIVERSITECH

**SMALL & LIGHTWEIGHT** The Gallo Gun packs cleaning power into a small, lightweight package which prevents the need for carrying heavy air or nitrogen tanks.

**AIR POWER** The Gallo Gun uses CO<sub>2</sub>, eliminating the mess caused by water back flushing drain lines.

**ENVIRONMENTALLY FRIENDLY** The Gallo Gun uses carbon dioxide (CO<sub>2</sub>), a common component of air and is totally safe for use in the environment. It's a great alternative to the environmentally unfriendly practice of using refrigerant to clean the drain line.

**FLEXIBLE HOSE ASSEMBLY** The flexible hose assembly enables you to maneuver through cabinets, coils, and hard to reach drains.

**ADAPTER KIT** This kit is available to allow for use on oil burner lines and tighter areas with a 90° fitting.

A close-up photograph of a hand holding the Gallo Gun. The device is black with a silver trigger and a flexible white hose attached. A stream of liquid is being sprayed from the nozzle at the end of the hose.

# Straps

## Hanging Strap



Strong, versatile, durable, easy way to secure loose gear safely. Tie down ladders, tubing, cylinders or almost anything in seconds. Cannot snap back. Strong, durable 1" polypropylene webbing. Reinforced grommet lets you hang it up, tie it up, hook it up or attach it permanently. Spring loaded adjustable buckle. Easy to get firm tension with no slipping. Make an endless length by connecting 2 or more together.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HS-30	Hanging Strap 31" long	24	7.60
HS-30-2	Hanging Strap 31" long, 2 straps/card	12	8.80
HS-60	Hanging Strap 60" long	24	9.80
HS-60-2	Hanging Strap 60" long, 2 straps/card	12	11.00

## Lashing Strap



Quickly lashes and secures refrigerators, air conditioners, washers, dryers, etc. Strong durable nylon webbing rated at 3000 lbs. and end hooks at 1200 lbs. tensile strength. Hand loop for easy tightening. Steel cam lever buckle is easy to adjust and releases quickly. Secures a maximum load of 1000 pounds. 12 feet long.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HS-144	Lashing Strap 144" long	6	48.60

## Ratchet Strap



Unique ratchet action permits tie-down of appliances securely, positively. Designed with an innovative latch and a fast release cam that reduces socket wear. This cadmium-plated steel buckle has a positive lock that eliminates release due to vibration. When closed, the handle locks the latch into the sprocket to prevent inadvertent release. Easy ratchet tensioning. 16' strong nylon webbing rated at 3000 PSI tensile. Strong vinyl coated end hooks rated at 1200 PSI tensile. Meets Mil. Spec. QQ-P-416.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HS-192	Ratchet Strap 16' long	3	68.40

## Rubber Tie Down Strap



Can stretch to double its length. Quickly ties down ladders, tubing, cylinders or almost anything. Extra heavy steel "S" hooks on each end. Resists cracking and deterioration.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
RS-9	10"	10	2.08
RS-15	15"	10	2.52
RS-20	21"	10	3.16
RS-31	31"	10	3.56
RS-41	41"	10	4.80

# PRO-TREAT Tablets and FLOW PLUS Treatments



## PRO-TREAT 151 Premium Condensate Drain Pan Treatment

PRO-TREAT 151 premium tablets penetrate and help remove sludge that can plug drain pans and drain lines and foul humidifier pans. PRO-TREAT 151 tablets kill odors associated with slime and sludge, minimizing maintenance problems from overflow and water damage caused by fouled pans, plugged traps, or drain lines. PRO-TREAT 151 tablets are 100% soluble, easy to use, and do not form any deposits in the pan or drain line. Approved for use in computer rooms. Dosage: 1 tablet per 3 tons each month. PRO-TREAT 153 contains 6 PT-151 tablets per card. PT-151 and PT-153 are EPA registered.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-151	PRO-TREAT 151 – 100 Tablets per Jar	12	63.44
PT-153	PRO-TREAT 153 – 6 Tablets per Pack	24	8.12

EPA registered



## PRO-TREAT 152 King-Size Premium Condensate Drain Pan Treatment

King-size premium tablets with the same formulation as PRO-TREAT 151. One PRO-TREAT 152 tablet lasts 3 times longer than the smaller PRO-TREAT 151 tablet. Dosage: 1 tablet per 3 tons every 3 months.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-152	PRO-TREAT 152 King-Size Tablets – 12 per Jar	6	84.24
PT-152B	PRO-TREAT 152 King-Size Tablets – 100 per Jar	1	640.00



## PRO-TREAT 161 Condensate Drain Pan Treatment

PRO-TREAT 161 controls odors and eliminates condensate drain pan overflows and the resulting water damage. PRO-TREAT 161 pills are completely soluble, easy to use, non-corrosive, and non-toxic. Use regularly to assure season-long, trouble-free condensate drain pan performance. Approved for use in computer rooms. Dosage: 2 tablets per 3 tons each month.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-161	PRO-TREAT 161 – 100 Tablets per Jar	12	38.00



## PRO-TREAT 200 Condensate Drain Pan Treatment

PRO-TREAT 200 tablets are effective in eliminating condensate drain pan problems that result in odors, overflows and subsequent water damage. PRO-TREAT 200's long-lasting formula not only cleans sludge accumulations, but also assures season-long trouble-free performance eliminating costly nuisance callbacks. PRO-TREAT 200 is biodegradable, non-corrosive and non-toxic. Approved for use in computer rooms. Dosage: 3 tablets per 3 tons each month.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-200	PRO-TREAT 200 – 200 Tablets per Jar	12	34.12
PT-217	PRO-TREAT 200 – 280 Tablets per Jar – 1.7 Gram Tablet	12	30.00



## PRO-TREAT 236 Stick Up Pack

The Stick Up Pack contains 36 PRO-TREAT 200 tablets and conveniently attaches to the air handler with Velcro strips (included). Also, a calendar is included for recording dosage dates. This package is extremely useful for both service technicians and equipment owners. Approved for use in computer rooms. Dosage: 3 tablets per 3 tons each month.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-236	PRO-TREAT 236 Stick Up Pack – 36 Tablets	6	16.00



## PRO-TREAT 156 Humidifier Treatment

Effective in preventing odors and scale buildup in humidifier reservoirs. Regular treatment minimizes maintenance problems while extending the equipment life. Approved for use in computer rooms. Dosage: 2-4 tablets per 4-6 weeks. Treatment is dependent on water hardness.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-156	PRO-TREAT 156 for Humidifiers – 4 Tablets per Pack	24	6.88



## PRO-TREAT 154 Evaporative Air Cooler Cleaner and Deodorizer

Regular use of PRO-TREAT 154 tablets extends equipment life, helps maintain unit efficiency (saving energy) and prevents musty swamp odors from forming. Approved for computer room use. Dosage is determined from the cubic feet per minute of air flow. Typically treatment is one tablet per 5300 CFM.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-154	PRO-TREAT 154 – 1 Tablet per Pack	12	8.56
PT-154B	PRO-TREAT 154 – 12 Tablets per Jar	12	99.84



## PRO-TREAT 350 Condensate Drain Pan Treatment

Place a PRO-TREAT 350 tablet in a condensate drain pan and condensed moisture will slowly dissolve the tablet, thinly coating the pan surface to give prolonged cleaning action on sludge. Dosage: one or two tablets are recommended in each pan per month. For industrial use only!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-350	PRO-TREAT 350 – 100 tablets per jar	24	18.00




## FLOW PLUS™ Condensate Drain Pan Treatment

- Unique – Polymer formula maintains condensate flow and prevents drain pan overflow.
- 100% Active – No residue. No waste. Nonclogging
- Effective – Long term condensate activated release.
- Environmentally Safe – Nontoxic and noncorrosive.
- Economical – Sizes to meet all tonnage requirements.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-183-16	25 Tabs/Jar	24 Jars/Case	55.00
SCM-183-200	200 Tabs/Jar	4 Jars/Case	385.50
SCM-181-06	6 oz. Clamshells	48 Clamshells/Case	47.00
SCM-184-MT	10 oz. Tubs	18 Tubs/Case	47.00
SCM-182-HT	1.25 lb. Tubs	8 Tubs/Case	94.00
SCM-185-8	7.5 lb. Tubs	1 Tub/Case	410.50

PRODUCT NO.	EQUIPMENT TONNAGE
SCM-183	1/2 to 3 tons
SCM-181	3 to 5 tons
SCM-184	5 to 20 tons
SCM-182	20 to 50 tons
SCM-185	Over 50 tons

# Anti-Vibration Pads



## E.V.A. Anti-Vibration Pad

The latest generation in vibration dampening technology – the new EVA pad. The most effective vibration dampening pad available on the market today. We tested the EVA Pad against other pads at four different vibration settings. In the most severe vibration extremes, the new EVA Pad outperforms cork and rubber by a margin of greater than 3:1, and outperforms our competitor's "waffle" pad by a margin of greater than 8:1! This enhanced performance is due to the special composite foam center. The composite foam is much more structurally sound than cork. It is not affected by oils or chemicals that can sometimes break down cork, and is much more effective at vibration dampening than solid rubber. In essence, the EVA Pad gives you the best of both worlds, at a very competitive price. Designed to withstand 50 pounds per square inch.


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
MP-2E	2" x 2" x 7/8" E.V.A. Pad	48	1.32
MP-3E	3" x 3" x 7/8" E.V.A. Pad	36	3.20
MP-4E	4" x 4" x 7/8" E.V.A. Pad	24	4.80
MP-6E	6" x 6" x 7/8" E.V.A. Pad	24	10.00
MP-12E	12" x 12" x 7/8" E.V.A. Pad	12	50.60
MP-18E	18" x 18" x 7/8" E.V.A. Pad	6	80.00



## Iso-Cube Anti-Vibration Pad

Natural rubber pads, designed to reduce vibration and noise emanating from refrigeration and air conditioning equipment. The circular design in each pad offers a suction cup effect, which eliminates the need to bolt the pads down. A standard 18" pad is divided into eighty-one 2" segments, each of which may be cut or torn to provide smaller pads. These 50 durometer pads will withstand a load of 180 psi with greater resiliency.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
ISO-2	2" x 2" x 3/4" Iso-Cube	24	2.00
ISO-4	4" x 4" x 3/4" Iso-Cube	12	6.80
ISO-18	18" x 18" x 3/4" Iso-Cube	6	90.00



## Rubber/Cork Anti-Vibration Pad

Highest quality elastomeric oil resistant padding. Designed to withstand 50 lbs. per square inch. The rubber pads are corrugated on both sides. Ideal for air conditioners, compressors, cooling towers, presses, machines, etc.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
MP-2C	2" x 2" x 7/8" Rubber/Cork	48	1.08
MP-3C	3" x 3" x 7/8" Rubber/Cork	36	2.64
MP-4C	4" x 4" x 7/8" Rubber/Cork	24	4.00
MP-6C	6" x 6" x 7/8" Rubber/Cork	24	8.20
MP-8C	8" x 8" x 7/8" Rubber/Cork	12	19.40
MP-12C	12" x 12" x 7/8" Rubber/Cork	12	42.20
MP-18C	18" x 18" x 7/8" Rubber/Cork	6	66.00



## Rubber Anti-Vibration Pad

Highest quality elastomeric oil resistant padding. Designed to withstand 50 lbs. per square inch. The rubber pads are corrugated on both sides. The cork is laminated between two corrugated pads. Ideal for air conditioners, compressors, cooling towers, presses, machines, etc.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ EACH
MP-2	2" x 2" x 3/8" Rubber	48	0.84
MP-3	3" x 3" x 3/8" Rubber	36	1.76
MP-4	4" x 4" x 3/8" Rubber	24	3.20
MP-6	6" x 6" x 3/8" Rubber	24	4.60
MP-8	8" x 8" x 3/8" Rubber	12	12.60
MP-12	12" x 12" x 3/8" Rubber	12	26.60
MP-18	18" x 18" x 3/8" Rubber	6	40.40



## Pull-A-Spout Oiler

All purpose oiler with a 14" telescoping spout. Zooms out for long shots, and in for short shots, even zooms around corners. Squeeze bottle action. Perfect lubricant for general industrial use. Contains four ounces of finest quality carbon free, rust and oxidation inhibited lubricating oil. Plastic container won't short out around electrical connections. No leakage.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CO-1	Pull-A-Spout Oiler (4 oz.)	12 (Display)	2.80 ▲



## Rust Breaker

Quickly loosens rusted bolts, screws, shafts, piping, and all types of "Frozen" connections and assemblies. The answer for rusty or corroded fastenings on cars, trucks, trailers, tractors, farm machinery, appliances, washing machines, plumbing, water pumps, fishing reels, power tools, gardening equipment, and hundreds of other mechanisms. Packaged in a handy telescoping spout applicator.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CR-1	Rust Breaker (4 oz.)	12 (Display)	2.80 ▲



## All Purpose Lubricant

Compared to all the others, TKX by LPS is the best all-purpose lubricant. "Wicks" faster and penetrates quickly due to lower surface tension. Formulated to deliver greater clinging power and better protection. Safest to use on operating equipment. High 175°F flashpoint. Exclusive "invertavalve" permits spraying in all positions – even upside down.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-40	11 oz. All Purpose Lubricant	12	16.00 ▲



## Greaseless Lubricant

Thin film lubrication. Water displacer dries out wet electrical/electronic components. Contains no chlorinated solvents. Ideal for delicate mechanisms. Fast penetrating and no oily mess. Safe on rubber, paint, plastic, fabrics. Won't attract dust or dirt.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-1	11 oz. Greaseless Lubricant	12	20.76 ▲
LPS-1G	Gallon Greaseless Lubricant	1	84.48 ▲



## Industrial Strength Lubricant

Leaves light oily coating. Quick release for seized mechanisms. Reduces wear caused by friction corrosion. Contains no chlorinated solvents. Safe on rubber, paint, plastic, fabrics.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-2	11 oz. Industrial Strength Lubricant	12	22.36 ▲
LPS-2G	Gallon Industrial Strength Lubricant	1	95.04 ▲



## Heavy Duty Rust Inhibitor

Forms heavy waxy coating. Effective corrosion inhibition under severe conditions and corrosive environments indoors and outdoors up to two years. Safe on rubber, paint, plastics, fabric. Excellent anti-seize compound. Superior chain lubricant.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-3	11 oz. Heavy Duty Rust Inhibitor	12	27.24 ▲
LPS-3G	Gallon Heavy Duty Rust Inhibitor	1	131.48 ▲



## Cold Galvanize

95% zinc rich coating inhibits corrosion up to three years. Works as a primer or finish coat to repair damaged or worn hot-dipped galvanized coatings. Leaves a matte gray finish. Works on rusted surfaces and all metals. Won't crack, chalk, or peel.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-5	16 oz. Cold Galvanize	12	26.24 ▲



## BrightCoat Cold Galvanize

Prevents rust and corrosion on all metals. Produces a shiny zinc coating that dries to the touch in 15 to 30 minutes. Heat resistant. Will not yellow, chalk, crack or peel. Meets ASTM A780-93A.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-5BC	13 oz. BrightCoat Cold Galvanize	12	28.44 ▲



## Heavy Duty Silicone Lubricant

Dry film lubricant. Water based and ideal for surfaces where petroleum based products are unsuitable. Contains no chlorinated solvents and is safe on metal, plastic, rubber, vinyl, leather and wood. Non-stain, anti-static, and approved by USDA for use in federally inspected meat and poultry plants. Approved for use in areas with incidental food contact.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-6	13 oz. Heavy Duty Silicone Lubricant	12	19.88 ▲



## LST Penetrant

Specially formulated with low surface tension for fast penetrating action. Displaces moisture. Powerful foaming action provides complete surface coverage. Flash point of 175°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-8	11 oz. LST Penetrant	12	18.16 ▲



## White Lithium w/Teflon

Pure white lubricant with Teflon additives. Provides maximum lubrication. Rust and oxidation inhibitors protect metal. Heat and water resistant. Rapidly forms into a pure white grease that won't melt or wash away.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-9	10 oz. White Lithium Lubricant	12	22.36 ▲



## Thermaplex Multi-Purpose Grease

Specifically developed to outperform conventional bearing greases and extend relubrication periods, reducing maintenance requirements and grease use. Blue colored paste with excellent load carrying properties. Temperature range -22°F to 350°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-13	14.1 oz. Thermaplex Bearing Grease	30	14.48 ▲

## Contact Cleaners



### Electro 140° Contact Cleaner

Ideal for electrical/electronic parts. Flash point above 140°F. No rinsing or residue. Contains no CFCs or 1,1,1. Superior wetting and penetrating action.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4-140	11 oz. Electro 140° Contact Cleaner	12	28.96 ▲



### CFC-Free Electro Contact Cleaner

A fast penetrating, quick evaporating, non-residue cleaner for precision parts. Ideal for electrical and electronic fine parts. Penetrates to remove light greases, oil, dirt and other contaminants. Contains no CFCs, NCFCs, or 1,1,1 trichlorethane. No rinsing or wiping necessary. Will not stain fabric. Good solvency, low odor, low toxicity. Non conductive, safe on metals and plastics.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4CF	11 oz. CFC-Free Electro Contact Cleaner	12	35.44 ▲



### NoFlash NU Precision Contact Cleaner

New patent-pending non-flammable formula. Fast evaporating, quick penetrating, no residue formula. Safe on most surfaces. Replaces HCFC 141b or other chlorinated solvents. No flash point.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4NU	15 oz. No-Flash NU Contact Cleaner	12	60.72 ▲



### NoSpark Electrical Cleaner

New patent-pending non-flammable formula. Fast evaporating, quick penetrating, no residue formula that is safe on most surfaces, including plastics. Non-conductive. Replaces HCFC 141n or other HCFC cleaners.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4NS	14 oz. NoSpark Electrical Cleaner	12	100.88 ▲

# Degreasers



## HDX Heavy Duty Degreaser

Quickly removes oil, grease, and dirt. Fast acting, non-flammable. Very fast evaporation. Does not contain CFCs. Does not require rinsing or wiping. Not flammable or conductive.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-7X	19 oz. HDX Heavy Duty Degreaser	12	28.96 ▲



## PreSolve

Quickly removes oil, grease, and dirt. Natural based solvent. Moderate evaporation. Does not contain CFCs. Does not require rinsing or wiping. Flashpoint 104°. Not conductive.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-7PS	15 oz. PreSolve	12	32.92 ▲



## ZeroTri

Quickly removes oil, grease, and dirt. Evaporates completely and very rapidly. Does not contain CFCs. Does not require rinsing or wiping. Flashpoint 0°F. Not conductive.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-7Z	15 oz. ZeroTri	12	33.28 ▲



## Precision Clean

Quickly removes oil, grease, and dirt. Biodegradable. Super industrial strength. USDA approved, non-toxic. Slow evaporation. Does not contain CFCs. Does not require rinsing or wiping. Non flammable. Conductive. Now available in a foaming aerosol!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-728	28 oz. Precision Clean	12	28.08 ▲
LPS-728A	18 oz. Aerosol Precision Clean	12	18.16 ▲

# Flashlights by MAG-LITE

Each Mag-Lite Flashlight offers these features: 1. Exclusive cam-driven beam that changes from spot to flood with a turn of the head. 2. Patented, self-cleaning switch. 3. High quality White Star Krypton bulb (second bulb included in the tail cap) 4. High grade rubber O-rings at each opening to insure water resistance and enhance ability to withstand shock. 5. Anodized finish both inside and out to offer optimum corrosion resistance. 6. Limited lifetime warranty. 7. Manufactured in the USA.



## Mag-Lite C and D Cell Flashlights

Police, security, emergency, medical and fire professionals around the world have come to rely on Mag-Lite C and D Cell flashlights more than any other brand. They know that serious duty demands serious equipment. Quite simply, the finest flashlight in the world.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-S2C016	2 Cell C Mag-Lite Flashlight - Black	1	71.00 ▲
7-S3C016	3 Cell C Mag-Lite Flashlight - Black	1	73.88 ▲
7-S4C016	4 Cell C Mag-Lite Flashlight - Black	1	76.56 ▲
7-S2D016	2 Cell D Mag-Lite Flashlight - Black	1	77.72 ▲
7-S3D016	3 Cell D Mag-Lite Flashlight - Black	1	80.44 ▲
7-S4D016	4 Cell D Mag-Lite Flashlight - Black	1	81.72 ▲
7-S5D016	5 Cell D Mag-Lite Flashlight - Black	1	81.72 ▲
7-S6D016	6 Cell D Mag-Lite Flashlight - Black	1	92.40 ▲



## Mini Mag-Lite

The flashlight that changed the industry forever. Until the Mini Mag-Lite was introduced, no one had ever dreamed a flashlight could be so small, yet so powerful. Named as one of the "products America makes best" by *Fortune* and *Money* magazines.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-M3A016	Mini Mag-Lite AAA – Black	1	37.40 ▲
7-M3A036	Mini Mag-Lite AAA – Red	1	37.40 ▲
7-M2A016	Mini Mag-Lite AA – Black	1	43.92 ▲
7-M2A036	Mini Mag-Lite AA – Red	1	43.92 ▲
7-M2A026	Mini Mag-Lite AA – Camouflage	1	45.44 ▲
7-AM2A056	Mini Mag-Lite AA Holster – Black	12	12.60 ▲



## Solitaire AAA Single Cell Flashlights

Less than an ounce and about three inches in length. Using only a single AAA battery, its focusing beam is surprisingly bright. A spare bulb, battery, and a key lead are included.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-K3A016	Solitaire AAA Flashlight – Black	1	27.56 ▲
7-K3A036	Solitaire AAA Flashlight – Red	1	27.56 ▲
7-K3A116	Solitaire AAA Flashlight – Blue	1	27.56 ▲



## Mag Charger System

Without question, the ultimate lighting tool. The rechargeable Mag Charger is the most powerful and durable hand-held flashlight of its size. Battery pack is rechargeable 1000 times. State-of-the-art, electro-formed reflector that emits an incredibly bright, high intensity light. System includes: Mag Charger Flashlight, charging unit, battery pack, two mounting brackets, 12V Cigarette Lighter Adapter, and 110V AC Converter.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-RX1019	Mag Charger System	1	393.36 ▲

## Mag-Lite Replacement Bulbs

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CARD
7-LK3A001	Solitaire Replacement Bulb 2/cd	12	6.12 ▲
7-LM3A001	Mini Mag-Lite AAA Replacement Bulb 2/cd	12	6.12 ▲
7-LM2A001	Mini Mag-Lite AA Replacement Bulb 2/cd	12	6.12 ▲
7-LWSA201	2 Cell C or D Replacement Bulb 2/cd	12	6.12 ▲
7-LWSA301	3 Cell C or D Replacement Bulb 2/cd	12	6.12 ▲
7-LWSA401	4 Cell C or D Replacement Bulb 2/cd	12	6.12 ▲



## Magna-Lite

Unbreakable pocket flashlite and magnifier. Ideal for checking small serial numbers and names on compressors or where poor light makes reading difficult to the naked eyes. Magna-Lite 2 is ideal for reading prints, maps, plans and all reading material with fine print. Powerful, optical-quality magnifying lens. Lightweight. Penlight batteries easily replaced.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
ML-100	Magna-Lite – 1-1/2 oz.	12	17.44 ▲
ML-200	Magna-Lite 2 – 7-1/2 oz.	1	48.72 ▲
ML-222	Replacement bulb with two batteries	1	9.88 ▲

## Rayovac is the Industrial Product Leader!

Rayovac is the leader in the industrial battery market and has been for years, with an estimated 50% share of the traditional industrial distribution channel. Rayovac introduced the top-selling industrial flashlight to the market, and set the quality standard by which all other industrial flashlights are measured today. Whether your customer is searching for a toolbox-tough flashlight or high-performance batteries, Rayovac offers a broad range of products to meet your needs.



### Rayovac Industrial Maximum Alkaline Batteries—Contractor Packs

- Contractor preferred, clear, re-sealable package
- Greater battery per pack quantities command higher battery sales
- Displays much more readily than other competitive batteries
- In a HVAC test market, the Contractor Packs outsold the standard packs by a greater than 2 to 1 ratio!

CATALOG NO.	DESCRIPTION	STANDARD PACK	QTY/DISPLAY CASE	PRICE/EACH
7-ALAA-24	Alkaline AA Battery – Contractor Pack	24	288	2.16 ▲
7-ALAAA-18	Alkaline AAA Battery – Contractor Pack	18	216	2.16 ▲
7-ALC-12	Alkaline C Battery – Contractor Pack	12	96	3.60 ▲
7-ALD-12	Alkaline D Battery – Contractor Pack	12	96	4.08 ▲
7-AL9V-8	Alkaline 9V Battery – Contractor Pack	8	96	7.48 ▲



### Rayovac Industrial Maximum Alkaline Batteries—Shrink Packed

- Same battery performance as the Contractor Packs at a lower cost
- Formulated specifically to exceed the everyday demands of industrial applications
- Outstanding dependability for "must work" applications

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-ALAA	Alkaline AA Battery – Shrink Packed	8	2.08 ▲
7-ALAAA	Alkaline AAA Battery – Shrink Packed	8	2.08 ▲
7-ALC	Alkaline C Battery – Shrink Packed	6	3.44 ▲
7-ALD	Alkaline D Battery – Shrink Packed	6	3.88 ▲
7-AL9V	Alkaline 9V Battery – Shrink Packed	6	7.20 ▲

### Rayovac Lantern Batteries



- Dependable performance — for "must work" applications
- Available in General Purpose, Heavy Duty, and the all new Alkaline Maximum

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-6VGP	6 Volt General Purpose – Spring Terminals	12	9.20 ▲
7-6VHD	6 Volt Heavy Duty – Spring Terminals	12	9.48 ▲
7-6VHDM	6 Volt Heavy Duty Maximum – Spring Terminals	12	11.00 ▲
7-806	6 Volt Alkaline Maximum – Spring Terminals	6	26.40 ▲
7-918	6 Volt General Purpose – Screw Terminals	6	27.52 ▲

### Rayovac Industrial Flashlights & Lanterns

- Toolbox tough polypropylene construction
- Scratch resistant, unbreakable lens
- Full lifetime warranty
- Made in USA



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-IN2	2 Cell D Size	6	14.16 ▲
7-IN2K	2 Cell D Size w/Krypton Bulb	6	15.64 ▲
7-IN2MS	2 Cell D Size Orange MSHA & UL Approved	6	19.64 ▲
7-I6V-B2	6 Volt Industrial Lantern w/Battery	2	37.52 ▲
7-BR2AA-B	2 Cell AA Size w/Batteries—All Rubber	6	15.96 ▲
7-BR2D-B	2 Cell D Size w/Batteries—All Rubber	6	21.28 ▲
7-301K	Krypton Beam Lantern w/918 Battery	1	88.88 ▲



## Rayovac Industrial Swivel Lights

- 90° pivoting head shines light exactly where you're working
- Stand up base, non-roll design and built in hanging ring
- 200% brighter Krypton beam
- Rubber handle and end caps provide comfort and durability

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-ILJ2AA-B	2 Cell AA Size Swivel Lite w/Batteries	6	23.76 ▲
7-ISL2D-B	2 Cell D Size Swivel Lite w/Batteries	6	30.60 ▲



F625IND



## Rayovac Roughneck Flashlights

- Superior dependability and toughness
- Spot to flood focus
- Krypton bulb
- Chemical and solvent resistant

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-R2D	2 Cell D Size Roughneck	6	28.04 ▲
7-R2AA-B	2 Cell AA Size Roughneck w/Batteries	6	23.12 ▲
7-R3D	3 Cell D Size Roughneck	6	29.04 ▲

## Rayovac 2-Sided Floor Display — Catalog No. F625IND

- Next generation displays are designed to maximize product visibility and ease of merchandising
- Expandable tray system allows quick assembly
- Only requires 2' x 2' area of display space
- Free with qualifying Rayovac order
- Includes 4 Trays plus 20-8" Peg Hooks
- 23.75" W x 65" H x 21.5" Depth

## Paints and Primers

### Spray Any Way Enamel by **plasti-kote®**



Finally an aerosol paint that sprays in any direction without clogging. We guarantee it! Dries tack free in 10 to 20 minutes; fully dry in just one hour. Excellent corrosion and solvent resistance. Resists heat up to 250°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-020	Gloss Black	6	13.12 ▲
799-021	Flat Black	6	13.12 ▲
799-022	Gloss White	6	13.12 ▲
799-023	Machinery Dark Gray	6	13.12 ▲
799-024	Machinery Light Gray	6	13.12 ▲
799-025	Aluminum	6	13.12 ▲
799-026	OSHA Red	6	13.12 ▲



### All Purpose Enamel by **plasti-kote®**

An all purpose premium quality alkyd enamel formulated with an exclusive resin system that out performs ordinary enamels. Fights rust and is non fading. 15-49% more square foot coverage vs. other brands.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-031	Gray Primer	6	11.68 ▲
799-032	Gloss Black	6	11.68 ▲
799-035	Gloss White	6	11.68 ▲

## General Purpose Spray Paint by **plasti-kote**

New, more complete line of professional quality fast drying spray paints. Color code compressors or refrigerant recovery cylinders to match standard refrigerant identifying colors. Touch up equipment housings.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-001	Gloss Black	6	7.72 ▲
799-002	Flat Black	6	7.72 ▲
799-003	Gloss White	6	7.72 ▲
799-004	Flat White	6	7.72 ▲
799-005	Dark Machinery Gray	6	7.72 ▲
799-006	Gray Primer	6	7.72 ▲
799-007	Red Primer	6	7.72 ▲
799-008	Bright Yellow	6	7.72 ▲
799-009	Astro Blue	6	7.72 ▲
799-010	Orange	6	7.72 ▲
799-011	Aluminum (Silver)	6	7.72 ▲
799-012	Brite Zinc Galvanizing Spray	6	19.80 ▲
799-013	Bright Red	6	7.72 ▲
799-014	Pink	6	7.72 ▲



## High Temp Spray Paint by **plasti-kote**

An ultra high temperature coating formulated to resist temperatures up to 1500°F. Great for use on boilers, furnaces, steam pipes, chimney collars, compressors and engine manifolds.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-040	Aluminum	6	19.60 ▲
799-041	Black	6	19.60 ▲

## Markers

### Valve Action Marker

Large ink supply for increased mileage. Fast drying, smear and water resistant. Utilizes a patented valve-activated ink feed mechanism to supply ink as required, down to the last drop. Replacement tips available.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-799	Red Valve Action Marker-Regular Tip	12	5.20 ▲
540-800	Black Valve Action Marker-Regular Tip	12	5.20 ▲

### Valve Action Paint Marker

Bright, crisp, opaque colors. The oil-based paint is quick drying and permanent on most surfaces. These markers also feature the patented valve-operated feed mechanism and a medium point.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-805	Black Valve Action Paint Marker	12	7.92 ▲
540-806	Red Valve Action Paint Marker	12	7.92 ▲
540-807	White Valve Action Paint Marker	12	7.92 ▲
540-808	Yellow Valve Action Paint Marker	12	7.92 ▲

### Felt Tip Markers

Permanent markers for metal, glass, paper, and plastic. 20% more ink than competitors. Durable metal body.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-811	Black, Metal Bodied Felt Tip Marker	12	7.40 ▲

# Brushes

## Chip Brushes

100% pure bristle, wood handle. Poly sleeve over bristles. Inexpensive (use once and throw away). Excellent for applying duct adhesive.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-500	Chip Brush - 1/2"	36	0.84
B-501	Chip Brush - 1"	36	0.92
B-502	Chip Brush - 1-1/2"	36	1.12
B-503	Chip Brush - 2"	24	1.28
B-504	Chip Brush - 2-1/2"	24	1.80
B-505	Chip Brush - 3"	12	2.10

## Tin Handle Acid Brushes

Manufactured with electrolyte tin plate and filled with 100% pure stiff horsehair, tied with a steel staple. This combination gives lasting qualities when used with heat and acids or other cleaning agents.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
B-1	Acid Brush 3/8" Tin Handle 1/Gross	144	23.80
B-2	Acid Brush 1/2" Tin Handle 1/Gross	144	31.00

## Welder's Brush

Stainless steel bristles used for cleaning all metals. Great for cleaning aluminum prior to soldering.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-4	Welder's Brush	12	4.60

## Power Fitting Brushes

Hex shaft locks into all standard and quick lock type chucks for easy change over. Stainless steel wire.




CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-09746	1/2" ID (5/8" OD) Power Fitting Brush	12	4.80
542-09748	3/4" ID (7/8" OD) Power Fitting Brush	12	4.92



## Refrigerator Coil Brush

Clean refrigerator coils, fan blades and areas under and behind appliances. 27-1/2" in length with 11-3/4" brush length. Bristles are 3/4" on the end tapering to 1-1/2" toward the handle.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-27	Refrigerator Coil Brush	1	8.80

## Duct Cleaning Brush

Black fiber bristles twisted in wire. 2-1/8" dia. x 7" Brush x 48" overall length.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-76220	Duct Cleaning Brush	1	9.76

## Carbon Steel Curved Handle Scratch Brush

Used for general purpose cleaning.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-10	Carbon Steel Curved Handle Scratch Brush	1	6.60

## Copper Tube Fitting Brushes

Highest quality brushes to clean fittings faster, easier and more safely. Made with strong, resilient, rustproof stainless steel bristles secured in a 4-ply wire with easy-to-grip plastic handle. Economy models feature same quality stainless steel, but secured in 2-ply wire.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-924	1/4" O.D., 9/32" Brush Dia.	1	7.80 ▲
B-925	3/8" O.D., 13/32" Brush Dia.	1	7.80 ▲
B-926	1/2" O.D., 17/32" Brush Dia.	1	7.80 ▲
B-927	5/8" O.D., 11/16" Brush Dia.	1	7.80 ▲
B-928	3/4" O.D., 13/16" Brush Dia.	1	8.00 ▲
B-929	7/8" O.D., 15/16" Brush Dia.	1	8.00 ▲
B-930	1" O.D., 1-1/8" Brush Dia.	1	8.20 ▲
B-931	1-1/8" O.D., 1-1/4" Brush Dia.	1	8.20 ▲
B-932	1-3/8" O.D., 1-1/2" Brush Dia.	1	8.64 ▲
B-934	1-5/8" O.D., 1-3/4" Brush Dia.	1	8.64 ▲
B-935	2-1/8" O.D., 2-1/4" Brush Dia.	1	9.88 ▲
B-124	Economy 1/4" O.D., 9/32" Brush Dia.	6	3.60 ▲
B-125	Economy 3/8" O.D., 13/32" Brush Dia.	6	3.60 ▲
B-126	Economy 1/2" O.D., 17/32" Brush Dia.	6	3.80 ▲
B-127	Economy 5/8" O.D., 11/16" Brush Dia.	6	3.80 ▲
B-128	Economy 3/4" O.D., 13/16" Brush Dia.	6	4.00 ▲
B-129	Economy 7/8" O.D., 15/16" Brush Dia.	6	4.04 ▲
B-130	Economy 1" O.D., 1-1/8" Brush Dia.	6	4.64 ▲
B-131	Economy 1-1/8" O.D., 1-1/4" Brush Dia.	6	4.44 ▲
B-132	Economy 1-3/8" O.D., 1-1/2" Brush Dia.	6	4.96 ▲

## Outside Tube Cleaning Brushes

Tough molded plastic holder with comfortable sure grip design and high carbon steel bristles. 6 per box.



## 2-in-1 Copper Tube Cleaning Brush

Easy to hold combination tool that really works. One end cleans the fitting. The other cleans the tube.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-00966	1/2" ID (5/8" OD) Outside Tube Cleaning Brush	6	6.20
542-00968	3/4" ID (7/8" OD) Outside Tube Cleaning Brush	6	6.92

## Wood Handle Dope Brush

Select horsehair bristles secured tightly in metal ferrule.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-10007	3/4" x 7" Wood Handle Dope Brush	36	1.44

## Parts Cleaning Brush

Heavy duty black polypropylene bristles in strong plastic handle.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-25015	Parts Cleaning Brush	12	4.92

## Condenser and Heat Exchanger Brushes for Commercial Tube Cleaning

For all commercial power tube cleaning machines. 1/4" and 3/8" dia. brushes have 8-32 female threads. 7/16"-1" brushes have 1/4-28 male threads. Use 7/16"-1" brushes for both CW and CCW rotation using a 1/4-28 NF jam locknut.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-202	1/4" Brass 8-32 Female	1	9.60
B-302	1/4" Nylon 8-32 Female	1	5.80
B-402	1/4" Stainless 8-32 Female	1	10.60
B-204	3/8" Brass 8-32 Female	1	9.60
B-304	3/8" Nylon 8-32 Female	1	6.04
B-404	3/8" Stainless 8-32 Female	1	10.60
B-207	7/16" Brass 1/4-28 Male	1	9.60
B-307	7/16" Nylon 1/4-28 Male	1	5.80
B-407	7/16" Stainless 1/4-28 Male	1	10.60
B-210	1/2" Brass 1/4-28 Male	1	9.60
B-310	1/2" Nylon 1/4-28 Male	1	6.60
B-410	1/2" Stainless 1/4-28 Male	1	10.60
B-213	9/16" Brass 1/4-28 Male	1	9.60
B-313	9/16" Nylon 1/4-28 Male	1	6.60
B-413	9/16" Stainless 1/4-28 Male	1	10.60
B-216	5/8" Brass 1/4-28 Male	1	9.60
B-316	5/8" Nylon 1/4-28 Male	1	6.60
B-416	5/8" Stainless 1/4-28 Male	1	10.60
B-219	11/16" Brass 1/4-28 Male	1	10.20
B-319	11/16" Nylon 1/4-28 Male	1	6.60
B-419	11/16" Stainless 1/4-28 Male	1	11.20
B-222	3/4" Brass 1/4-28 Male	1	10.20
B-322	3/4" Nylon 1/4-28 Male	1	7.40
B-422	3/4" Stainless 1/4-28 Male	1	11.20
B-228	7/8" Brass 1/4-28 Male	1	10.20
B-328	7/8" Nylon 1/4-28 Male	1	7.40
B-428	7/8" Stainless 1/4-28 Male	1	11.20
B-233	1" Brass 1/4-28 Male	1	10.52
B-333	1" Nylon 1/4-28 Male	1	7.40
B-433	1" Stainless 1/4-28 Male	1	11.20

## Condenser and Heat Exchanger Brushes

Ideal for cleaning mineral deposits from inside metal tubes. Especially recommended for use with power tools, although handle for manual use is available.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-602	1/4" Brass 8-32 Female	1	10.64
B-702	1/4" Nylon 8-32 Female	1	6.80
B-802	1/4" Stainless 8-32 Female	1	14.00
B-604	3/8" Brass 12-24 Female	1	11.44
B-704	3/8" Nylon 12-24 Female	1	7.00
B-804	3/8" Stainless 12-24 Female	1	17.12
B-607	7/16" Brass 12-24 Female	1	11.76
B-707	7/16" Nylon 12-24 Female	1	7.00
B-807	7/16" Stainless 12-24 Female	1	16.40
B-610	1/2" Brass 12-24 Female	1	11.40
B-710	1/2" Nylon 12-24 Female	1	7.00
B-810	1/2" Stainless 12-24 Female	1	18.28
B-613	9/16" Brass 12-24 Female	1	12.00
B-713	9/16" Nylon 12-24 Female	1	7.20
B-813	9/16" Stainless 12-24 Female	1	16.80
B-616	5/8" Brass 12-24 Female	1	11.40
B-716	5/8" Nylon 12-24 Female	1	7.20
B-816	5/8" Stainless 12-24 Female	1	17.00
B-619	11/16" Brass 12-24 Female	1	12.00
B-719	11/16" Nylon 12-24 Female	1	7.20
B-819	11/16" Stainless 12-24 Female	1	17.20
B-622	3/4" Brass 12-24 Female	1	12.00
B-722	3/4" Nylon 12-24 Female	1	7.40
B-822	3/4" Stainless 12-24 Female	1	17.60
B-628	7/8" Brass 12-24 Female	1	12.00
B-728	7/8" Nylon 12-24 Female	1	7.64
B-828	7/8" Stainless 12-24 Female	1	17.80
B-633	1" Brass 12-24 Female	1	12.40
B-733	1" Nylon 12-24 Female	1	7.60
B-833	1" Stainless 12-24 Female	1	18.00

Extension Rods for Condenser Tube Brushes  
are available. See next page.



## Extension Rods for Condenser Tube Brushes

Aluminum rods thread into each other to make an endless length.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BE-24	24" Rods with male thread one end, female other 12-24 Thread Size	3	14.40
BE-36	36" Rods with male thread one end, female other 12-24 Thread Size	3	16.40
BE-48	48" Rods for 1/4" brushes only 8-32 thread size	3	8.80
BH-1	Handgrip – 4" long threads into rods	1	7.60

## Wagner Leak Finders



### Pro-2000 Leak Finder

A fluorescent yellow leak detector in a non-clogging spray bottle. Reacts instantly to the smallest leak. This high viscosity liquid clings to the applied surface for instant detection, even in low light. Leaves no residue or film to interfere with brazing or soldering. The applicator is designed to shoot a controlled stream of liquid to the suspected area. Use with all refrigerants, oxygen, and compressed gases. Meets Mil spec. MIL-1-26567A.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CL-2016	Pro-2000 Leak Finder – Pint	12	7.80
CL-2032	Pro-2000 Leak Finder – Quart	12	12.40
CL-2128	Pro-2000 Leak Finder – Gallon	4	38.00



### Radiant Leak Finder

The radiant color of this viscous leak detector lets the user easily see even the slightest bubble. Withstands temperatures down to 0°F before freezing. Below zero, it forms a gel and becomes liquid again in only a few minutes of room temperature. Now available in a pull-a-spout bottle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CLR-4	4 fl. oz. Radiant Leak Finder	12	3.60
CLR-8	8 fl. oz. Radiant Leak Finder	12	6.60
CLR-64	1 gallon Radiant Leak Finder	4	44.00



### Leak Finder with Brush-On Applicator

Formulated for refrigeration and air conditioning systems. Seeks and finds refrigerant and air leaks quickly and safely. Actually pinpoints the leak when applied to the suspected area. Leak-Finder has body and will never fail to bubble at even the slightest leak. Leak-Finder is non-toxic, will not stain and meets Mil Spec. MIL-L-25567A for oxygen and compressed gases. Ideal for automotive air conditioners where flame type detectors could be hazardous. Leak-Finder also makes the perfect companion to electronic leak detectors.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CL-8	8 fl. oz. Leak Finder	12	6.40
CL-64	1 Gallon Leak Finder	1	38.00

# Sealant, Epoxy, Glue



## Wagner Adhesive Sealant

For refrigerant sealing. Eliminates fastener loosening, leakage, and corrosion. Cures between thread flanks to seal against leakage and prevents thread corrosion. Offers sealing with maximum solvent resistance to the action of refrigerant (11, 12 and 22), ammonia and sulfur dioxide. Withstands corrosive liquids used in metal finishings and process industries. Ideal sealant for refrigeration, A/C, and process equipment using corrosive chemicals.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CAS-2712	Wagner Adhesive Sealant, 0.34 fl. oz.	10	19.80



## Loctite® Thread Sealant with Teflon

General purpose sealant with the lubricity of Teflon for metal pipes. Won't shred like Teflon Tape. Allows easy disassembly. Resists common shop fluids. -60° to 400°F temp. resistance. Pressure resistance of 5000 PSI.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-80632	Loctite® Thread Sealant – 1/4 Pint Brush Can	12	13.80 ▲
7-80633	Loctite® Thread Sealant – 1 Pint Brush Can	12	35.40 ▲



## Fast Cure Epoxy

DEP056 contains 10 individually-wrapped, pre-measured packages. Each unique sealed package contains the exact A/B portion required for most small jobs. Easy peel-open containers press into shape to form handy mix-and-dispense cup. Re-closable cylinder contains: Ten 0.12 oz. mixer packs and mixing sticks. Epoxy is also available in 1 pound kits (DEP8001 and DEP8002).

CATALOG NO.	GEM NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
DEP056		Epoxy Mixer Cups	10	41.60
DEP8001	EP8001	Aluminum Epoxy Putty (1 lb. Kit)	24	26.80
DEP8002	EP8002	White Epoxy Putty (1 lb. Kit)	24	26.80



## Super Glue

CATALOG NO.	GEM NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
DEP052	EPO52	Super Glue (2 gram tube)	12	4.60



## Epox-A-Leak All Purpose Epoxy Kit

Formulated to repair leaks on aluminum evaporators and condensers. Ideal for joining all metal to metal parts. Sets fast, cures fast, just 7 to 10 minutes. Has shear strength in excess of 2000 PSI within 30 minutes. Bursting pressure 4000 PSI. Withstands temperatures from -40° to 212°F. Refrigeration systems can be recharged within one hour after repair. Packaged in economy-sized one ounce tubes. Kit includes two 1 oz. tubes (1 resin, 1 hardener), mixing spatulas, emery cloth, plus saturated cleaning swabs.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CP-2	Epox-A-Leak All Purpose Epoxy Kit	12	13.60 ▲

# Abrasive Cloths



## Abrasive Cloth

Aluminum oxide, high quality 120 grit, abrasive cloth to thoroughly clean copper and steel tubing. Works wet or dry. Exceeds industry standards for abrasive cloth.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SC-10	Abrasive Cloth 1-1/2" x 10 yds.	24	9.04 ▲
SC-25	Abrasive Cloth 1-1/2" x 25 yds.	12	18.28 ▲



## Grip-Cut™

Open mesh sand screen cloth. Aluminum oxide grain resin bonded to synthetic nylon cloth. 100% waterproof, but can also be used dry for sanding by hand or with portable tools. Most effective where clogging is a problem, such as soft materials. 180 grit.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SCM-5	Grip-Cut™ 1-1/2" x 5 yds.	24	13.04 ▲
SCM-10	Grip-Cut™ 1-1/2" x 10 yds.	24	21.84 ▲
SCM-25	Grip-Cut™ 1-1/2" x 25 yds.	12	52.52 ▲



## All Purpose Cleaning Pads

For cleaning copper tubes and fittings. Nylon will not rust. Can be used wet or dry. Leaves no residue and is long lasting.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ACP-10	All Purpose Cleaning Pads	1 Box	13.68 ▲

Use the Wet Switch to  
**STOP THE FLOOD**  
of overflowing condensate drain pans



(SEE PAGE 113)

Water activated switch to automatically stop the air handler and compressor when water is detected in the secondary drain pan.



# DIVERSITECH CHEMICALS: THE MANUFACTURING EDGE.



DIVERSITECH ➤

CUSTOMER SERVICE HOTLINE: (800) 995-2222

➤ 141

## HVAC Product Comparison Chart

SCM PRODUCT	PRODUCT NUMBER	PRODUCT COLOR	PRODUCT DESCRIPTION	NU-CALGON	VIRGINIA KMP
TRIPLE "D"	SCM-707	amber	Premium Non-Foaming Coil Cleaner, Degreaser, Deodorant		
POWER PLUS	SCM-703	green	Alkaline Evaporator Coil and System Cleaner, Degreaser	Evap Pow'r-C	Acti-Kleen
SUPER FOAM	SCM-718	blue	Ultra High Foaming Alkaline Condenser Coil Cleaner, Degreaser and Brightener	Nu-Brite	Alki-Foam
FOAM POWER	SCM-712	yellow	High Foaming Alkaline Condenser Coil Cleaner, Degreaser and Brightener	Alka-Brite Foam-Brite	Acti-Foam
FREE FOAM	SCM-702	blue	Foaming Alkaline Degreaser and Brightener	NO EQUIVALENT	H.D. Metal Cleaner Detergent
COIL KLEEN	SCM-706	red	Foaming Acid Coil Cleaner and Brightener (contains no hydrofluoric [HF] acid)	Cal-Brite	Acti-Brite
SUPER KOOL	SCM-705	clear	Nickel and Metal Safe Ice Machine Cleaner	Nickel-Safe	Metal Safe Ice Machine Cleaner
SAFETY KLEEN II	SCM-816	clear	Non-Flammable Safety Degreasing Solvent/Cleaner	Degreasing Solvent EF	Virginia No. 10e
D'SCALE	SCM-709	purple	Inhibited Cooling Water System Acid Descaler	Scale Dissolver	Scale Remover
DETECTO	SCM-805	opalescent	High Viscosity Leak Detector	Cal-Blue Gas Leak Detector	Gas Leak Locator
BUBBLE -N- TROUBLE	SCM-806	pink	Freeze-Protected Polymer Based Spray Leak Detector	Cal-Blue & Fluorescent Gas Leak Detectors	Locator Leak Detector
SANI C-N-D	SCM-810	blue	Air Handler and Drain Pan Disinfectant	Bio-Fresh	NO EQUIVALENT
NON-SCENTS	SCM-813	green	Air Handler Solid Deodorant	NO EQUIVALENT	NO EQUIVALENT
FLOW PLUS	SCM-181	blue	Long Lasting Polymer Pan Treatment	Pan Pads	CDC Anti-Clog
GRIME GRABBER	SCM-807	white	Waterless Hand Cleaner	Nu-Kleen II	KMP Hand Cleaner



**STEWART  
HALL**

**RECTORSEAL**

**HYDRO-BALANCE**

**ACE**

**VAPCO**

**THERE IS NO EQUIVALENT TO TRIPLE "D"**

Coil-Rite	Concentrated Evaporator	Hydro-Coil	Non-Rinse Evaporator Cleaner	H.P. Cleaner
Renewz	NO EQUIVALENT	Black Max Concentrate	Foam N'Clean	Foaminator
Foam-A-Coil	Alkaline Extra Strength Condenser	Hydro-Kleen	Alkaline Coil Cleaner	Plus
NO EQUIVALENT	NO EQUIVALENT	NO EQUIVALENT	H.D. Cooling Coil Cleaner	NO EQUIVALENT
Con-Coil	Condenser Coil Cleaner	Hydro-Foam	Supreme Coil Cleaner	Brite-Alum
Scale-Strip	Nickel-Safe Ice Machine Cleaner	H. B. 30	Nickel-Safe Ice Machine Cleaner	Nickel Guard
NO EQUIVALENT	NO EQUIVALENT	Hy-Sol	Super Degreasing Solvent	Degreaser
Liquid Descalit	RectorScale Remover	Ultra Max	Scale Remover	Scale Remover No. 2
NO EQUIVALENT	RectorSeek Mid-Temp	Bubble-Up	Gas Leak Finder	Regular Bubbles
NO EQUIVALENT	Better Bubble	NO EQUIVALENT	Fast Find Leak Detector LT	Low Temp Bubbles
Coil & Duct Disinfectant	NO EQUIVALENT	NO EQUIVALENT	Bacti-Gard	NO EQUIVALENT
NO EQUIVALENT	NO EQUIVALENT	NO EQUIVALENT	Odor Neutralizer	NO EQUIVALENT
Actabs	NO EQUIVALENT	Slime Away	Pan Protector	Pan Pills
NO EQUIVALENT	RectorKleen	NO EQUIVALENT	E-Z Citrus Hand Cleaner	NO EQUIVALENT

EPA Registered



Authorized by USDA for use in Federally inspected meat and poultry plants



SPECIALTY CHEMICAL'S 3-STEP PROGRAM

# 3 Easy Steps to Improved Indoor Air Quality



1

## STEP 1: CLEAN



### TRIPLE "D"™

**Degreaser • Detergent • Deodorant**

Clean the evaporator coil and condensate pan with TRIPLE "D"™, a USDA authorized non-foaming alkaline coil cleaner. Cleaning the dirt from the coil and pan not only improves equipment efficiency, but also removes an important source of contamination that can create slime and sludge in the drain pan and cause pan overflow.



2

## STEP 2: DISINFECT



### SANI C-N-D™

**Coil and Drain Pan Disinfectant**

Disinfect and deodorize the evaporator coil and drain pan with SANI C-N-D™, an EPA registered biocide, fungicide, viricide, and mildewstat. The broad spectrum biocide in SANI C-N-D™ assures control of many airborne pathogens that can be spread via contaminated air handling equipment.



3

## STEP 3: MAINTAIN



### FLOW-PLUS™

**Condensate Pan Treatment**

Place FLOW-PLUS™ in the condensate pan (refer to the sizing chart). FLOW-PLUS™ is a totally soluble long term polymer treatment that keeps the drain pan and condensate lines clean for a minimum of three months. This prevents pan overflow problems.



# Indoor Air Quality



## 3-Step IAQ Demo Kit

DiversiTech presents 3 easy steps to improve indoor air quality. The first step is to clean the evaporator coil and condensate pan with our Triple "D"™, a USDA authorized non-foaming alkaline coil cleaner. This removes contamination and improves equipment efficiency. Next, disinfect and deodorize the evaporator coil and drain pan with SANI C-N-D™, an EPA registered biocide, fungicide, viricide, and mildewstat. Finally, place FLOW-PLUS™ in the condensate pan in order to prevent pan overflow problems. FLOW-PLUS™ will also help to maintain cleanliness for a minimum of three months. Try the 3-Step IAQ Demo Kit. Your evaporator coil and condensate pan will thank you.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
3-STEP-DEMO	3-Step IAQ Demo Kit	1	70.00

# Coil Cleaners




## TRIPLE "D"™ Premium Alkaline Coil Cleaner

- Unique** – Triple action degreaser – detergent – deodorant. Nonfoaming condenser, evaporator and electronic air filter cleaner.
- Economical and Effective** – A concentrated minimum 6-1 mix ratio provides full cleaning power at low use cost.
- Nontoxic and Biodegradable** – Reduces workers' compensation and liability because it contains no hazardous acids.

USDA AUTHORIZED

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-707-32	32 oz. Container	12/Case	17.76 ▲
SCM-707-01	1 Gallon Container	4/Case	34.52 ▲
SCM-707-05	5 Gallon Pail	1	172.28 ▲
SCM-707-30	30 Gallon Drum	1	995.52 ▲
SCM-707-55	55 Gallon Drum	1	1801.76 ▲

This chart shows the relative safety of Triple "D" when compared to typical acid and alkaline foaming coil cleaners. Through the course of 5 cleaning cycles, a typical coil cleaner may cause up to 25% of the cooling fin mass to be lost. With this loss of metal, heat transfer efficiency will be lost as well. Triple "D"'s inhibited formula, on the other hand, provides effective cleaning but does not attack the cooling fin metal, so heat transfer efficiency is preserved.





## POWER-PLUS™ Alkaline Evaporator Coil Cleaner

- Inhibited** – Will not attack aluminum or other soft metals when mixed as directed.
  - Self Rinsing** – Saves cleaning time.
  - Fragrance Free** – The product of choice in hypoallergenic situations.
- USDA AUTHORIZED

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-703-32	32 oz. Container	12/Case	14.28 ▲
SCM-703-01	1 Gallon Container	4/Case	32.00 ▲
SCM-703-05	5 Gallon Pail	1	159.52 ▲
SCM-703-30	30 Gallon Drum	1	882.00 ▲
SCM-703-55	55 Gallon Drum	1	1663.28 ▲



## SUPER-BRITE™ Brown Foaming Coil Cleaner

- Ultra High Foaming Formula** – Pulls out deeply imbedded dirt.
- Cleans and Brightens** – Fast dual action formula.
- Biodegradable** – Safer than foaming hydrofluoric acid cleaners.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-720-32	32 oz. Container	12/Case	13.76 ▲
SCM-720-01	1 Gallon Container	4/Case	30.76 ▲
SCM-720-05	5 Gallon Pail	1	153.28 ▲
SCM-720-30	30 Gallon Drum	1	882.00 ▲
SCM-720-55	55 Gallon Drum	1	1657.00 ▲



## SUPER-FOAM™ Maximum Power Foaming Coil Cleaner

- Heavy Duty Foaming Formula** – Penetrates, breaks down, and foams out oil, grease, and dirt.
- Fast Acting** – Fortified with LA-544 to quickly suspend and float away soil.
- Dense Expanding Foam** – Efficiently cleans and brightens even the thickest, dirtiest condenser coils.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-718-32	32 oz. Container	12/Case	13.76 ▲
SCM-718-01	1 Gallon Container	4/Case	30.76 ▲
SCM-718-05	5 Gallon Pail	1	153.28 ▲
SCM-718-30	30 Gallon Drum	1	882.00 ▲
SCM-718-55	55 Gallon Drum	1	1657.00 ▲



## FOAM-POWER™ Alkaline Expanding Foam Coil Cleaner

- Foams** – Concentrated high foaming formula creates pressure generating foam to force deep soils to coil surfaces.
  - Brightens** – High foaming action removes oxides and soils as it cleans.
  - Degreasers** – Powerful penetrating formula emulsifies grease and oil, allowing fast and easy rinsing.
- USDA AUTHORIZED

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-712-32	32 oz. Container	12/Case	13.52 ▲
SCM-712-01	1 Gallon Container	4/Case	30.28 ▲
SCM-712-05	5 Gallon Pail	1	151.28 ▲
SCM-712-30	30 Gallon Drum	1	869.52 ▲
SCM-712-55	55 Gallon Drum	1	1570.76 ▲





## FREE-FOAM™ Alkaline Coil and Filter Cleaner

- **Concentrated** – Especially effective on baked on grease and oils.
  - **Controlled Foaming** – Can safely be used on indoor equipment.
  - **Deodorizes** – Neutralizes obnoxious odors often found in air handling equipment.
- USDA AUTHORIZED

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-702-32	32 oz. Container	12/Case	14.28 ▲
SCM-702-01	1 Gallon Container	4/Case	32.00 ▲
SCM-702-05	5 Gallon Pail	1	159.52 ▲
SCM-702-30	30 Gallon Drum	1	919.76 ▲
SCM-702-55	55 Gallon Drum	1	1663.28 ▲



## COIL-KLEEN™ Foaming Acid Condenser Cleaner

- **Less Hazardous** – Contains no dangerous hydrofluoric acid.
  - **Faster** – High foaming action and easy rinsing minimizes cleaning time.
  - **Effective** – Removes salts and scale as it brightens.
- USDA AUTHORIZED

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-706-32	32 oz. Container	12/Case	15.00 ▲
SCM-706-01	1 Gallon Container	4/Case	33.28 ▲
SCM-706-05	5 Gallon Pail	1	166.00 ▲
SCM-706-30	30 Gallon Drum	1	957.52 ▲
SCM-706-55	55 Gallon Drum	1	1732.52 ▲



## PRO-BRITE Acid Coil Cleaners

Professional strength formula cleans, brightens, deodorizes and degreases air cooled condensers, evaporators, electronic filters, fan blades, etc.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
8-R		1 Gallon	4	24.00
8-R-5	Pro-Brite Red foaming cleaner (acid)	5 Gallon	4	120.00
8-R-55		55 Gallon	4	1320.00
8-ER	Pro-Brite Red – Ready to Use (non-concentrated)	1 Gallon	4	15.80



## PRO-FOAM Non-Acid Coil Cleaners

Professional strength formula cleans, brightens, deodorizes and degreases air cooled condensers, evaporators, electronic filters, fan blades, etc.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
8-Y		1 Gallon	4	24.00
8-Y-5	Pro-Power Yellow foaming (non-acid)	5 Gallon	4	120.00
8-Y-55		55 Gallon	4	1320.00
8-P		1 Gallon	4	24.00
8-P-5	Pro-Foam Super foaming concentrate (non-acid)	5 Gallon	4	120.00
8-P-55		55 Gallon	4	1320.00
8-EP	Pro-Foam – Ready to Use (non-concentrated)	1 Gallon	4	15.80



## PRO-KLEEN Evaporative Coil Cleaners

Professional strength formula cleans, brightens, deodorizes and degreases air cooled condensers, evaporators, electronic filters, fan blades, etc.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
8-G		1 Gallon	4	24.00
8-G-5	Pro-Kleen Green no rinse (non-toxic)	5 Gallon	1	120.00
8-G-55		55 Gallon	1	1320.00
8-EG	Pro-Kleen Green – Ready to Use (non-concentrated)	1 Gallon	4	15.80

# Disinfectants



## SANI C-N-D™ Coil and Drain Pan Disinfectant

- **EPA Registered** – Disinfectant, fungicide, mildewstat and viricide.
- **Ready To Use** – Assures consistent, effective results.
- **Deodorant** – Destroys “dirty sock,” mildew and other malodors.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SCM-810-32	32 oz. Container	12/Case	26.00 ▲
SCM-810-01	1 Gallon Container	4/Case	35.76 ▲
SCM-810-05	5 Gallon Pail	1	178.52 ▲
SCM-810-30	30 Gallon Drum	1	1033.28 ▲
SCM-810-55	55 Gallon Drum	1	1871.00 ▲

# Pan Treatments



PRODUCT NO.	EQUIPMENT TONNAGE
SCM-183	1/2 to 3 tons
SCM-181	3 to 5 tons
SCM-184	5 to 20 tons
SCM-182	20 to 50 tons
SCM-185	Over 50 tons

## FLOW-PLUS™ Condensate Pan Treatment

- **Unique** – Polymer formula maintains condensate flow and prevents drain pan overflow.
- **100% Active** – No residue. No waste. Nonclogging.
- **Effective** – Long term condensate activated release.
- **Environmentally Safe** – Nontoxic and noncorrosive.
- **Economical** – Sizes to meet all tonnage requirements.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-183-16	25 Tabs/Jar	24 Jars/Case	55.00 ▲
SCM-183-200	200 Tabs/Jar	4 Jars/Case	385.52 ▲
SCM-181-06	6 oz. Clamshells	48 Clamshells/Case	47.00 ▲
SCM-184-MT	10 oz. Tub	18 Tubs/Case	47.00 ▲
SCM-182-HT	1.25 lb. Tub	8 Tubs/Case	94.00 ▲
SCM-185-8	7.5 lb. Tub	1 Tub/Case	410.52 ▲

## PRO-TREAT 151

- **EPA Registered** – Stops black algae, fungi and bio-fouling that can plug drain pans, lines and foul humidifier pads. Kills odors associated with slime and sludge.
- **Safe** – Noncorrosive and odor-free. Computer room approved.
- **Convenient** – 100% soluble, does not form deposits in pan or drain line.
- **Dosage** – 1 tablet per 3 tons per month.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
PT-151	100 Tablets/Jar	12/Case	63.44
PT-153	6 Tablets/Card	24/Case	8.12

## PRO-TREAT 152 King-Size Premium Condensate Drain Pan Treatment

- **Economical** – King-sized tablet lasts three times as long.
- **Safe** – Noncorrosive, odor-free and 100% soluble. Computer room approved.
- **Effective** – Keeps drain pans and condensate lines clean and free flowing.
- **Dosage** – 1 tablet per 3 tons per 3 months.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
PT-152	12 Tablets/Jar	6/Case	84.24
PT-152B	100 Tablets/Jar	1/Case	640.00



## PRO-TREAT 161 Condensate Drain Pan Treatment

- **Effective** – Regular use assures season long trouble free drain pan performance.
- **Safe** – Noncorrosive, odor-free and 100% soluble. Computer room approved.
- **Dosage** – 2 tablets per 3 tons per month.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
PT-161	100 Tablets/Jar	12/Case	38.00



## PRO-TREAT 200 Economy Condensate Drain Pan Treatment

- **Economical** – 200 tablets per jar
- **Safe** – Noncorrosive, odor-free and 100% soluble. Computer room approved.
- **Convenient** – Easy to use tablet form provides prolonged cleaning action.
- **Dosage** – 3 tablets per 3 tons per month.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
PT-200	200 Tablets/Jar	12/Case	34.12
PT-217	200 Tablets/Jar	12/Case	30.00
PT-236	36 Tablets/Card	6/Case	16.00



## PRO-TREAT 156 Humidifier Treatment

- **Protects** – Cleans contamination and prevents stopped up pads.
- **Convenient** – Easy to use tablet treatment lasts 4-6 weeks.
- **Safe** – Noncorrosive, odor-free and 100% soluble. Computer room approved.
- **Dosage** – 2-4 tablets per 4-6 weeks. Treatment is dependent on water hardness.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
PT-156	4 Tablets/Card	24/Case	6.88



## PRO-TREAT 154 Evaporative Air Cooler Cleaner and Deodorizer

Regular use of PRO-TREAT 154 tablets extends equipment life, helps maintain unit efficiency (saving energy) and prevents musty swamp odors from forming. Approved for computer room use. Dosage is determined from the cubic feet per minute of air flow. Typical treatment is one tablet per 5300 CFM.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
PT-154	PRO-TREAT 154 – 1 Tablet per Pack	12	8.56
PT-154B	PRO-TREAT 154 – 12 Tablets per Jar	12	99.84



## PRO-TREAT 350 Condensate Drain Pan Treatment

Place a PRO-TREAT 350 tablet in a condensate drain pan and condensed moisture will slowly dissolve the tablet, thinly coating the pan surface to give prolonged cleaning action on sludge. Dosage: one or two tablets are recommended in each pan per month. For industrial use only!

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
PT-350	PRO-TREAT 350 – 100 tablets per jar	24	18.00

## Air Filter Products



### FILTER-AIDE™ AC and Furnace Filter Enhancer

- **Enhances Filter Performance** – Helps filter triggering pollutants.
- **Improves Indoor Air Quality** – Unique polymer – charged formula will not support bacteria growth.
- **Prolongs Equipment Life** – Compatible with all air filters. Allows units to run more efficiently.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-713-32	32 oz. Container	12/Case	36.52 ▲
SCM-713-01	1 Gallon Container	4/Case	47.52 ▲

# Leak Detectors



## BUBBLE-N-TROUBLE™ Freeze Protected Spray-On Leak Detector

- **Noncorrosive and Nontoxic** – Does not attack metal or interfere with brazing or soldering. Biodegradable.
- **Versatile** – Spray-on application allows easy access for hard to reach places.
- **Economical** – Tacking agent holds solution on test surface.

USDA AUTHORIZED

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-806-32	32 oz. Container	12/Case	20.52 ▲
SCM-806-01	1 Gallon Container	4/Case	54.52 ▲



## DETECTO™ Iridescent Leak Detector

- **High Viscosity** – Clings to the surface to allow detection of slow leaks.
- **Iridescent** – Creates highly visible easier to see bubbles.
- **Nontoxic and Noncorrosive** – Safe for use in food service applications.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-805-08	8 oz. Container	24/Case	13.52 ▲



## PRO-BLUE™ Leak Detector

Easy to use, high bubbling, viscoelastic blue leak detector.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
800-002	1 Quart w/Spray Top	12/Case	13.40
800-003	1 Gallon	4/Case	32.60

Product sold in Standard Pack quantities only.



## PRO-2000 LEAK FINDER™

- **Effective** – Viscous fluorescent formula reacts to the smallest leaks.
- **Safe** – Noncorrosive, leaves no residue to interfere with soldering or brazing.
- **Convenient** – Easy to use spray applicator.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
CL-2016	16 oz. Container	12/Case	7.80
CL-2032	32 oz. Container	12/Case	12.40
CL-2128	1 Gallon Container	4/Case	38.00



## RADIANT LEAK FINDER™

- **Effective** – Radiant color and viscous clinging formula exposes the smallest leaks.
- **Freeze Protected** – Remains effective down to 0° F.
- **Convenient** – Available in dauber or pull-spout bottles.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
CLR-4	4 oz. Container	12/Case	3.60
CLR-8	8 oz. Container	12/Case	6.60
CLR-64	1 Gallon Container	4/Case	44.00



## LEAK FINDER™ With Brush-On Applicator

- **Effective** – Special refrigeration and air conditioning formula pinpoints the slightest leaks instantly.
- **Safe** – Nontoxic, nonstaining and oxygen safe. Meets MIL Spec 25567A.
- **Convenient** – Easy to use brush applicator.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
CL-8	8 oz. Container	12/Case	6.40
CL-64	1 Gallon Container	1	38.00



## PRO-TRACK™

Concentrated combination dye and fluorescent refrigerant system leak detector. The dye and oil carrier in Pro-Track are compatible with mineral, alkylbenzene, and POE oil systems.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
CT-4	4 oz. Plastic Bottle	12	17.00

## Acid Test and Prevention



### Acid Eliminator

Keeps acid away and is compatible with all refrigerants and oils. Acid Eliminator is designed to chemically neutralize and prevent acids that are formed in air conditioning and refrigeration systems due to refrigerant and refrigeration oil break down, moisture, and compressor burnout. Easy to use, no complicated charts. Works fast, circulates quickly, and leaves no solids or solid residuals. Will not harm system components. Can prevent system breakdown.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
CAN-4	4 oz. Plastic Bottle	12	37.00



ATK-4



ATK-1

ATK-1P

### Acid Test Kit™

- **Effective** – Detects acid in refrigeration oil.
- **Convenient** – One step test means no chemicals to mix.
- **Simple** – Easy to evaluate. Color change indicates acidity; color intensity reveals the amount of acid present in the oil sample.

CATALOG NO.	STANDARD PACK	PRICE/EACH
ATK-4	4 Per Package	27.40
ATK-1	1 Per Package	15.20
ATK-1P	1 Per Package – For POE Oil	15.20

### Oil Tap

Oil Tap is installed on a semi-hermetic compressor for the changing of oil and testing procedures. The internal pressure helps discharge the oil from the crankcase and acid tests can be made while the compressor is running. Allows the addition by vacuum or removal by pressure of oil while compressor is running. And, you can detect hazardous refrigerant pooling in the crankcase before start-up and control the removal using a compound gauge. Oil Tap can be permanently installed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
OT-1808	Oil Tap	1	16.00 ▲



### PRO-THAW™ Liquid Dryer for Refrigerants

Pro-Thaw chemically dries all refrigerants (R-12, R-22, R-134a, etc.), methyl chloride and methylene chloride. Pro-Thaw frees up systems frozen due to moisture contamination in 5 minutes and prevents refreezing. Pro-Thaw does not contain any dissolved solids, leaves no residue and works with or without solid dryers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CTZ-4	Pro-Thaw, 4 oz. plastic jar	12	10.80
CTZ-16	Pro-Thaw, 16 oz. plastic jar	6	31.80

# Vacuum Pump Oil



## PRO-LUBE-VAC™ Vacuum Pump Oil

Specialty Chemical VP-68 Premium Vacuum Pump Oil rapidly develops its highest vacuum to assure maximum pumping speed. It is an effective flushing oil and cleaner for dirty vacuum pumps, has improved formulation to ensure cold start performance for oil sealed high vacuum pumps, and is refined to meet minimum moisture content specifications.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
VP68-32	Vacuum Pump Oil	1 quart jug	12	CALL FOR QUOTE
VP68-01		1 gallon jug	4	

# Refrigeration Oils



## PRO-LUBE™ Mineral Oil

Specialty Chemical mineral oil (by Calumet) is a superior mineral naphthenic refrigeration oil designed to meet the operating requirements of modern residential and commercial air conditioning and refrigeration compressors. These oils have a low pour point, low wax floc temperature and are chemically and thermally stable in the presence of refrigerants. OEM approved by Copeland, Carlyle, Trane, and other major compressor manufacturers. Always follow compressor manufacturer's oil viscosity recommendations. Mineral oil is specially recommended for lubrication of compressors containing ammonia, R-11, 12, 13, 22, 113, 114, 123, 500 and 502 refrigerants in residential, industrial and commercial service. DO NOT USE WITH HFC REFRIGERANTS SUCH AS R-134A.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
3WF-01		1 gallon jug	4	
3WF-05	SUS150 ISO32	5 gallon pail	1	
3WF-55		55 gallon drum	1	
4WF-01		1 gallon jug	4	CALL
4WF-05	SUS300 ISO68	5 gallon pail	1	FOR
4WF-55		55 gallon drum	1	QUOTE
5WF-01		1 gallon jug	4	
5WF-05	500SUS ISO100	5 gallon pail	1	
5WF-55		55 gallon drum	1	



## PRO-LUBE-ALK™ Alkylbenzene

Specialty Chemical alkylbenzene is recommended for refrigeration, air conditioning, and heat pump applications using HCFC and CFC refrigerants. Specialty Chemical's alkylbenzene is an excellent choice when retrofitting to the new refrigerants which are HCFC based such as R-401A (MP-39), R-401B (MP-66), R-402A (HP-80), R-402B (HP-81). OEM approved by Copeland and other compressor manufacturers.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
ALK150-01	SUS150 ISO32	1 gallon jug	4	CALL
ALK200-01	SUS200 ISO46	1 gallon jug	4	FOR
ALK300-01	SUS300 ISO68	1 gallon jug	4	QUOTE

## PRO-LUBE-POE™ Polyolester

Specialty Chemical POE is custom formulated for use in refrigeration compressors. This series contains no ozone depleting substances and is compatible with new HFC refrigerants as well as existing CFC and HCFC refrigerants. In addition, POE is compatible with traditional mineral oil lubricants.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
POE32-32	SUS150 ISO32	1 quart can	12	
POE32-01		1 gallon can	4	CALL
POE68-32	SUS300 ISO68	1 quart can	12	FOR
POE68-01		1 gallon can	4	QUOTE
POE100-32	SUS500 ISO100	1 quart can	12	
POE100-01		1 gallon can	4	



## System Cleaners



### D'SCALE™ Acid Scale Remover for Cooling Towers

- **Nonfoaming** – Will not create corrosive acidic foam.
- **pH Indicating Dye** – Color changes to yellow when acid has been consumed.
- **Economical** – Each gallon dissolves 3 pounds of scale.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-709-01	1 Gallon Container	4/Case	28.00 ▲
SCM-709-05	5 Gallon Pail	1	139.76 ▲
SCM-709-30	30 Gallon Drum	1	800.00 ▲
SCM-709-55	55 Gallon Drum	1	1443.76 ▲



### TRIPLE TREAT™ Recirculating Water System Cleaner

#### Dispersant Scale and Corrosion Remover

- **Effective** – Removes and prevents scale, corrosion, and organic deposits.
- **Versatile** – Cleans cooling towers, boilers, and water loops.
- **Convenient** – Product of choice for “on line” cleanup jobs.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-120-01	1 Gallon Container	4/Case	75.52 ▲
SCM-120-05	5 Gallon Pail	1	378.00 ▲
SCM-120-30	30 Gallon Drum	1	2230.28 ▲
SCM-120-55	55 Gallon Drum	1	4065.52 ▲

## Cooling Tower Products



### TOWER GUARD 110™ Concentrated Scale & Corrosion Inhibitor for Cooling Towers

- **Nontoxic** – All organic inhibitors, contains no chromate or other toxic metals.
- **Versatile** – Controls scaling and deposits, protects all system metals from corrosion.
- **Effective** – Controls deposits in high scaling cooling tower waters.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-115-01	1 Gallon Container	4/Case	56.00 ▲
SCM-115-05	5 Gallon Pail	1	280.28 ▲
SCM-115-30	30 Gallon Drum	1	1644.28 ▲
SCM-115-55	55 Gallon Drum	1	2945.28 ▲



### HYDRO-KLEAR 100™ Broad Spectrum Microbicide for Cooling Water Algae Control

- **Versatile** – Broad spectrum biocide controls algae, bacteria and fungi.
- **Effective** – Low dosage rates control organic fouling.
- **Compatible** – Works with all scale and corrosion control products.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-131-01	1 Gallon Container	4/Case	61.28 ▲
SCM-133-05	5 Gallon Pail	1	306.52 ▲
SCM-133-30	30 Gallon Drum	1	1801.76 ▲
SCM-133-55	55 Gallon Drum	1	3280.28 ▲

## Boiler and Closed Loop Products



### BOILER GUARD™ Boiler Water Scale and Corrosion Inhibitor

- **Versatile** – All-in-one Boiler Treatment.
- **Effective** – Treats all types of low and medium pressure boilers.
- **Convenient** – Unique formula requires less testing.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-150-01	1 Gallon Container	4/Case	45.52 ▲
SCM-150-05	5 Gallon Pail	1	227.76 ▲
SCM-150-30	30 Gallon Drum	1	1329.28 ▲
SCM-150-55	55 Gallon Drum	1	2414.00 ▲

### LOOP GUARD™ 200 SNI Closed Loop Corrosion & Scale Inhibitor

- **Safe** – Contains no acids or heavy metals.
- **Versatile** – Formulated for use in hot and cold loop systems.
- **Convenient** – Simple nitrite test determines product residual in system.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-121-01	1 Gallon Container	4/Case	71.52 ▲
SCM-121-05	5 Gallon Pail	1	357.00 ▲
SCM-121-30	30 Gallon Drum	1	1978.28 ▲
SCM-121-55	55 Gallon Drum	1	3591.00 ▲

## Ice Machine Products



### SUPER-KOOL™ Nickel-Safe and Metal-Safe Ice Machine Cleaner

- **Fast** – Nonfoaming unique acid sequestrant formula quickly removes soil and mineral buildup.
  - **Economical** – Highly concentrated formula insures low use cost.
  - **Safe** – Inhibited formula will not attack nickel or other metal components.
- USDA AUTHORIZED

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-705-16	16 ounce bottle	12/Case	16.28 ▲
SCM-705-01	1 Gallon Container	4/Case	55.52 ▲

## Coil Treatments



### Coil Guard

Ideally used in coastal areas, where salt air accelerates rust and decay. Highly recommended for use in all geographical areas to prolong the life of a unit. When applied properly, Coil Guard dries quickly and immediately resists salt spray, alcohol, acids, and soap solutions. Weather will not blacken it. Coil Guard has high dielectric properties and has no effect on heat transfer. Our blue tinted product is used to ensure complete coverage of coating.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
C-20		20 oz.	12	42.00
C-128	Clear Coil Guard	1 Gallon	4	180.00
C-640		5 Gallon	1	756.00
C-20BL		20 oz.	12	42.00
C-128BL	Blue Coil Guard	1 Gallon	4	180.00
C-640BL		5 Gallon	1	756.00

# Heat Transfer Products

A propylene glycol based heat transfer fluid designed to provide freeze and burst protection, excellent thermal conductance, protection against system corrosion and fouling, and long-term system stability in closed re-circulating water loops. ProTek is formulated with food-grade corrosion inhibitors.



## ProTek™ Closed Loop Heat Transfer Fluid

ProTek for closed loop water recirculation systems is a blue liquid. Available in three concentrations – original ProTek-100™, ProTek-50™, and ProTek-Plus™. Each concentration may be further diluted to alter freeze and burst temperatures. Refer to the technical data sheet for specific information.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-126-01		1 gallon jug	4
SCM-126-05	ProTek-50	5 gallon pail	1
SCM-126-55		55 gallon drum	1
SCM-129-01		1 gallon jug	4
SCM-129-05	ProTek-100	5 gallon pail	1
SCM-129-55		55 gallon drum	1
SCM-128-01		1 gallon jug	4
SCM-128-05	ProTek-Plus	5 gallon pail	1
SCM-128-55		55 gallon drum	1



## ProTek™ PG-AL

An inhibited heat transfer fluid that is safe for use in boilers and hydronic systems with aluminum heat exchangers. Operating range is -100°F to 190°F.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-134-01		1 gallon jug	36.40
SCM-134-05	ProTekPG-AL	5 gallon pail	182.20
SCM-134-55		55 gallon drum	1914.00



## ProTek-BG™ for Water Boilers

ProTek-BG is a boiler grade product formulated specifically with corrosion inhibitors necessary for use in water boilers. ProTek-BG is a red liquid.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-130-01		1 gallon jug	4
SCM-130-05	ProTek-BG	5 gallon pail	1
SCM-130-55		55 gallon drum	1



## ProTek-RV™ for Recreational Vehicles

ProTek-RV provides an economic and effective solution to prevention of freeze and burst of water lines in RV's, boats, and vacation homes. ProTek-RV is a blue liquid.

CATALOG NO.	DESCRIPTION	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-132-01		1 gallon jug	4	CALL
SCM-132-05	ProTek-RV	5 gallon pail	1	FOR
SCM-132-55		55 gallon drum	1	QUOTE

## ProTek EG™

An inhibited ethylene glycol based heat transfer fluid. It is designed for use in hydronic, chilled and closed water where contact with food and potable water is not a concern.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-123-01		1 gallon jug	48.72
SCM-123-05	ProTek EG	5 gallon pail	214.20
SCM-123-30		30 gallon pail	1285.20
SCM-123-55		55 gallon drum	2268.20



## SURE BURN™ Concentrated Fuel Oil Treatment

A state-of-the-art fuel oil treatment designed to insure oil burner ignition even in the most extreme weather conditions. Sure Burn acts as a water dispersant and promotes cleaner, more efficient combustion. Also inhibits sludge formation and combats fuel tank corrosion.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SB-16	Concentrated Heating Fuel Treatment – 16 oz.	12	12.80

## SPILL KILL™ Powder – Fuel Spill Deodorant and Absorbent

A one-step liquid absorbent and deodorant with a convenient shaker top. Spill Kill is multi-functional. It absorbs and deodorizes fuel oil, as well as other liquid spills. The unique granular formula soaks up liquids and entraps odors much faster than dusty powders. The quick absorbing action minimizes the slip hazards associated with liquid spills.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SKDP-20	Granular Fuel Oil Deodorant and Absorbent – 20 oz.	12	14.60

## SPILL KILL™ Liquid – Fuel Spill Deodorant Spray

Neutralizes noxious fuel oil odors while imparting a pleasant residual fragrance. Using the trigger spray applicator, spray directly on the spill and mist into the air as a space deodorant. The safe, nonflammable formula lends itself to other deodorizing applications where noxious odors are a problem.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SKDS-16	Fuel Spill Deodorant Spray – 16 oz.	12	17.80

## HOT SEAT™ – High Temperature Furnace Cement

A high quality, fiber reinforced refractory cement formulated to withstand temperatures exceeding 2000°F without cracking. Superior bonding properties make it effective on masonry and metal surfaces. Fast drying, ready-to-use formula seals cracks and flues; resets firebrick in furnaces and chimneys. Freeze protected to 0°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-HS-16	Furnace Cement – 16 oz. Tub	12	17.16
HP-HS-64	Furnace Cement – 64 oz. Tub	4	50.88
HP-HS-128	Furnace Cement – 128 oz. Tub	4	83.20

## SOOT KILL™ – Catalytic Soot Remover

Ready-to-use nonflammable, noncorrosive catalytic soot cleaner. Fast, efficient cleaning of the combustion chamber. The catalytic cleaning action dramatically reduces time consuming vacuuming of the burner chamber. Soot Kill's residual action slows soot accumulation and assures long term heater efficiency.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SK-16	Catalytic Soot Remover Spray – 16 oz.	12	16.60 ▲

## MAGIC SOOT STICK™ – Catalyzed Soot Destroyer

A one-shot fuel oil combustion chamber treatment. Noncorrosive formula eliminates soot deposits which increases burner efficiency. The 1" diameter tube easily fits through combustion chamber peep holes. Also reduces soot build up in fireplaces, wood and coal burning stoves and furnaces, helping prevent chimney fires.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-MS-03	Catalyzed Soot Destroyer – 3 oz. Tube	36	5.08 ▲

## Deodorizers and Degreasers



### BLUE BLITZ™ New Concept Cleaner Deodorizer-Degreaser

- **Kills Odors** – Unique formula cleans as it deodorizes.
- **Fast Acting** – Cuts through tough grime and grease.
- **Easy To Use** – Cleans smudges and stains in 1 step.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-815-32	32 oz. Container	12/Case	23.00 ▲
SCM-815-01	1 Gallon Container	4/Case	28.76 ▲



### SAF-T-KLEEN II™ Safety Solvent Degreaser

- **Nonconductive** – Safe for use on motors and electrical circuitry.
- **Fast Drying** – Powerful dissolving action leaves no residue.
- **No Flash Formula** – Eliminates fire hazards.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-816-01	1 Gallon Container	4/Case	63.28 ▲



### NON-SCENTS™

- **Long Lasting** – Time release granules neutralize odors.
- **Multi-Purpose** – Also effective in absorbing fuel oil and other odorous liquids.
- **Nontoxic** – Safe 100% natural deodorizer.

CATALOG NO.	PACKAGE	STANDARD PACK	PRICE/EACH
SCM-813-16	13 oz. Jar	24/Case	23.00 ▲

## Thread Sealants



### PRO-TITE™ Resin Based Thread Sealant

Resin based thread sealant that adheres to internal surfaces, fills voids while forming a flexible fluid tight seal. Specifically formulated for use on metals and plastics subject to extreme vibration. Serviceable at temperatures from -100° F to 400° F and from full vacuum to 10,000 PSI. Pro-Tite is impervious to most chemicals including refrigerants, petroleum products, gases, steam, etc. Alcohol based.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CLL-1	Pro-Tite, 1-1/3 oz. squeeze tube	12	5.00 ▲
CLL-4	Pro-Tite, 4 oz. brush top	12	12.00 ▲
CLL-16	Pro-Tite, 16 oz. brush top	12	30.00 ▲

# Aerosols



## "Sure-Stick" Heavy Duty Adhesive Spray

This wide web spray adhesive is ideal for both temporary or permanent bonding. Waterproof, transparent and non-staining. Use for the toughest adhesive applications with leather, cardboard, most plastics, polyethylene sheeting and insulation in HVAC applications. Cleans with mineral spirits. Not for use on vinyl.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
315-20	12 oz. Adhesive Spray	12	10.96 ▲



## "Sting-Less" Wasp & Hornet Killer

Kills wasps, hornets and yellow jackets. Very fast acting when insects are hit directly. Allow approximately 24 hours for those that were not directly hit. This container delivers a 20 foot jet blast to knock down the insects and allow for the user to remain at a safe distance.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
436-20	Wasp & Hornet Spray	12	18.56 ▲



## "Pan-Kote" Heavy Duty Drain Pan Patch

A super durable rubberized coating used to fill-in and patch HVAC drain pans. Seals out rust and corrosion. Stays flexible in variable weather conditions.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
641-14	14 oz. Pan Kote	12	18.76 ▲



## "Sweat Free" Pipe Insulation Spray

Sweat Free is an aerosol spray on insulation specifically developed for cold water pipes, refrigeration and air conditioning lines. Stops sweating and dripping problems. Dries to a clean, white, flexible and water resistant coating. Adheres to galvanized, black iron, steel, brass, copper and PVC piping.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
770-15	15 oz. Sweat Free Pipe Insulation	12	18.28 ▲



## SAF-N-KLEEN™ Aerosol Solvent Coil Cleaner

This high solvency formula quickly and easily dissolves dirt, grease, oil or other residue while the blasting nozzle powerfully separates the materials from the surface. This nonflammable and nonconductive formula is safe to use on or near live equipment.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
357-20	18 oz. Aerosol Solvent Coil Cleaner	12	17.00 ▲



## Foam-Plus™ Aerosol Foaming Coil Cleaner

A heavy duty foam detergent coil cleaner in the convenience of an aerosol can. Nonflammable and water based, it contains no chlorinated solvents. Blasting foam stream reaches into tight areas for maximum cleaning. The foaming alkaline detergent blend quickly liquifies dirt, grease, oil or other residue. The clinging foam is completely self rinsing on condensate producing coils.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
358-20	19 oz. Aerosol Foaming Coil Cleaner	12	7.64 ▲

## Oilers and Rust Breaker



### Pull-A-Spout Oiler

All purpose oiler with a 14" telescoping spout. Zooms out for long shots, and in for short shots, even zooms around corners. Squeeze bottle action. Perfect lubricant for general industrial use. Contains four ounces of finest quality carbon free, rust and oxidation inhibited turbine grade lubricating oil. Plastic container won't short out around electrical connections. No leakage.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CO-1	Pull-A-Spout Oiler (4 oz.)	12 (Display)	2.80▲



### Rust Breaker

Quickly loosens rusted bolts, screws, shafts, piping, and all types of "Frozen" connections and assemblies. The answer for rusty or corroded fastenings on cars, trucks, trailers, tractors, farm machinery, appliances, washing machines, plumbing, water pumps, fishing reels, power tools, gardening equipment, and hundreds of other mechanisms. Packaged in a handy telescoping spout applicator.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CR-1	Rust Breaker (4 oz.)	12 (Display)	2.80▲

## Hand Cleaner



### GRIME GRABBER™ Heavy Duty Waterless Hand Cleaner

- **Effective** – Dissolves a broad range of soils.
- **Nontoxic** – Safe and gentle on hands.
- **Water Soluble** – Can be used with or without water.
- **Biodegradable** – Citrus powered formula.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SCM-807-16	16 oz. Container	12/Case	17.20

# Point Of Purchase Displays



**POP-101 Countertop Display**

## POP-101 Countertop Display\*

A unique design, this display can be configured for use on a counter, shelf, or pegboard. This rack features some of the fastest moving HVAC/R components, tools, and consumables. Included are Pan Tablets, Gallo Gun and the Wet Switch. If set on the counter or shelf, the display requires only 13-1/2" x 13-1/2" of counter or shelf space. If installed on a pegboard, the display requires only 13-1/2" x 20" of pegboard space.

CATALOG NO.	DESCRIPTION	NO./RACK	PRICE/EACH
GG-1	Gallo Gun for A/C Condensate Lines	5	
GGC-12	SWOOSH CO2 Cartridges	4	CALL FOR QUOTE
PT-153	Pro-Treat 153 Premium Condensate Pan Treatment	24	QUOTE
WS-1	Wet Switch Flood Detector	12	

## POP-102 Countertop Display\*

A unique design, this display can be configured for use on a counter, shelf, or pegboard. This rack features some of the fastest moving HVAC/R components, tools, and consumables. Included are fin combs, Gallo Gun and the Wet Switch. If set on the counter or shelf, the display requires only 13-1/2" x 13-1/2" of counter or shelf space. If installed on a pegboard, the display requires only 13-1/2" x 20" of pegboard space.

CATALOG NO.	DESCRIPTION	NO./RACK	PRICE/EACH
GG-1	Gallo Gun for A/C Condensate Lines	5	
GGC-12	SWOOSH CO2 Cartridges	4	CALL FOR QUOTE
T-400	SuperComb, Set of 6	6	QUOTE
WS-1	Wet Switch Flood Detector	12	

## MR-1 Mac Rack\*

A counter, shelf, or pegboard mount rack, designed specifically to increase contractor impulse purchases in the wholesale distributor walk-in area. The Mac Rack features the most popular access fittings and line tap valves. The point of purchase display is furnished complete with rack, hooks, shelves, plan-o-gram, and product. The rack requires only a 9" x 26-1/2" footprint.

CATALOG NO.	DESCRIPTION	NO./RACK	PRICE/EACH
QTM-1	"Mac" Line Piercing Valve 1/4", 5/16", 3/8" O.D. Tube Size	72	
QTM-2	"Mac" Line Piercing Valve 1/2", 5/8" O.D. Tube Size	72	
VA-3-346	3 Way Solder Type for 3/16" O.D. tube or 1/4" and 3/8" solder fitting	30	
VA-46	Straight Solder Type, 1/4" O.D.S. x 3/8" O.D.F.	30	
VAU-24	Half Union, 1/8" MPT	30	
VAU-45	Half Union, 1/4" MPT	30	
VAX-2	Extended Copper Tube, 1/8" O.D. Tube	30	
VAX-3	Extended Copper Tube, 3/16" O.D. x 1/8" I.D.	30	
VAX-4	Extended Copper Tube, 1/4" O.D. x 3/16" I.D.	30	
VAX-5	Extended Copper Tube, 5/16" O.D. x 1/4" I.D. 1	5	
VAX-6	Extended Copper Tube, 3/8" O.D. x 5/16" I.D.	15	
VC-4	Flare Cap, 1/4"	60	CALL FOR QUOTE
VS-4	Swivel Nut w/Depressor, 1/4" female flare forged swivel nut	30	
VST-4	Swivel Tee w/Permanent Depressor, 1/4" access on run x 1/4" female flare w/depessor on female swivel branch end	15	
VST-44	Swivel Tee w/Permanent Depressor, 1/4" access on run x 1/4" access on "T" - female swivel on run	15	
VST-44X	Swivel Tee w/No Depressor, 1/4" access on run x 1/4" access on "T" - female swivel on run	15	
VST-4X	Swivel Tee w/No Depressor, 1/4" access on run x 1/4" female flare w/depessor on female swivel branch end	15	
VTR-24	Threaded Tee, 1/8" MPT x 1/4" male flare on run by access on branch	15	
VTS-46	Solder Tee Type, 1/4" O.D.S. x 5/16" O.D.F.	15	
VTS-68	Solder Tee Type, 3/8" O.D.S.	15	
VTS-810	Solder Tee Type, 1/2" O.D.S.	15	
VVC-1	Valve Core	30	

**POP-102 Countertop Display**



**MR-1 Mac Rack**

\* Buy the product and get a FREE Rack!



## POP-100 Floor Standing Revolving Rack (four panel)\*

CATALOG NO.	DESCRIPTION	NO./RACK	PRICE/EACH
WC06C	Wire and Cable Clamps, Nylon, 3/8" Diameter	3	
WC08C	Wire and Cable Clamps, Nylon, 1/2" Diameter	3	
WT05C	Wire Ties, 5" Nylon	4	
WT07	Wire Ties, 7" Nylon	5	
WT07C	Wire Ties, 7" Nylon	3	
WT11C	Wire Ties, 11" Nylon	3	
WT15C	Wire Ties, 15" Nylon	3	
WTB05C	Black Wire Ties, 5" Nylon	4	
WTB07	Black Wire Ties, 7" Nylon	4	
WTB07C	Black Wire Ties, 7" Nylon	3	
WTB11C	Black Wire Ties, 11" Nylon	3	
WTB15C	Black Wire Ties, 15" Nylon	3	
WTM07C	Wire Ties, 7" Nylon w/Mounting Hole	3	
WTM1C	Wire Tie Mounts, Adhesive Back	2	
WTM2C	Wire Tie Mounts, #8 Screw	3	
WTMB11C	Wire Ties, 11" Nylon w/Mounting Hole	3	
701-002	Adapter, 1/2 Barb x 3/4 MPT	3	
701-014	Adapter, 5/8 Barb x 3/4 MPT	3	
701-020	Elbow, 1/2 Barb x 3/4 MPT	3	
701-028	Elbow, 5/8 Barb x 3/4 MPT	3	
701-034	Tee, 1/2 Barb	3	
701-039	Tee, 5/8 Barb	3	
701-040	Elbow, 5/8 Barb	3	
701-043	Adapter, 3/4 MPT x 3/8 Barb	3	
GG-1	Gallo Gun for A/C Condensate Lines	3	
GG-1-90	90° Fitting (for tight work space)	6	
GG-1OF	Oil Line Fitting (adapts gun to 3/8" flare)	6	
GGC-12	SWOOSH CO2 Cartridges	4	
PT-151	Pro-Treat 151 Condensate Pan Treatment	12	CALL
PT-152	Pro-Treat 152 King-Size Premium Pan Treatment	6	FOR
PT-153	Pro-Treat 153 Premium Pan Treatment	24	QUOTE
PT-161	Pro-Treat 151 Condensate Pan Treatment	12	
PT-200	Pro-Treat 200 Economy Pan Treatment	12	
SF-1	Super-Flow Condensate Pan Treatment	24	
T-400	SuperComb, Set of 6	3	
T-408	SuperComb, 8 and 10 FPI, Orange	6	
T-409	SuperComb, 9 and 15 FPI, Yellow	6	
T-411	SuperComb, 11 and 13 FPI, Blue	6	
T-412	SuperComb, 12 and 14 FPI, Green	6	
T-417	SuperComb, 16 and 17 FPI, Lime	6	
T-418	SuperComb, 18 and 20 FPI, Red	6	
WS-1	Wet Switch Flood Detector	8	
5-MSH1/4MC	Nut Setter, Hex Drive 1/4", 1-3/4" Long, 1/4" Nut	30	
5-MSH5/16MC	Nut Setter, Hex Drive 1/4", 1-3/4" Long, 5/16" Nut	30	
5-SCR71-2-100	Sheet Metal Screws, 7 x 1/2 Taper Point	4	
5-SCR81-100	Sheet Metal Screws, 8 x 1 Taper Point	4	
5-SCR81-2-100	Sheet Metal Screws, 8 x 1/2 Taper Point	4	
5-SCR83-4-100	Sheet Metal Screws, 8 x 3/4 Taper Point	4	
540-400	Nut Setters, Bulk, 1/4"	60	
540-500	Nut Setters, Bulk, 5/16"	60	
B211	Butt Connector, Insulated, 22-18 W	6	
B211C	Butt Connector, Insulated, 22-18 W	4	
B222	Butt Connector, Insulated, 16-14 W	6	
B222C	Butt Connector, Insulated, 16-14 W	3	
B233	Butt Connector, Insulated, 12-10 W	6	
B233C	Butt Connector, Insulated, 12-10 W	3	

*continued*

### POP-100 Floor Standing Revolving Rack

A floor standing revolving point of purchase rack designed specifically to increase contractor impulse purchases in the wholesale distributor walk-in area. This rack features some of the fastest moving HVAC/R components, tools, and consumables. Included are electrical connectors, wire ties, fin combs, pan tablets, Gallo Gun and the wet switch. The point of purchase display is furnished complete with the revolving rack, hooks, shelves, planogram, and product. The revolving display requires only a 30" x 30" footprint.

\* Buy the product and get a FREE Rack!

## POP-100 Floor Standing Revolving Rack (four panel)\* (cont.)

CATALOG NO.	DESCRIPTION	NO./RACK	PRICE/EACH
C222C	Closed End Wire Connectors, 22-14 W	4	
C241	Wire Connectors, Blue	6	
C243	Wire Connectors, Orange	4	
C312L	Winged Wire Connectors, Yellow, 3 - #12	4	
C512L	Winged Wire Connectors, Red, 5 - #12	3	
CC33	Compressor Leads, 12" w/Butt	2	
CC33-18	Compressor Leads, 18" w/Butt	2	
CC33-24	Compressor Leads, 24" w/Ring	2	
FTL3	Superflex Test Leads, Pair, Red and Black, 36"	4	
W101	Black THHN Wire, Clear Disp. Pack, 10 Gauge 10 ft.	3	
W102	Red THHN Wire, Clear Disp. Pack, 10 Gauge 10 ft.	3	
W121	Black THHN Wire, Clear Disp. Pack, 12 Gauge 15 ft.	3	
W122	Red THHN Wire, Clear Disp. Pack, 12 Gauge 15 ft.	3	
W141	Black THHN Wire, Clear Disp. Pack, 14 Gauge 20 ft.	3	
W142	Red THHN Wire, Clear Disp. Pack, 14 Gauge 20 ft.	3	
WHT20	High Temp. Wire, 14 Gauge, 10 ft. black, 10 ft. white	4	
CC32	Compressor Terminals .250	6	
CC32C	Compressor Terminals .250	3	
D211	Insulated Female Disconnect, 22-18 W. 0.187, 3/16"	6	
D212	Insulated Female Disconnect, 22-18 W. 0.250, 1/4"	6	
D212C	Insulated Female Disconnect, 22-18 W. 0.250, 1/4"	4	
D222	Insulated Female Disconnect, 16-14 W. 0.250, 1/4"	6	
D222C	Insulated Female Disconnect, 16-14 W. 0.250, 1/4"	4	
D232	Insulated Female Disconnect, 12-10 W. 0.250	6	
D232C	Insulated Female Disconnect, 12-10 W. 0.250	4	
DH22	High Temp. Female Disconnect, 16-14 W. 0.250	6	CALL
DH22C	High Temp. Female Disconnect, 16-14 W. 0.250	6	FOR
DH32	High Temp. Female Disconnect, 12-10 W. 0.250	6	QUOTE
DH32C	High Temp. Female Disconnect, 12-10 W. 0.250	6	
DS22	F/M Piggyback Disconnect, 16-14 W. 0.250	6	
DS22C	F/M Piggyback Disconnect, 16-14 W. 0.250	5	
DS23	F/M Piggyback Disconnect, 0.250 (Volkswagen)	6	
DS23C	F/M Piggyback Disconnect, 0.250 (Volkswagen)	5	
DXF2	Female Disconnect Full Ins., 16-14 W. 0.250	6	
DXF2C	Female Disconnect Full Ins., 16-14 W. 0.250	4	
DXF3C	Female Disconnect Full Ins., 12-10 W. 0.250	3	
ET33	3/4" x 66' Super 33+ Electrical Tape	10	
FH22	High Temp. Flag Disconnect, 16-14 W. 0.250	6	
FH32	High Temp. Flag Disconnect, 12-10 W. 0.250	6	
PA10	Clear Plastic Boxes, 180 Terminals, 10 Each Kind	3	
PA25	Clear Plastic Boxes, 450 Terminals, 25 Each Kind	3	
R232C	Ring, Butted Seam, Insulated, 12-10 W. 10 Stud	4	
RH32	High Temp. Ring, 12-10 W. 10 Stud	6	
S222C	Spade Terminal, Insulated, 16-14 W. 10 Stud	5	
S232	Spade Terminal, Insulated, 12-10 W. 10 Stud	6	
S232C	Spade Terminal, Insulated, 12-10 W. 10 Stud	4	



### PB-16B-B Fastrack Floor Standing Revolving Rack

This revolving floor rack holds 77 of the most popular HVACR items in zip-lip reclosable bags. Over 500 additional items may be ordered to customize to your needs. Orders ship the same day they are received, and items may be returned for full credit.

\* **Buy the product and get a FREE Rack!**

### PB-16B-B Fastrack Floor Standing Revolving Rack\*

CATALOG NO.	DESCRIPTION	NO./RACK	PRICE/EACH
B211	Butt Connector, Insulated, 22-18 W	3	
B222	Butt Connector, Insulated, 16-14 W	3	
B222C	Butt Connector, Insulated, 16-14 W	2	
B233	Butt Connector, Insulated, 12-10 W	3	
BA22	Butt Connectors, Assorted	3	
C222	Closed End Wire Connectors, 22-14 W	3	
C223	Closed End Wire Connectors, 18-10 W	3	
C241	Wire Connectors, Blue	3	
C243	Wire Connectors, Orange	3	
C312	Winged Wire Connectors, Yellow, 3 - #12	3	
C312L	Winged Wire Connectors, Yellow, 3 - #12	2	
C512	Winged Wire Connectors, Red, 5 - #12	3	
C512L	Winged Wire Connectors, Red, 5 - #12	2	
CC32	Compressor Terminals .250	3	
CC33	Compressor Leads, 12" w/Butt	3	
D211	Insulated Female Disconnect, 22-18 W. 0.187, 3/16"	3	
D212	Insulated Female Disconnect, 22-18 W. 0.250, 1/4"	3	
D222	Insulated Female Disconnect, 16-14 W. 0.250, 1/4"	3	
D222C	Insulated Female Disconnect, 16-14 W. 0.250, 1/4"	2	
D232	Insulated Female Disconnect, 12-10 W. 0.250	3	
D232C	Insulated Female Disconnect, 12-10 W. 0.250	2	
DA22	F/M Piggyback Disconnect, 16-14 W. 0.250	3	
DH11	Hi-Temp Female Disconnect, 22-18 W. 0.187 (3/8")	3	
DH12	Hi-Temp Female Disconnect, 22-18 W. 0.250 (1/4")	3	
DH22	Hi-Temp Female Disconnect, 16-14 W. 0.250	3	
DH32	Hi-Temp Female Disconnect, 12-10 W. 0.250	3	
DS21	Stud Adapter #10, .250	3	
DS22	F/M Piggyback Disconnect, 16-14 W. .250	3	
DS23	F/M Piggyback Disconnect, 0.250 (Volkswagen)	3	
DS24	F/M Wire Piggyback Disconnect, 16-14 W. .250	3	
DXF2	Female Disconnect Full Ins., 16-14 W. .250	3	
DXM2	Male Disconnect Full Ins., 16-14 W. 0.250	3	
FH22	High Temp. Flag Disconnect, 16-14 W. 0.250	3	
FH32	High Temp. Flag Disconnect, 12-10 W. 0.250	3	
FTL3	Superflex Test Leads, Pair, Red and Black, 36"	2	
GVA1	Assorted Grommets, Small	2	
GVA2	Assorted Grommets, Large	2	
HSA1	Assorted Heat Shrink Tubing	2	
HSA2	Assorted Hi-Temp Heat Shrink Tubing	3	
R221	Ring 16-14 W. 8 Stud	3	CALL
R222	Ring 16-14 W. 10 Stud	3	FOR
R232	Ring 12-10 W. 10 Stud	3	QUOTE
RH12	High Temp. Ring, 22-18 W. 10 Stud	3	
RH22	High Temp. Ring, 16-14 W. 10 Stud	3	
RH32	High Temp. Ring, 12-10 W. 10 Stud	3	
S221	Spade Terminal, Insulated, 16-14 W. 8 Stud	3	
S222	Spade Terminal, Insulated, 16-14 W. 10 Stud	3	
S232	Spade Terminal, Insulated, 12-10 W. 10 Stud	3	
SH22	Hi-Temp Spade Terminal, 16-14 W. 10 Stud	3	
SH32	Hi-Temp Spade Terminal, 12-10 W. 10 Stud	3	
W101	Black THHN Wire, Clear Disp. Pack, 10 Gauge 10 ft.	1	
W102	Red THHN Wire, Clear Disp. Pack, 10 Gauge 10 ft.	1	
W104	Blue THHN Wire, Clear Disp. Pack, 10 Gauge 10 ft.	1	
W105	White THHN Wire, Clear Disp. Pack, 10 Gauge 10 ft.	1	
W121	Black THHN Wire, Clear Disp. Pack, 12 Gauge 15 ft.	1	
W124	Blue THHN Wire, Clear Disp. Pack, 12 Gauge 15 ft.	1	
W125	White THHN Wire, Clear Disp. Pack, 12 Gauge 15 ft.	1	
W141	Black THHN Wire, Clear Disp. Pack, 14 Gauge 20 ft.	1	
W142	Red THHN Wire, Clear Disp. Pack, 14 Gauge 20 ft.	1	
W144	Blue THHN Wire, Clear Disp. Pack, 14 Gauge 20 ft.	1	
W145	White THHN Wire, Clear Disp. Pack, 14 Gauge 20 ft.	1	
WCA1	Cable Clamps, Assorted, 1/8" to 1"	3	
WHT20	High Temp. Wire, 14 Gauge, 10 ft. black, 10 ft. white	2	
WTB05	Black Nylon Wire Ties, 5"	3	
WTB07	Black Nylon Wire Ties, 7"	3	
WTB07C	Black Nylon Wire Ties, 7"	3	
WTB11	Black Nylon Wire Ties, 11"	3	
WTB11C	Black Nylon Wire Ties, 11"	3	
WTB15	Black Nylon Wire Ties, 15"	3	
WTB15C	Black Nylon Wire Ties, 15"	3	
WTBA1	Black Nylon Wire Ties, Assorted, 4", 7" and 11"	3	
WTM1	Wire Tie Mounts, Adhesive Back	3	
<b>OPTIONAL:</b> PA25 450 Assorted Terminals in Plastic Box		2	
<b>NO CHARGE ITEMS:</b> 78 Peg Hooks; Sign; Re-Order Tags			

# U.S. General Terms and Conditions

## General Policy

### WE ARE COMMITTED TO DO WHAT IT TAKES TO DELIVER WORLD CLASS SERVICE AND PRODUCTS

All items not ordered in multiples of standard package quantities will automatically be increased to the next standard package quantity. All purchase orders submitted by our customers are assumed as accepting our general terms and conditions as stated herein, any conflicting terms stated on the purchase order cannot supersede our terms.

#### **Order Discrepancies:**

All order discrepancies must be reported to us within 5 working days from the date of delivery. Any discrepancies reported after this period cannot be honored.

#### **Terms:**

1% 15 days. Net 30 days. Late charges of 1-1/2% per month will be charged following the due date of the invoice. Prices subject to change without notice.

#### **Minimum Order:**

\$100.00 minimum order on all original orders. \$15.00 Broken Pallet Charge will be added for each pad size less than the standard pallet quantities.

#### **Freight Policy**

##### **CONTINENTAL U.S.**

All orders in excess of \$1,500 will ship prepaid. This policy applies to any combination of DiversiTech and Wagner products.

#### **Pick Up Allowance**

3% of net invoice, 24-hour notice requested. Order must qualify for prepaid freight to receive pick up allowance.

#### **Lost or Damaged Freight**

Although we take special care to insure the safe arrival of your merchandise, our responsibility for damages cease when the customer accepts the shipment. To protect your interest, we suggest that you thoroughly inspect all items before accepting delivery. If your order was damaged in shipment or contains a shortage, report the loss or damage AT ONCE to DiversiTech. Any claims for lost or damaged freight must be noted on the Bill of Lading at the time of delivery. If damage is present, you MUST hold the original carton and merchandise for credit by your Sales Representative – otherwise, no claim can be honored.

#### **Returns:**

No merchandise will be accepted for return without prior authorization. Call our Customer Service Department to request permission to return goods. Instructions on method of return will be given to you at that time. All returns are subject to a 25% restocking charge.

#### **Warranty Disclaimer**

DiversiTech has made a diligent effort to illustrate and describe the products in this catalog accurately; however, such illustrations and descriptions are for the sole purpose of identification, and do not express or imply a warranty that the products are merchantable or fit for a particular purpose, or that the products will necessarily conform to the illustrations or descriptions. DiversiTech assumes no liability for typographical or photographic errors.

DiversiTech reserves the right to make changes in design, material or finish in an effort to improve our products without special notification. If necessary, DiversiTech reserves the right to replace any product shown in catalog with another comparable product without special notification.

#### **DiversiTech's ULTRALITE™, CLADLITE®, and E-LITE® Limited Lifetime Warranty**

To the original owner of the ULTRALITE™, CLADLITE®, or E-LITE® equipment base, DiversiTech warrants the base to be free of defects in materials and workmanship for the life of the equipment under which it is installed so long as the installing homeowner lives there. All defective merchandise must be returned to the factory, transportation prepaid, and if the same is found to be defective, it will be repaired or replaced free of charge, F.O.B. factory. This warranty does not cover replacement labor cost, or any cost claim incident to the defect, replacement, or reinstallation, nor field repair expenses. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you.

#### **Exclusions and Limitations**

DiversiTech's ULTRALITE™, CLADLITE®, and E-LITE® equipment pads are designed and manufactured to be used as bases for light, ground supported equipment such as air conditioning condensers, swimming pool filters and heat pumps. Use of ULTRALITE™, CLADLITE®, and E-LITE® pads for purposes other than those listed above or improper installation of ULTRALITE™, CLADLITE®, and E-LITE® pads may result in pad failure. DiversiTech Corporation disclaims any liability due to such misuse or improper installation. If you have questions concerning the proper installation or use of DiversiTech's ULTRALITE™, CLADLITE®, and E-LITE® equipment pads, you should contact our Customer Service Department at (800)995-2222.















# Part Number Index

T-12	.117	U3654-3	.8	UC3648-3	.8	VUR-4	.110	WC10	.96
T-13	.117	U3660-3	.8	UC3648-3CA	.9	VVC-1	.110	WC12	.96
T-14	.117	U3678-3	.8	UC3842-2	.7	W101	.85	WC14	.96
T1401	.27	U3865-3	.8	UC3842-3	.8	W101-100	.85	WC16	.96
T1402	.27	U3870-3	.8	UC4040-2	.7	W101-50	.85	WCA1	.96
T1403	.27	U4042-3	.8	UC4040-3	.8	W102	.85	WG840583	.116
T1404	.27	U4054-3	.8	UC4042-3	.8	W102-100	.85	WG840584	.116
T-15	.117	U4347-3	.8	UC4147-2	.7	W102-50	.85	WG840585	.116
T-16	.117	U4550-3	.8	UC4347-3	.8	W103	.85	WG840586	.116
T-17	.117	U4558-3	.8	VA-24	.110	W103-100	.85	WG840587	.116
T-18	.117	U4848-3	.8	VA-3-346	.110	W103-50	.85	WG840588	.116
T-20	.117	U4854-3	.8	VA-34	.110	W104	.85	WG840589	.116
T-200	.117	U4866-3	.8	VA-39	.110	W104-100	.85	WG840590	.116
T-21	.117	U5053-3	.8	VA-46	.110	W104-50	.85	WG840595	.116
T-23	.117	U5056-3	.8	VA-58	.110	W105	.85	WG840596	.116
T2401	.27	U5075-3	.8	VA-68	.110	W105-100	.85	WG840727	.116
T2402	.27	U5079-3	.8	VAU-24	.110	W105-50	.85	WG840728	.116
T2403	.27	U5252-3	.8	VAU-45	.110	W121	.85	WG840729	.116
T2404	.27	U5260-3	.8	VAX-2	.110	W121-100	.85	WG840730	.116
T-300	.117	U5557-3	.8	VAX-3	.110	W121-50	.85	WHT20	.97
T3401	.27	U6067-3	.8	VAX-4	.110	W122	.85	WHTB10-20	.97
T3402	.27	UC1636-2	.7	VAX-5	.110	W122-100	.85	WHTB10-50	.97
T3403	.27	UC1636-3	.8	VAX-6	.110	W122-50	.85	WHTB12-20	.97
T3501	.27	UC2424-2	.7	VAX-8	.110	W123	.85	WHTB12-50	.97
T-400	.117	UC2424-3	.8	VC-4	.110	W123-100	.85	WHTB14-50	.97
T-408	.117	UC2424-3CA	.9	VC-4R	.110	W123-50	.85	WHTR14-50	.97
T-409	.117	UC2430-2	.7	VCR-1	.104	W124	.85	WHTW14-50	.97
T-411	.117	UC2430-3	.8	VCRT-1	.104	W124-100	.85	WS-1	.113
T-412	.117	UC2436-2	.7	VCRT-1R	.104	W124-50	.85	WT04	.95
T-417	.117	UC2436-3	.8	VCRT-1RK	.104	W125	.85	WT04C	.95
T-418	.117	UC2436-3CA	.9	VCRT-1S	.104	W125-100	.85	WT05	.95
T4401	.27	UC2442-3	.8	VD-24	.111	W125-50	.85	WT05C	.95
T4403	.27	UC2448-2	.7	VD-4	.111	W141	.85	WT07	.95
T4501	.27	UC2448-3	.8	VD-45	.111	W141-100	.85	WT07C	.95
T5401	.27	UC2626-2	.7	VD-4A	.111	W141-50	.85	WT11	.95
T5402	.27	UC2626-3	.8	VE-2	.110	W142	.85	WT11C	.95
T5403	.27	UC2628-2	.7	VLC-10	.104	W142-100	.85	WT15	.95
T5404	.27	UC2636-2	.7	VLC-12	.104	W142-50	.85	WT15C	.95
T6751	.27	UC2636-3CA	.9	VLC-14	.104	W143	.85	WTA1	.95
T6752	.27	UC2828-3CA	.9	VLC-18	.104	W143-100	.85	WTB05	.95
T6753	.27	UC2838-3	.8	VLC-25	.104	W143-50	.85	WTB05C	.95
T7751	.27	UC3030-2	.7	VLC-4	.104	W144	.85	WTB07	.95
T7752	.27	UC3030-3	.8	VLC-5	.104	W144-100	.85	WTB07C	.95
T-8	.117	UC3030-3CA	.9	VLC-6	.104	W144-50	.85	WTB11	.95
T-9	.117	UC3036-2	.7	VLC-8	.104	W145	.85	WTB11C	.95
TC-007	.114	UC3036-3	.8	VP68-01	.32	W145-100	.85	WTB15	.95
TD-1	.101	UC3036-3CA	.9	VP68-01	.152	W145-50	.85	WTB15C	.95
TD-2	.101	UC3040-2	.7	VP68-32	.32	W801	.85	WTBA1	.95
TG-05	.101	UC3040-3	.8	VP68-32	.152	W801-100	.85	WTM05	.96
TG-30	.101	UC3040-3CA	.9	VS-4	.110	W801-50	.85	WTM05C	.96
TG-30-1	.101	UC3048-3	.8	VST-4	.110	W802	.85	WTM07	.96
TG-30-12	.101	UC3143-2	.7	VST-44	.110	W802-100	.85	WTM07C	.96
TLC-3-10	.86	UC3232-2	.7	VST-44X	.110	W802-50	.85	WTM1	.96
TLC-3-12	.86	UC3232-3	.8	VST-4X	.110	W803	.85	WTM11	.96
TLC-3-8	.86	UC3232-3CA	.9	VT-24	.110	W803-100	.85	WTM11C	.96
TS-1	.121	UC3234-2	.7	VT-4	.110	W803-50	.85	WTM14	.96
TS-2	.121	UC3237-2	.7	VTR-24	.110	W804	.85	WTM14C	.96
TS-3	.121	UC3237-3	.8	VTS-10	.110	W804-100	.85	WTM1C	.96
TS-4	.121	UC3434-2	.7	VTS-12	.110	W804-50	.85	WTM2	.96
TS-5	.121	UC3434-3	.8	VTS-14	.110	W805	.85	WTM2C	.96
TS-6	.121	UC3445-2	.7	VTS-18	.110	W805-100	.85	WTMB05	.96
TT-120	.114	UC3445-3	.8	VTS-3-10	.110	W805-50	.85	WTMB05C	.96
TT-24	.114	UC3445-3CA	.9	VTS-3-12	.110	WC02	.96	WTMB07	.96
TT-240	.114	UC3636-2	.7	VTS-3-14	.110	WC03	.96	WTMB07C	.96
TTP-1	.65	UC3636-3	.8	VTS-3-18	.110	WC04	.96	WTMB11	.96
U2660-3	.8	UC3636-3CA	.9	VTS-46	.110	WC05	.96	WTMB11C	.96
U3060-3	.8	UC3640-2	.7	VTS-56	.110	WC06	.96	WTMB14	.96
U3353-3	.8	UC3642-3	.8	VTS-68	.110	WC07	.96	WTMB14C	.96
U3465-3	.8	UC3642-3CA	.9	VTS-810	.110	WC08	.96		
U3650-3	.8	UC3648-2	.7	VU-4	.110	WC09	.96		

# Alphabetical Index

3-Step IAQ Demo Kit	145	Cable, Armored	.61	Copper Fittings	.76-78
Abrasive Cloth	140	Cable, BX	.61	Cords, Extension	.52
AC Cable	.61	Capacitors	20-23	Core Removal Tool	.104
AC Mounting Brackets	.17	Capillary Tubing	.106	Core Storer	.104
AC Whips	.59-60	Carton Sealing Tape	.66	Cores	.108
Access Fittings	110-111	Cartridge Fuses	.57	Cork Tape	.65
Accumulators, Suction	.109	Caulk	.81	Countertop Display for HVAC/R	.160
Acid Brushes	.135	Caulk Guns	.80	Cover, Toggle Switch	.121
Acid Eliminator	.151	CBC II Contact Cleaner	.33	Covers, Shoe	.36
Acid Test Kit	.151	Cement, PVC	.79-80	Covers, Switch	.54
Adhesive Sealant	.139	Centers, Fan	.20	CPVC Fittings	.73
Adhesive Spray	.33, 82, 158	Channellock Products	.44	Crimping Tool	.43-44
Aeroflex Tubing Insulation	.18	Chart, Chemical Comparison	.142	Cushion Clamps	.51
Aerosols	.33	Chemicals	.141	Cushioned Pillow Blocks	.115
Air Filter Products	.149	Chemicals, Coil Cleaning	.31	Cutter, Ergonomic Wire	.97
Air Filters	.19	Chip Brushes	.135	Cutter, Pipe and Tube	.44-45
Air Handler Base	.28	Circuit Breakers	.55	Cylinders, Refrigerant Recovery	.102
Air Handler Block	.16	Circuit Tester	.101	Definite Purpose Contactors	.24-25
Airflow Meter	.100	Cladlite Pads	.3, 4, 12-15	Degreasers	.130
Alkylbenzene Oil	.31, 152	Clamps for Strut	.51	Dektite Flashings	.63
Allen Wrenches	.118-119	Clamps, Cushion	.51	Delay on Break Timer	.112
Alligator Clips	.92	Clamps, Dryer Vent	.30	Delay on Make Timer	.112
Aluminum Foil Tape	.66	Clamps, Hose	.93	Detecto	.142, 150
Anchor Kit	.42	Clamps, Nylon Cable	.96	Digital Thermostats	.48-50
Anti Vibration Pads	.126	Clean Out Tee	.72	Disconnect Switch with GFI Receptacle	.56
Armored Cable	.61	Cleaner, CBC II Contact	.33	Disconnect Switch, Low Profile	.56
Auto Fuses	.58	Cleaning Pads	.140	Disconnect Switches	.56-57
Auxillary Contacts	.25	Clear Vinyl Tubing	.69	Disconnects, Insulated	.92
AV Pads	.126	Clipboards	.46	Disconnects, Non-Insulated	.93
Aviation Snips	.42	Cloth, Blaze Barrier	.40	Disconnects, Special	.87
Bags, Tool	.47	CO2 Cartridges	.122	Dispenser, Carton Tape	.66
Ball Valve, Gas	.28	Coil Cleaners	.31-32, 147	Displays, Point of Purchase	.122, 133, 160-163
Ball Valves	.109	Coil Guard	.31, 154	Diversigum Sealing Compound	.80
Barrells of DiversiWhips	.59	Coil Gun	.38	Diversiwhips	.59-60
Base, Air Handler	.28	Coil-Kleen	.147	DP Contactors	.24-25
Batteries	.132-133	Cold Galvanize Spray	.128	Drain Pan Fittings	.17
Bearings	.115	Compression Sprayers	.38	Drain Pan Patch	.33, 158
Big Helper Pipe Cutters	.45	Compressor Heaters	.115	Drain Pan Tablets	.124-125, 148-149
Black Pipe Fittings	.74	Compressor Leads	.86	Drain Pans	.17
Black Pipe Nipples	.75	Compressor Motors	.116	Driers, Bi Flow	.108
Black Steel Nipple Assortment Packs	.75	Compressor Repair Kit, Term Lok	.86	Driers, Copper	.106-108
Blade Fuses	.58	Compressor Terminals	.92	Driers, Liquid Line	.107
Blades, Saw	.45	Compressor Tote	.118	Driers, Parker	.106-108
Blaze Barrier Cloth	.40	Concrete Pads	.1-9, 12-16	Driers, Steel	.107-108
Blocks	.16	Condensate Drain Cleaner, Gallo Gun	.122	Driers, Suction Line	.107
Blocks, Air Handler	.16	Condensate Drain Pans	.17	Drive Straps, EMT	.61
Blocks, Furnace	.16	Condensate Pipe	.69	Dryer Vent Clamps	.30
Blue Blitz	.157	Condensate Pumps	.18, 82	Dryer Vent Hose	.30
Boiler Guard	.154	Condensate Traps	.72	Dryer Vents	.29
Booster Fans	.62	Condensate Tubing	.69	D'Scale	.142, 153
Box Cover Units	.58	Condenser Fan Motors	.116	Duct Fans	.62
Box Handler Gloves	.35	Condenser Pads	.1-16	Duct Sealant	.80
Boxes, Storage	.97	Condenser Tube Cleaner	.118	Duct Strap, Metallic	.65
Brackets, AC Mounting	.17	Conduit, Liquidtite	.60	Duct Strap, Plastic	.65
Breakers, Circuit	.55	Connectors, Electrical	.86-94, 98	Duct Strap, Woven Polypropylene	.65
Brush, Fin Whisk	.117	Connectors, Gas	.28	Duct Straps, Nylon	.64, 95-96
Brushes	.135-137	Connectors, Liquidtite	.60	Duct Tape	.66-67
Bubble-N-Trouble	.142, 150	Connectors, Wire	.98	Dust Masks	.36
Bulbs, Light	.52	Contact Cleaners	.33	DWV Fittings	.73
Butt Connectors, Insulated	.86	Contactor Accessories	.25	E.V.A. Pads	.126
BX Cable	.61	Contactors	.24-25	Earthquake Pads	.4, 9
BX Fittings	.61	Continuity Tester	.101	Egg Crate Louvers	.62
Cable Clamps, Nylon	.96	Control Checker	.114	Electrical Connectors	.86-94, 98
Cable Tie Tensioning Tool	.64	Control Disconnect	.111	Electrical Fuses	.57-59
Cable Ties	.64, 95-96	Copper Driers	.106-108	Electrical Outlet Boxes	.54-55

# Alphabetical Index

Electrical Receptacles .....	54
Electrical Storage Boxes .....	97
Electrical Switches .....	53, 121
Electrical Tape .....	67-68
Electrical Terminals .....	88, 91-92, 94-95
Electrostatic Filters .....	19
Element Kits .....	111
E-Lite Pads .....	1, 3, 5, 10-11
EMT Drive Straps .....	61
EMT Fittings .....	61
Epoxies .....	139
Epoxy Mixer Cups .....	139
Equipment Pad Size Chart .....	5
Equipment Pads .....	1-16
Expanding Foam Sealant .....	81
Expando Condenser Tube Cleaner .....	118
Extension Cords .....	52
Fan Centers .....	20
Fans, Duct Booster .....	62
Fast Orange Hand Cleaner .....	121
Fastrack Floor Display .....	163
Felt Tip Marker .....	134
Filter Driers .....	106-108
Filters, Air .....	19
Fin Comb .....	117
Fin Tool .....	117
Fin Whisk .....	117
Firestop Caulk .....	81
First Aid Kits .....	36
Fittings, Access .....	110-111
Fittings, Black Pipe .....	74
Fittings, BX .....	61
Fittings, Copper .....	76-78
Fittings, CPVC .....	73
Fittings, Drain Pan .....	17
Fittings, DWV .....	73
Fittings, EMT .....	61
Fittings, Iron Pipe .....	74-75
Fittings, Liquidite .....	61
Fittings, Nylon .....	68
Fittings, PVC .....	69-73
Fittings, Romex .....	62
Fittings, Steel .....	74-75
Flag Disconnects .....	87
Flag Rings .....	88
Flange Blocks .....	115
Flashings, Dekrite .....	63
Flashings, Roof .....	63
Flashlights .....	131, 133
Float Switch .....	113
Flood Detector, Wet Switch .....	113
Floor Standing Revolving Rack .....	161-163
Flow-Plus Condensate Drain Pan Treatment .....	125, 142, 144, 148
Foam Power .....	142, 146
Foam Sealant .....	81
Foam Tape .....	65
Foil Scrim Kraft Tape .....	67
Foil Tape .....	66-67
Form Holders .....	46
Free-Foam .....	142, 147
Fuel Oil Treatment .....	34
Furnace Blocks .....	16
Furnace Blower Motors .....	116
Furnace Cement .....	34
Fuse Holder, In-Line .....	57
Fuse Pullers .....	59
Fuseblocks .....	59
Fuses .....	57-59
Fuses, Auto .....	58
Fuses, Blade .....	58
Fusible Links .....	111
Gallo Gun .....	122
Gallo Gun Cartridges .....	122
Gallo Gun Display .....	122
Garden Hose .....	38
Gas Ball Valve .....	28
Gas Connectors .....	28
Gas, Mapp .....	40
Gas, Propane .....	40
Gauge Pro Oil Transfer System .....	102
Gauge, Leak Test .....	101
Gear Clamps .....	93
General Purpose Relays .....	26
Geocel Sealant .....	82
GFI Receptacle, Disconnect Switch with .....	56
Glasses, Sight .....	109
Gloves .....	35-36
Gloves, Box Handler .....	35
Gloves, Heavy Utility .....	35
Gloves, Latex .....	36
Gloves, Nitrile .....	35
Glue, Super .....	139
Grease .....	129
Grime Grabber .....	142, 159
Grommets, Vinyl .....	88
Guards, Thermostat .....	83-84
Gun, Gallo .....	122
Hacksaw .....	45
Hand Cleaner, Fast Orange .....	121
Hand Wipes .....	121
Handy Boxes .....	54-55
Hanger Iron .....	65
Hanger Strap, Plastic .....	64
Hanging Scale .....	46
Hanging Strap .....	123
Hanging Wire .....	64
Hard Start Kits .....	114
Heat Pump Risers .....	16
Heat Shrink Tubing .....	88
Heat Transfer Products .....	155
Heater Pads .....	5, 16
Heaters, Compressor .....	115
Heating Products .....	34
Heavy Utility Gloves .....	35
High Temp Wire .....	97
Holders, Form .....	46
Hook and Pick Set .....	119
Hook Terminals - Insulated .....	88
Hooks, J .....	73
Hooks, Peg .....	93
Hose Clamps .....	93
Hose Clamps, Dryer .....	30
Hose Cutters .....	44
Hose Nozzles .....	38
Hose, Dryer Vent .....	30
Hose, Garden .....	38
Hose, Hot Water .....	38
Hot Seat .....	34, 156
Hot Water Hose .....	38
Hurricane Pads .....	4, 15
Hurricane T Pads .....	4, 15
HVAC & General Purpose Infrared .....	
Thermometer .....	99
Hydro-Klear 100 .....	153
Hygrometer, Thermal .....	.99
Ice Machine Products .....	154
Icemaker Kits .....	105
Indoor Air Quality Demo Kit .....	144
Industrial Towels .....	36-37
Infrared Thermometers .....	99
In-Line Fuse Holder .....	.57
Inspection Mirrors .....	120
Insta Charge .....	102
Insta Tap Refrigerant Recovery Tool .....	104
Insulation Spray .....	33, 158
Insulation, Tubing .....	.18
Iron Pipe Fittings .....	74-75
Iron, Hanger .....	.65
Iso Cube Anti Vibration Pads .....	126
J Hooks .....	.73
J Trap .....	.72
Kimberly Clark Towels .....	121
Kimtex Towels .....	.37
Kits, First Aid .....	.36
Kon-Trol Replacement .....	124-125, 148-149
Kut All Tuber Cutter .....	.44
Labels, Refrigerant ID .....	103
Lashing Strap .....	123
Latex Gloves .....	.36
Leads, Compressor .....	.86
Leak Detectors .....	.30, 138
Leak Finder with Brush On Applicator .....	138, 150
Leak Test Gauge .....	.101
Leather Gloves .....	.35
Leather Work Gloves .....	.35
Light Bulbs .....	.52
Line Tap Valves .....	.105
Line Voltage Monitors .....	112-113
Liquid Line Filter Driers .....	.107
Liquidite Conduit .....	.60
Liquidite Connectors .....	.60
Liquidite Fittings .....	.61
Little Helper Pipe Cutters .....	.44
Loop Guard .....	.154
Louvers, Egg Crate .....	.62
Louvers, Roof .....	.63-64
Low Profile Disconnect Switch .....	.56
LPS Products .....	127-139
Lubricants .....	127-139
Mac Line Tap Valves .....	.105
Mac Rack .....	.110, 160
Mag Lite Flashlights .....	.131
Magic Soot Stick .....	.34, 156
Magna Lite .....	.131
Magnetic Retrieving Tool .....	.120
Malleable Iron Pipe Fittings .....	74-75
Mapp Gas .....	.40
Markers .....	.134
Masks, Dust .....	.36
Mastic, Duct .....	.80
Match Holder .....	.120
Measuring Tapes .....	.46
Midwest Snips .....	.42-43
Mineral Oil .....	.31, 152

# Alphabetical Index

Mirrors . . . . .	120	Power Blocks . . . . .	52	Saf-T-Kleen II . . . . .	142, 157
Monitors, Line Voltage . . . . .	112-113	Power Cords . . . . .	52	Sand Cloth . . . . .	140
Motor Brackets . . . . .	116	Power Plus . . . . .	142, 146	Sani C-N-D . . . . .	142, 144, 148
Motor Brackets, Rheem . . . . .	116	Power Supply Cords . . . . .	52	Saw . . . . .	45
Motor Protectors . . . . .	112-113	Primer for PVC Pipe . . . . .	79	Saw Blades . . . . .	45
Motor Run Capacitors . . . . .	20-22	Pro-2000 Leak Finder . . . . .	138, 150	Scales . . . . .	46
Motor Start Capacitors . . . . .	23	Pro-Blue Leak Detector . . . . .	30, 150	Scotch 35 Vinyl Electrical Tape . . . . .	67
Motors . . . . .	116	Pro-Brite . . . . .	147	Screw Starter . . . . .	120
Motors, Condenser Fan . . . . .	116	Pro-Foam . . . . .	147	Screwdriver Continuity Tester . . . . .	101
Motors, Furnace Blower . . . . .	116	Programmable Thermostats . . . . .	49-50	Screwdrivers . . . . .	44
Mounting Brackets . . . . .	17	Pro-Kleen . . . . .	147	Screwgrab . . . . .	119
Nipple Assortment Packs . . . . .	75	Propane Gas . . . . .	40	Screws, Sheet Metal . . . . .	39-40
Nipples, Steel . . . . .	75	ProTek™ Products . . . . .	155	Scrubs in a Bucket Replacement . . . . .	121
Nitrile Gloves . . . . .	35	Pro-Thaw Liquid Dryer . . . . .	151	Sealant, Duct . . . . .	80
Non Metallic Conduit . . . . .	60	Pro-Tite Thread Sealant . . . . .	157	Sealant, Foam . . . . .	81
Non-Programmable Thermostats . . . . .	48-49	Pro-Track . . . . .	151	Sealant, Geocel . . . . .	82
Non-Scents . . . . .	142, 157	Pro-Treat Products . . . . .	124-125, 148-149	Sealants, Silicone . . . . .	80-81
Notcher, Sheet Metal . . . . .	43	Psychrometers . . . . .	99	Sealants, Thread . . . . .	139, 157
Nozzles, Hose . . . . .	38	Pull a Spout Oiler . . . . .	127, 159	Sealing Compound . . . . .	80
Nut Setters . . . . .	41-42	Pumpless Sprayer . . . . .	38	Seamer, Sheet Metal . . . . .	43
Nylon Fittings . . . . .	68	Pumps . . . . .	18, 82	Sequencers . . . . .	111
Oil Tap . . . . .	151	PVC Cement . . . . .	79-80	Sheet Metal Screws . . . . .	39-40
Oil Transfer System . . . . .	102	PVC Fittings . . . . .	69-73	Shells . . . . .	108
Oil Treatment . . . . .	30	PVC Pipe . . . . .	69	Shoe Covers . . . . .	36
Oil, Alkylbenzene . . . . .	31, 152	Quick-Tap . . . . .	105	Shop Towels . . . . .	37
Oil, Mineral . . . . .	31, 152	Radiant Leak Finder . . . . .	138, 150	Sight Glasses . . . . .	109
Oil, POE . . . . .	32, 152	Rags, Workhorse Manufactured . . . . .	37	Silicone Sealants . . . . .	80-81
Oil, Polyolester . . . . .	32, 152	Ratch-Cut Tube Cutters . . . . .	45	Silicone Spray . . . . .	128
Oil, Refrigeration . . . . .	31, 152	Ratchet Strap . . . . .	123	Single Phase Motor Protector . . . . .	113
Oil, Vacuum Pump . . . . .	32, 152	Rayovac Products . . . . .	132-133	Smoke Cartridges . . . . .	64
Oiler, Pull a Spout . . . . .	127, 159	Reach It Match Holder . . . . .	120	Smokeys . . . . .	64
Outlet Boxes . . . . .	54-55	Receptacles, Electrical . . . . .	54	Snips . . . . .	42-43
Overflow Switch . . . . .	113	Recovery Cylinders, Refrigerant . . . . .	102	Snips, Upright . . . . .	42
P Trap . . . . .	72	Refrigerant Labels . . . . .	103	Soot Kill . . . . .	34, 156
Pads . . . . .	116, 126	Refrigerant Recovery Cylinders . . . . .	102	Soot Remover . . . . .	34, 156
Pads, Anti Vibration . . . . .	126	Refrigerant Recovery Tool . . . . .	104	Spade Terminals . . . . .	91
Paint, Spray . . . . .	133-134	Refrigeration Oil . . . . .	31, 152	Spill Kill . . . . .	34, 156
Pan Patch . . . . .	33, 158	Relays . . . . .	26	Spray Adhesive . . . . .	33, 82, 158
Pan Pills . . . . .	124-125, 148-149	Relays, Potential . . . . .	26	Spray Bottles . . . . .	118
Pan Tablets . . . . .	124-125, 148-149	Re-order Tags . . . . .	94	Spray Insulation . . . . .	33, 158
Pans, Drain . . . . .	17	Replacement Element Kits . . . . .	111	Spray Paint . . . . .	133-134
Pans, Water Heater . . . . .	28	Restrung Kits . . . . .	111	Sprayer, Pumpless . . . . .	38
Paper Towels . . . . .	37	Rheem Motor Brackets . . . . .	116	Sprayers . . . . .	38, 118
Parker Products . . . . .	107-109	Rings . . . . .	88-90	Sprayers, Compression . . . . .	38
Peghooks . . . . .	93	Rings, Flag . . . . .	88	Staple Guns . . . . .	41
Pen, Pocket Temperature/Humidity . . . . .	101	Riser Rated Thermostat Wire . . . . .	51	Staplers . . . . .	41
Periscope Connection Kit . . . . .	29	Risers, Heat Pump . . . . .	16	Staples . . . . .	41, 62
Pigtails, Power Supply Cords . . . . .	52	Robertshaw Thermostats . . . . .	48-50	Stat Guards . . . . .	83-84
Pills, Pan . . . . .	124-125, 148-149	Rods, Extension . . . . .	138	Steel Driers . . . . .	107-108
Pipe Cutters . . . . .	44-45	Romex Connectors . . . . .	62	Steel Pipe Fittings . . . . .	74-75
Pipe Fittings . . . . .	69-73	Romex Fittings . . . . .	62	Stick-E-Tape . . . . .	66
Pipe, PVC . . . . .	69	Romex Staples . . . . .	62	Storage Boxes . . . . .	97
Plastic Hanger Strap . . . . .	64	Romex Wire . . . . .	62	Strap, Duct . . . . .	65
Plastic Pads . . . . .	1, 3, 5, 10-11	Roof Flashings . . . . .	63	Strap, Hanging . . . . .	123
Plenum Thermostat Wire . . . . .	51	Roof Louvers . . . . .	63-64	Strap, Lashing . . . . .	123
Pliers . . . . .	43-44	Rope, Truck . . . . .	47	Strap, Ratchet . . . . .	123
Plug Fuses . . . . .	58	Rough Service Bulbs . . . . .	52	Strap, Rubber . . . . .	123
Plumber's Strap . . . . .	65	R-Traps . . . . .	72	Strut Clamps . . . . .	51
Pocket Temperature/Humidity Pen . . . . .	101	Rubber Elbow . . . . .	72	Suction Accumulators . . . . .	109
POE Oil . . . . .	32, 152	Rubber Tie Down Strap . . . . .	123	Suction Line Driers . . . . .	107
Point of Purchase Displays .	122, 133, 160-163	Running Trap . . . . .	72	Super Foam . . . . .	142, 146
Polyethylene Tubing . . . . .	69	Rust Breaker . . . . .	127, 159	Super Glue . . . . .	139
Polyolester Oil . . . . .	32, 152	Saddle Valves . . . . .	104	Super-Brite . . . . .	146
Porcelain Wire Connectors . . . . .	98	Safety Kleen II . . . . .	142, 157	Supercomb . . . . .	117
Potential Relays . . . . .	26	Safety Overflow Switch . . . . .	113	Super-Kool . . . . .	142, 154

# Alphabetical Index

Sure Burn . . . . .	34, 156
Sweat Free Spray . . . . .	33
Switch Covers . . . . .	54, 121
Switch, Float . . . . .	113
Switch, Safety Overflow . . . . .	113
Switches, Disconnect . . . . .	56-57
Switches, Electrical . . . . .	53, 121
Swoosh Cartridges . . . . .	122
Tablets, Pan . . . . .	124-125, 148-149
Tags, Generic Re-Order . . . . .	94
Tape Dispenser . . . . .	66
Tape Measures . . . . .	46
Tape, Aluminum Foil . . . . .	66
Tape, Cork . . . . .	65
Tape, Duct . . . . .	66-67
Tape, Electrical . . . . .	67-68
Tape, Foam . . . . .	65
Tape, Foil Scrim Kraft . . . . .	67
Tape, Green . . . . .	67
Tape, Orange . . . . .	67
Tape, Red . . . . .	67
Tape, Teflon . . . . .	66
Tape, Tommy . . . . .	65
Tape, White . . . . .	67
Tapes . . . . .	65-68
Tapes, Measuring . . . . .	46
Tattle-Tale Control Monitor . . . . .	114
Teflon Tape . . . . .	66
Telescoping Tools . . . . .	120
Tensioning Tool . . . . .	64
Teri Towels . . . . .	36
Term Lok Compressor Repair Kit . . . . .	86
Terminals, Electrical . . . . .	88, 91-92, 94-95
Terry Towels . . . . .	37
Test Leads . . . . .	86
Tester, Circuit . . . . .	101
Thermal Hygrometer . . . . .	99
Thermometers . . . . .	99-100
Thermometers, Infrared . . . . .	99
Thermostat Guards . . . . .	83-84
Thermostat Wire . . . . .	51
Thermostats . . . . .	48-50
THHN Wire . . . . .	85
Thread Sealant . . . . .	139, 157
Three Phase Disconnect Switch . . . . .	57
Three Phase Motor Protector . . . . .	112-113
Ties, Cable . . . . .	64, 95-96
Timer, Delay on Break . . . . .	112
Timer, Delay on Make . . . . .	112
Timers, Adjustable . . . . .	112
Toggle Switch Cover . . . . .	121
Toggle Switches . . . . .	53, 121
Tommy Tape . . . . .	65
Tool Bags . . . . .	47
Torches . . . . .	40
Towels . . . . .	36-37
Towels, Terry . . . . .	37
Tower Guard 110 . . . . .	153
Transformers . . . . .	27
Traps, Condensate . . . . .	72
Triple "D" . . . . .	142-145
Triple Treat . . . . .	153
Trouble Lights . . . . .	52
Truck Rope . . . . .	47
Tube Cleaner . . . . .	118

# DIVERSITECH. A FULL LINE MANUFACTURER.

DiversiTech Corporation is North America's largest manufacturer of equipment pads and a leading manufacturer and supplier of components and related products for the heating, ventilating, air conditioning, and refrigeration (HVACR) industry.

Headquartered in the Atlanta, GA metropolitan area, DiversiTech manufactures a suite of products, which includes a wide range of mechanical, electrical, chemical, and structural parts for HVACR systems. The company maintains manufacturing and distribution facilities in key U.S. locations and in the Far East. DiversiTech has enjoyed a continued history of successful growth and has acquired industry-recognized brand names including Wagner Manufacturing and Specialty Chemical.

**DIVERSITECH** 

6650 Sugarloaf Parkway  
Duluth, GA 30097

**800.995.2222**  
[www.diversitech.com](http://www.diversitech.com)



**TEXAS MANUFACTURING**  
COLUMBUS, TX



**EAST COAST DISTRIBUTION CENTER**  
CONYERS, GA



**WEST COAST DISTRIBUTION CENTER**  
ADELANTO, CA



**GEORGIA MANUFACTURING**  
CONYERS, GA



**SPECIALTY CHEMICAL MANUFACTURING, INC.**  
QUINCY, FL



**EAST WEST MANUFACTURING LLC**  
ATLANTA, GA • SHENZHEN, CHINA

---

**WE ARE COMMITTED  
TO DO WHAT IT TAKES TO  
DELIVER WORLD CLASS  
SERVICE AND PRODUCTS.**

---



6650 Sugarloaf Parkway  
Duluth, GA 30097

**678.542.3600**  
**800.995.2222**  
**678.542.3700 Fax**  
**[www.diversitech.com](http://www.diversitech.com)**

Download an electronic copy of this catalog at [www.diversitech.com/literature/lit-catalog.pdf](http://www.diversitech.com/literature/lit-catalog.pdf)