

BATH & KITCHEN

Glamour Catalog



STERLING
A KOHLER COMPANY

TABLE OF CONTENTS

TOILETS & BATHROOM SINKS	6
BATHING & SHOWERING	24
BATH & SHOWER DOORS	60
KITCHEN & SPECIALTY SINKS	80
AGING IN PLACE & ADA-COMPLIANT PRODUCTS	100
BATH & SHOWER DOOR REFERENCE GUIDE	112
WARRANTY INFORMATION	114





STERLING® bathroom and kitchen products are built for the realities of life. Things get messy, dirty and cluttered. We get it, which is why we design our products with you in mind. We're talking about beautiful yet no-nonsense designs. We're talking about products that are a cinch to install, easy to clean and tough enough to handle real life in real kitchens and bathrooms – and look good doing it – year after year. Connect with us on Facebook for more information and inspiration, and download the Sterling Plumbing Catalogs app available on the App StoreSM or Google PlayTM. **It's time to get to work.**





TOILETS & BATHROOM SINKS

Complete your bathroom the right way with a perfectly paired **STERLING®** toilet and bathroom sink. The ideal complement to **STERLING** baths and showers, these choices set the standard in both style and performance.





STERLING TOILETS

Others try to imitate our style, but they'll never match our flushing strength. Premium fill valve and flush valve components combine with the flushing power of Pro Force® or Dual Force® technology to deliver exceptional performance every time. It's easy to see why the top ten builders in the U.S.A. trust STERLING® toilets*.





**Sacramento®
Pedestal Sink**
442124

WINDHAM TOILET

Windham™ toilets are engineered with Pro Force® technology for exceptional one-flush performance. They're available in 1.6 gpf models or as a 1.28 gpf high-efficiency toilet (HET). And the three-bolt quick-connect system makes installation a snap.

Windham Toilet

- Round-Front 402015
 - Elongated 402215
 - Luxury Height® Elongated 402315
 - HET Round-Front 403080
 - HET Elongated 403081
 - HET Luxury Height Elongated 403082 (shown)
- (Tank design on 1.6 gpf models varies slightly from image shown)



TOILETS

PRO FORCE® TECHNOLOGY



Floor Saver®
Helps cover old footprint left by many two-piece toilets.



Stinson® Toilet
Elongated 402075
Luxury Height® Elongated 402375
HET Elongated 402076
HET Luxury Height Elongated 402077 (shown)

PRO FORCE TECHNOLOGY

When it comes to single-flush performance, Sterling is a force to be reckoned with. Whether on the 1.6 gpf or 1.28 gpf HET model, Pro Force® technology creates a powerful siphonic suction action, sending 100 percent of the water through the rim to scrub the bowl clean while flushing 800-1,000 grams with unquestioned consistency.

WHY CHOOSE PRO FORCE TECHNOLOGY?

- Proven one-flush cleansing performance guarantee*
- HET model can save up to 16,500 gallons** of water each year versus a 3.5 gpf toilet
- Fully glazed trapway helps ensure a strong, complete flush
- Pre-installed gasket, bolts and premium fill valve make installation a snap

*See warranty information on page 115 for details.

**Based on average household of four, each flushing 5.1 times a day, 365 days a year



Riverton™ Toilet

HET Round-Front 402083/-U**

HET Elongated 402084/-U**

HET Luxury Height Elongated 402085/-U** (shown)

**Includes anti-sweat tank liner



Windham™ Toilet

Round-Front 402015

Elongated 402215

Luxury Height Elongated 402315

HET Round-Front 403080




HET Elongated 403081

HET Luxury Height Elongated 403082 (shown)

(Tank design on 1.6 gpf models varies slightly from image shown)

PRO FORCE TOILETS

Images shown are HET models.

				WINDHAM™		
		ROUND-FRONT	ELONGATED	LUXURY HEIGHT® ELONGATED		
						
1.28 GPF HET Model Number	12" Rough-In	403080	403081	403082 403082-RA		
	14" Rough-In	402078	402079			
1.28 GPF HET Bowl/Tank Model Numbers	12" Rough-In	403015/404551	403215/404551	403315/404551 403315/404551-RA		
	14" Rough-In	403015/404544	403215/404544			
1.6 GPF Model Number	10" Rough-In		402210			
	12" Rough-In	402015	402215	402315 402315-RA		
1.6 GPF Bowl/Tank Model Numbers	10" Rough-In		404210/404515			
	12" Rough-In	403015/404515	403215/404515	403315/404515 403315/404515-RA		
Fill Valve	Fluidmaster 400A					
Flush Valve	2 3/8"					
Flush Action	Pro Force Siphonic					
Water Spot	8" x 9"			8" x 10"		
Trip Lever	Chrome					
Tank-to-Bowl Connection	Factory-Installed Gasket and 3-Bolt Quick-Connect System					
Length x Width x Height	10" Rough-In		29 1/8" x 15" x 29 1/2" 402210 – 29 1/4" x 16 7/8" x 29"			
	12" Rough-In	27 1/4" x 15" x 29 1/2" 402015 – 27 1/4" x 16 7/8" x 29"	29 1/8" x 15" x 29 1/2" 402215 – 29 1/4" x 16 7/8" x 29"	29 1/8" x 15" x 31" 402315 – 29 1/4" x 16 7/8" x 30 1/2"		
	14" Rough-In	29 1/4" x 16 7/8" x 29"	31 1/4" x 16 7/8" x 29"			
Bowl Height	15"			16 1/2"		
ADA-Compliant ¹	No			Yes		
CSA B45 Compliant ²	Yes					
ASME A112.19.14 Compliant ³	No			Yes		

All toilets feature a 2" fully glazed trapway.
Toilet seats are not included.


*Indicates anti-sweat tank liner which reduces condensation.

¹ Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 604 (Toilets), of the Americans with Disabilities Act.

² Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.

³ Conforms to ASME A112.19.14 National Consensus Standards

Color Selection



RIVERTON™			STINSON®	
ROUND-FRONT	ELONGATED	LUXURY HEIGHT ELONGATED	ELONGATED	LUXURY HEIGHT ELONGATED
				
402083 402083-U*	402084 402084-U*	402085 402085-U*	402076	402077 402077-RA
403015/404552 4 03015/404552-U*	403215/404552 403215/404552-U*	403315/404552 403315/404552-U*	403070/402091	403370/402091 403370/402091-RA
			402075	402375 402375-RA
			403070/402071	403370/402071 403370/402071-RA
Fluidmaster 400A				
2 ³ / ₈ "				
Pro Force Siphonic				
8" x 9"				
Chrome				
Factory-Installed Gasket and 3-Bolt Quick-Connect System				
27 ¹ / ₄ " x 18 ¹ / ₈ " x 29"	29 ¹ / ₄ " x 18 ¹ / ₈ " x 29"	29 ¹ / ₄ " x 18 ¹ / ₈ " x 30 ¹ / ₂ "	29" x 17 ⁷ / ₁₆ " x 28 ³ / ₈ "	29" x 17 ⁷ / ₁₆ " x 29 ⁷ / ₈ "
15"	16 ¹ / ₂ "	15"	15"	16 ¹ / ₂ "
No	Yes	No	No	Yes
Yes				
No		Yes	No	Yes



To be WaterSense®-labeled, a toilet must meet the following criteria:

- Single-flush toilets must use 1.28 gpf or less
- Dual-flush toilets must have a full flush no more than 1.6 gpf and a reduced flush no more than 1.1 gpf
- MaP test or soybean paste test must meet a minimum requirement of 350 grams of waste removed



TOILETS

DUAL FORCE[®] TECHNOLOGY



DUAL FORCE TECHNOLOGY

With an easy-to-use two-button actuator, **STERLING®** HETs with Dual Force® technology put the power of flushing efficiency at your fingertips. Go full force at 1.6 gpf and clear the bowl of bulk waste in just one powerful flush. For liquid and lighter waste, flush with a lower gallons-per-flush setting and save thousands of gallons of water per year. The flapperless valve, siphonic washdown system and sanitary guard help ensure exceptional hygiene inside and out.

WHY CHOOSE DUAL FORCE TECHNOLOGY?

- Virtually maintenance-free flapperless valve
- 100 percent of the water used for flushing passes through the rim, thoroughly cleansing the entire bowl
- Precision-engineered to use water effectively and efficiently
- Sanitary guard between the tank and bowl increases cleanliness



Rockton® Toilet

HET Round-Front 402024 (shown)
HET Elongated 402027
HET Luxury Height® Elongated 402088



Karsten® Toilet

HET Round-Front 402025 (shown)
HET Elongated 402028
HET Luxury Height Elongated 402087

DUAL FORCE® TOILETS

ROCKTON®				
		ROUND-FRONT	ELONGATED	LUXURY HEIGHT® ELONGATED
				
HET Model Number	12" Rough-In	402024	402027	402088
HET Bowl/Tank Model Numbers	12" Rough-In	402021/402022	402026/402022	402086/402022
Water Usage		0.8/1.6 GPF		
Fill Valve		Fluidmaster 400A		
Flush Valve		2½"		
Flush Action		Dual Force Washdown		
Water Spot		4½" x 5¾"		
Two-Button Actuator		Chrome		
Tank-to-Bowl Connection		Easy 2-Bolt Connection		
Optional Vandal-Resistant Tank		Locking Kit – 1099289		
Length x Width x Height		29¾" x 15" x 29⅞"	31" x 15" x 29⅞"	31" x 15" x 31⅞"
Bowl Height		14⅞"		16½"
ADA-Compliant ¹		No		
CSA B45 Compliant ²		Yes		
ASME A112.19.14 ³		Yes		

All toilets feature a 2" fully glazed trapway.
Toilet seats are not included.

¹ Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 604 (Toilets), of the Americans with Disabilities Act.

² Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.

³ Conforms to ASME A112.19.14 National Consensus Standards

Color Selection

White 0

KOHLER Biscuit 96

KARSTEN®		
ROUND-FRONT	ELONGATED	LUXURY HEIGHT ELONGATED
		
402025	402028	402087
402021/402023	402026/402023	402086/402023
0.8/1.6 GPF		
Fluidmaster 400A		
2 ⁵ / ₈ "		
Dual Force Washdown		
4 ¹ / ₂ " x 5 ³ / ₄ "		
Chrome		
Easy 2-Bolt Connection		
Locking Kit – 1099289		
29 ³ / ₄ " x 15" x 29 ¹ / ₄ "	31" x 15" x 29 ¹ / ₄ "	31" x 15" x 31 ¹ / ₄ "
14 ¹ / ₈ "		16 ¹ / ₂ "
No		
Yes		
Yes		



To be WaterSense®-labeled, a toilet must meet the following criteria:

- Single-flush toilets must use 1.28 gpf or less
- Dual-flush toilets must have a full flush no more than 1.6 gpf and a reduced flush no more than 1.1 gpf
- MaP test or soybean paste test must meet a minimum requirement of 350 grams of waste removed



SINKS BATHROOM

Made of Grade A vitreous china, solid Vikrell® material or stainless steel, STERLING® sinks offer the durability and ease of cleaning you need for a busy bathroom.





SOUTHAMPTON PEDESTAL SINK

Ideal for petite bathrooms, the Southampton® pedestal sink features a wide deck and unique basin shape for maximum space – perfect for soap dispensers and other bathroom essentials.

**Southampton
Pedestal Sink**
442421/442424/442428
23³/₈" x 18¹/₄" x 33"





**Stinson®
Drop-In Bathroom Sink**

442007
20" x 14"



**Stinson
Under-Mount Bathroom Sink**

442007-U
18" x 12"



**Sanibel™
Drop-In Bathroom Sink**

442001/442004/442008
20" x 17"




**Modesto™
Drop-In Bathroom Sink**

441901/441904/441908
19" Diameter



**Wescott®
Under-Mount Bathroom Sink**

442040 – 17" x 13" 
442050 – 17" x 15"



**Worthington™
Wall-Mount Bathroom Sink**

442031/442034/442038
21" x 22"





Round Drop-In Bathroom Sink

75020140
19" Diameter



Oval Drop-In Bathroom Sink

75010140
20" x 17"



Oval Drop-In or Under-Mount Bathroom Sink

1181/1186/11811 – 13¼" x 10½"
S1201/S1206 – 16¾" x 11¾" (shown)



Round Drop-In or Under-Mount Bathroom Sink

111 – 10½" Diameter
131/141/1411 – 13⅝" Diameter (shown)



Sacramento® Pedestal Sink

442121/442124/442128
21" x 18" x 33"

BATHROOM SINKS

	SANIBEL™	MODESTO™	STINSON®	WESCOTT®
				
Model Number	442001 442004 442008	441901 441904 441908	442007 442007-U	442040 442050
Installation Type	Drop-In	Drop-In	Drop-In Under-Mount	Under-Mount
Material	Vitreous China	Vitreous China	Vitreous China	Vitreous China
Shape	Oval	Round	Rectangular	Oval
Faucet Configurations	Single-Hole 4" Centerset 8" Widespread	Single-Hole 4" Centerset 8" Widespread	Wall-Mount or Countertop	Wall-Mount or Countertop
Finish				
Length x Width x Height	20" x 17"	19" Diameter	20" x 14" 18" x 12"	17" x 13" 17" x 15"
CSA B45 Compliant ¹	Yes	Yes	Yes	Yes
ADA-Compliant ²	Yes	Yes	Yes	442040 Only
Limited Warranty	5-Year	5-Year	5-Year	5-Year

¹ Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.

² Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 606 (Sinks), of the Americans with Disabilities Act.

Color Selection

White 0

KOHLER Biscuit 96

SACRAMENTO®	SOUTHAMPTON®	WORTHINGTON™	VIKRELL®	ROUND STAINLESS STEEL	OVAL STAINLESS STEEL
					
442121 442124 442128	442421 442424 442428	442031 442034 442038	75010140 75020140	111 131/141/1411	1181/11811/1186 S1201/S1206
Pedestal	Pedestal	Wall-Mount	Drop-In	Drop-In or Under-Mount	Drop-In or Under-Mount
Vitreous China	Vitreous China	Vitreous China	Vikrell	Stainless Steel	Stainless Steel
			Oval/Round	Round	Oval
Single-Hole 4" Centerset 8" Widespread	Single-Hole 4" Centerset 8" Widespread	Single-Hole 4" Centerset 8" Widespread	4" Centerset	Wall-Mount or Countertop	Wall-Mount or Countertop
			High-Gloss	Luster – 111/131 Mirror – 141/1411	Luster – 1186/ S1201/S1206 Mirror – 1181/11811
21" x 18" x 33"	23 ³ / ₈ " x 18 ¹ / ₄ " x 33"	21" x 22"	Oval 20" x 17" Round 19" Diameter	10 ¹ / ₂ " Diameter 13 ³ / ₈ " Diameter	13 ¹ / ₄ " x 10 ¹ / ₂ " 16 ³ / ₄ " x 11 ³ / ₄ "
Yes	Yes	Yes	Yes		
		Yes		Yes	Yes
5-Year	5-Year	5-Year	10-Year Residential 3-Year Commercial	5-Year	5-Year

VITREOUS CHINA



STAINLESS STEEL




SOLID VIKRELL MATERIAL



BATHING & SHOWERING

STERLING® baths, whirlpools and showers are manufactured from solid Vikrell® material, which means they stand up beautifully to everyday wear and tear. And they're designed to give you an incredible bathing experience – from relaxation to invigoration, we've got you covered.





WHY

VIKRELL® MATERIAL





30% FASTER TO INSTALL

Compared to one-piece modules

- Modular pieces allow one person to install
- Installs directly onto studs
- Snaps together with tongue-and-groove system
- Can be installed anytime during construction



DESIGNED WITH YOU IN MIND

- Nonporous surface wipes clean with soap and water
- Channels water back into the bath and shower
- Built-in storage has plenty of space for large bottles



STANDS UP TO DAILY USE

- Molded into one solid piece under extreme heat and pressure
- No layers to chip, crack or peel
- Structural ribs molded in for strength eliminate bounce and give under bath and shower floors



Products made of solid Vikrell material are certified by the GREENGUARD Environmental Institute (GEI) for having low chemical emissions.*

*Does not apply to the freestanding seat.

Solid Vikrell® material is built to stand the test of time. We guarantee it with a ten-year consumer limited warranty and a three-year commercial limited warranty.

BATHING

From relaxing soaks to revitalizing whirlpools or Air Massage baths, STERLING® baths and whirlpools create a pocket of calm in any home.





LAWSON 6' BATH

With 360 degrees of soothing bubbles and three speeds, the Lawson® Air Massage bath offers gentle relaxation or an invigorating soak. It's perfect for new construction and also fits some existing bathrooms.

Lawson 6' Bath

72" x 36" x 20"/72" x 42" x 20" (shown)

Bath – Series 7130/7131

Whirlpool – Series 7630/7631

Air Massage – Series 7730/7731

**Lawson® Bath, Whirlpool
and Air Massage Bath**

60" x 32" x 20"
Bath – Series 7126
Whirlpool – Series 7626
Air Massage – Series 7726



**Lawson Bath, Whirlpool
and Air Massage Bath**

60" x 36" x 20"
Bath – Series 7127
Whirlpool – Series 7627
Air Massage – Series 7727



**Lawson Bath, Whirlpool
and Air Massage Bath**

60" x 42" x 20"
Bath – Series 7128
Whirlpool – Series 7628
Air Massage – Series 7728




**Tranquility®
Bath and Whirlpool**

60" x 42" x 18½"
Bath – Series 6105
Whirlpool – Series 6605






Performa™ Bath 
60" x 29" x 15"
Series 7104



All Pro® Bath 
60" x 30" x 15"
Series 6104



Ensemble™ Bath 
60" x 30" x 16"
Series 7117



**Ensemble Bath
and Whirlpool**
60" x 32" x 18"
Bath – Series 7112 
Whirlpool – Series 7612



**Ensemble Bath
and Whirlpool**
60" x 36" x 16"/60" x 42" x 16"
Bath – Series 7110/7111 
Whirlpool – Series 7610/7611





ENSEMBLE MEDLEY BATH/SHOWER



Bringing style into your space has never been simpler. The Ensemble Medley® bath/shower is perfect for remodeling or new construction projects. It's interlocking design with innovative Dry-Block™ seal makes caulking unnecessary and installation a snap.

Ensemble™ Medley Bath/Showers

60" x 30" x 16" x 73" – Series 7137 (shown)

60" x 32" x 18" x 75" – Series 7132




STERLING® Aging in Place (AIP) Products

Products with the AIP icon are designed to accommodate your changing needs over time without sacrificing design. Bath/showers and showers with backerboards allow you to install grab bars when you need them – but have the clean look you desire today. For a complete listing of Aging in Place and ADA-compliant products, see pages 106-111.







ACCORD

BATH/SHOWER

AIP

The Accord® bath/shower creates a comfortable bathing environment with a contoured backrest for lumbar support and an exceptionally deep design. Its interlocking walls click together to form caulkless, watertight seams.

Accord Bath/Shower

60" x 32" x 18" x 74" – Series 7115 (shown)

60" x 36" x 20" x 76" – Series 7116



Performa™ Bath/Shower

60" x 29" x 15" x 75½"
Series 7104



Advantage™ Bath/Shower

60" x 30" x 15" x 72"
Series 6103



**Accord® Tile Bath/Shower
and Whirlpool/Shower**

60" x 30" x 15" x 72"
Bath/Shower – Series 7114
Whirlpool/Shower – Series 7614



**Accord Smooth Bath/Shower
and Whirlpool/Shower**

60" x 30" x 15" x 72"
Bath/Shower – Series 7124
Whirlpool/Shower – Series 7624





All Pro® Bath/Shower

60" x 30" x 15" x 73½"
Series 6104



Ensemble™ Curve Bath/Shower and Whirlpool/Shower

60" x 32" x 18" x 74"
Bath/Shower – Series 7122
Whirlpool/Shower – Series 7622



Ensemble Tile Bath/Shower and Whirlpool/Shower

60" x 32" x 18" x 74"
Bath/Shower – Series 7112
Whirlpool/Shower – Series 7612



Ensemble Tile Bath/Shower and Whirlpool/Shower



60" x 36" x 16" x 72"/60" x 42" x 16" x 72"
Bath/Shower – Series 7110/7111
Whirlpool/Shower – Series 7610/7611



BATHS

	60" x 29"	60" x 30"		
	PERFORMA™	ALL PRO®	ADVANTAGE™	ACCORD® TILE
				
Integral Apron, Flange, Drain on Right/Left	71041120/10	61041120/10		
Above-Floor Drain Option	71041122/12			
ADA-Compliant ¹	Yes	Yes		
CSA B45.5/IAMPO Z124 ²	Yes	Yes		

BATH/SHOWERS

				
Integral Apron, Flange, Drain on Right/Left	71040120/10	61040120/10	61030120/10	71140120/10
Above-Floor Drain Option (AFD)	71040122/12			71140122/12
Aging in Place Option	Backerboards Installed³ Grab Bars Included	71040126/16	61030126/16	71140126/16
AFD Aging in Place Option	71040128/18			71140128/18
ADA-Compliant ¹				71140125/15
Caulk Requirement	Fully Caulked Seams	Fully Caulked Seams	Semi-Caulked Seams	Caulkless Seams
Total Height/Total Height (AFD)	75½"/77¾"	73½"	72"	72"/74¼"
CSA B45.5/IAMPO Z124 ²	Yes	Yes	Yes	Yes

WHIRLPOOLS, WHIRLPOOL/SHOWERS & AIR MASSAGE BATHS

Whirlpool Bath, Drain on Right/Left				
Whirlpool Bath/Shower, Drain on Right/Left				76140120/10
Aging in Place Option				76141120/10 and 71144106
Optional Walls				











GENERAL SPECIFICATIONS

Overall Dimensions of Bath/Whirlpool	60" x 29" x 15"	60" x 30" x 15"	60" x 30" x 15"	60" x 30" x 15"
Material/Finish	Vikrell/High-Gloss	Vikrell/Swirl-Gloss	Vikrell/Swirl-Gloss	Vikrell/High-Gloss
Water Capacity to Overflow	35 Gallons	44 Gallons	42 Gallons	34 Gallons

¹ Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 607 (Bathtubs), of the Americans with Disabilities Act.
² Conforms to CSA B45.5/IAMPO Z124.
³ Includes factory-installed wood backerboards for future grab bar installation.

COLOR SELECTION



White 0	KOHLER Biscuit 96
---------	-------------------

60" x 30"		60" x 32"			
ACCORD SMOOTH	ENSEMBLE MEDLEY®	ACCORD	ENSEMBLE™ MEDLEY	ENSEMBLE CURVE	ENSEMBLE TILE
					
	71171120/10		71121120/10	71121120/10	71121120/10
	71171122/12		71121122/12	71121122/12	71121122/12
	Yes		Yes	Yes	Yes
	Yes		Yes	Yes	Yes
					
71240120/10	71370120/10	71150120/10	71320120/10	71220120/10	71120120/10
71240122/12	71370122/12		71320122/12	71220122/12	71120122/12
71240126/16	71370126/16	71150126/16	71320126/16	71220126/16	71120126/16
71240123/13		71150123/13			
71240128/18	71370128/18		71320128/18	71220128/18	71120128/18
71240125/15		71150125/15			
Caulkless Seams	Caulkless Seams	Caulkless Seams	Caulkless Seams	Semi-Caulked Seams	Semi-Caulked Seams
72"/74¼"	73"/75"	74"	75"/77"	74"/76"	74"/76"
Yes	Yes	Yes	Yes	Yes	Yes
			76121120/10	76121120/10	76121120/10
76240120/10			76320120/10	76220120/10	76120120/10
76241120/10 and 71244106					
			71324100	71224100	71124100
60" x 30" x 15"	60" x 30" x 16"	60" x 32" x 18"	60" x 32" x 18"	60" x 32" x 18"	60" x 32" x 18"
Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss
34 Gallons	44 Gallons	56 Gallons	55 Gallons	55 Gallons	55 Gallons

BATHS

	60" x 32"	60" x 36"		
	LAWSON®	ACCORD®	ENSEMBLE™ TILE	LAWSON
				
Drop-In	71261100			71271100
Integral Apron, Flange, Drain on Right/Left			71101120/10	
Optional Separate Apron	71268100			71268100
Optional Separate Apron with Access Panel	76268100			76268100
Above-Floor Drain Option			71101122/12	
ADA-Compliant ¹			Yes	
CSA B45.5/IAMPO Z124 ²	Yes		Yes	Yes

BATH/SHOWERS

				
Integral Apron, Flange, Drain on Right/Left		71160120/10	71100120/10	
Above-Floor Drain Option (AFD)			71100122/12	
Aging in Place Option	Backerboards Installed³	71160126/16	71100126/16	
	Grab Bars Installed	71160123/13		
AFD Aging in Place Option			71100128/18	
Caulk Requirement		Caulkless Seams	Semi-Caulked Seams	
Total Height/Total Height (AFD)		76"	72"/74¼"	
CSA B45.5/IAMPO Z124 ²		Yes	Yes	

WHIRLPOOLS, WHIRLPOOL/SHOWERS & AIR MASSAGE BATHS

Whirlpool with Integral Apron, Drain on Right/Left			76101120/10	
Drop-In Whirlpool	76261120/10			76271120/10
Drop-In Whirlpool with Heater	76261120-H/10-H			76271120-H/10-H
Whirlpool/Shower, Drain on Right/Left			76100120/10	
Drop-In Air Massage Bath	77261100			77271100
Optional Separate Apron	76268100			76268100
Optional Walls			71104100	

GENERAL SPECIFICATIONS

Overall Dimensions of Bath/Whirlpool	60" x 32" x 20"	60" x 36" x 20"	60" x 36" x 16"	60" x 36" x 20"
Material/Finish	Vikrell®/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss
Water Capacity to Overflow	53 Gallons	70 Gallons	40 Gallons	59 Gallons

¹ Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines,

Section 607 (Bathtubs), of the Americans with Disabilities Act.







² Conforms to CSA B45.5/IAMPO Z124.

³ Includes factory-installed wood backerboards for future grab bar installation.

COLOR SELECTION

White 0

KOHLER Biscuit 96

60" x 42"			72" x 36"	72" x 42"
LAWSON	TRANQUILITY®	ENSEMBLE TILE	LAWSON	LAWSON
				
71281100	61051100		71301100	71311100
		7111120/10		
71268100	61058100			
76268100				
		7111122/12		
		Yes		
Yes	Yes	Yes		
				
		71110120/10		
		71110122/12		
		71110126/16		
		71110128/18		
		Semi-Caulked Seams		
		72"/74¼"		
		Yes		
	66050100	7611120/10		
76281120/10	66051100		76301100	76311100
76281120-H/10-H			76301100-H	76311100-H
		76110120/10		
77281100			77301100	77311100
76268100	61058100			
		71114100		
60" x 42" x 20"	60" x 42" x 18½"	60" x 42" x 16"	72" x 36" x 20"	72" x 42" x 20"
Vikrell/High-Gloss	Vikrell/Swirl-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss
68 Gallons	56 Gallons	55 Gallons	68 Gallons	80 Gallons

SHOWERING

STERLING® showers are lightweight, which makes them easy to maneuver. And they're made of solid Vikrell® material, which means they're built to last. They're the go-to showers for any remodeling or new construction project.





STORE+ SHOWER

Arrange your shower exactly the way you like it. The STORE+™ shower features a fully customizable storage system with movable accessories – from rimmed shelves and deep bins to soap dishes and shower hooks – that meet all your storage needs and eliminate clutter. It includes the protective GUARD+™ shower base for superior water containment.

STORE+ Shower

36" x 34" x 75¾" – Series 7230

48" x 34" x 75¾" – Series 7232

60" x 34" x 75¾" – Series 7233 (shown)



Includes four rimmed shelves, two large bins, two shower hooks and two soap dishes with towel bars that snap into place





ENSEMBLE END-DRAIN SHOWER

The model for an easy remodel, the lightweight, modular Ensemble™ end-drain shower may fit the same footprint and drain configuration as your old shower or bathtub, making plumbing adjustments unnecessary. Its convenient shelves feature generous storage, and a shaving ledge/footrest provides added comfort. Tongue-and-groove interlocking joints create watertight, caulk-free seams, making installation a snap.

Ensemble End-Drain Shower

60" x 30" x 75¼" – Series 7217

60" x 32" x 74½" – Series 7218 (shown)



STERLING® Freestanding Seat

21¼" x 13⅛" x 17⅜"

72186104

Sterling recommends the freestanding seat with the following STERLING shower units:

Ensemble 60", Series 7217 and Series 7218;

Ensemble Curve 48", Series 7222; Ensemble Tile 48", Series 7212;

Ensemble Curve 60", Series 7223; and Ensemble Tile 60", Series 7213



**Ensemble™
Curve Shower**

36"/42"/48"/60" x 34" x 75¾"
Series 7220/7221/7222/7223



**Ensemble
Tile Shower**

36"/42"/48"/60" x 34" x 75¾"
Series 7210/7211/7212/7213



**Accord®
Shower**

36"/42"/48"/60" x 36" x 75¾"
Series 7224/7225/7226/7227



**Accord
Seated Shower**

48"/60" x 36" x 74½"
Series 7228/7229





**Advantage™
Shower**

32"/36" x 34" x 72"
Series 6201/6202



**Advantage
Seated Shower**

48" x 34" x 72"
Series 6203



**Advantage
Seated Shower**

60" x 34" x 76"
Series 6204



**Intrigue™
Neo-Angle Shower**

39" x 39" x 78⅞"
Series 7204



SHOWER BASES

Perfect for tile-down applications, STERLING® shower bases give you a solid foundation for expressing your individual style.





GUARD+ SHOWER BASE

With its four-sided water containment system, full-length threshold guard and weep channels, the GUARD+™ shower base keeps water where it belongs. Easier and faster to install than a tile shower base, GUARD+ is the perfect complement to STORE+™ shower walls.

GUARD+ Shower Base

36" x 34" – Series 7230

48" x 34" – Series 7232

60" x 34" – Series 7233 (shown)



Full-length water containment guard and weep channels redirect water into the base






ENSEMBLE END-DRAIN SHOWER BASE

The Ensemble™ end-drain shower base makes bath-to-shower conversion a snap. The drain lines up with a standard five-foot bath drain, so you can turn your boring bath into a brand-new shower without even breaking a sweat.

Ensemble End-Drain Shower Base

60" x 30" – Series 7217

60" x 32" – Series 7218 (shown)



STERLING® Freestanding Seat

21⁷/₁₆" x 13¹/₈" x 17³/₈"

72186104

Sterling recommends the freestanding seat with the following STERLING shower units:

Ensemble 60", Series 7217 and Series 7218;

Ensemble Curve 48", Series 7222; Ensemble Tile 48", Series 7212;

Ensemble Curve 60", Series 7223; and Ensemble Tile 60", Series 7213



**Ensemble™
Shower Base**
36" x 34"
Series 7210



**Ensemble
Shower Base**
42" x 34"
Series 7211



**Ensemble
Shower Base**
48" x 34"
Series 7212



**Ensemble
Shower Base**
60" x 34"
Series 7213



**Intrigue™
Neo-Angle Shower Base**

39" x 39"
Series 7204



**Ensemble™
Shower Base**

36" x 36"/42" x 42"
Series 7216/7215



**Roll-In
Shower Base**

39" x 39"/63" x 39"
Series 6205/6206





FREESTANDING SEAT

Our new freestanding seat combines form and function in effortless fashion. It's sleek, stylish and sized to fit in virtually every shower. Move it throughout the bathroom and bring another level of versatility, comfort and convenience to the shower space.

Freestanding Seat

21⁷/₁₆" x 13¹/₈" x 17³/₈"
72186104

Sterling recommends the freestanding seat with the following STERLING® shower units:
Ensemble™ 60", Series 7217 and Series 7218;
Ensemble Curve 48", Series 7222; Ensemble Tile 48", Series 7212;
Ensemble Curve 60", Series 7223; and Ensemble Tile 60", Series 7213

COMPLETE SHOWERS

	ADVANTAGE™		ENSEMBLE™		
	SHOWER	SEATED	END-DRAIN	CURVE	TILE
					
32" x 34"	62010100				
36" x 34"	62020100			72200100	72100100
36" x 36"					
39" x 39"					
42" x 34"				72210100	72110100
42" x 36"					
48" x 34"		62030100		72220100	72120100
48" x 36"					
60" x 30"			72170120/10		
60" x 32"			72180120/10		
60" x 34"		62040100		72230100	72130100
60" x 36"					
63" x 39"					
CSA B45.5/IAMPO Z124 ¹		Yes	Yes	Yes	Yes
Backerboards Installed²		48" – 62030106 60" – 62040106	30" – 72170126/16 32" – 72180126/16	42" – 72210106 48" – 72220106 60" – 72230106	42" – 72110106 48" – 72120106 60" – 72130106
Aging in Place Option	Grab Bars Included				
	Factory-Installed Grab Bars				
Total Height	72"	72"/76"	74½"	75¼"	75¾"
GENERAL SPECIFICATIONS					
Material/Finish	Vikrell®/Swirl-Gloss	Vikrell/Swirl-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	
Caulk Requirement	Semi-Caulked Seams	Semi-Caulked Seams	Caulkless Seams	Semi-Caulked Seams	
ADA-Compliant ³					

All bases feature center drains, except Ensemble Series 7217 and 7218.

*Showers will comply with ICC ANSI A117.1 Standards section 1004.11.3.1.3.3 and the Fair Housing Act Accessibility Guidelines when installed per Requirement 6 (reinforced walls for grab bars) of the Accessibility Guidelines. This applies to type A and B multi-family dwellings.







1 Conforms to CSA B45.5/IAMPO Z124.

2 Includes factory-installed wood backerboards for future grab bar installation.




3 Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 607 (Shower Stalls), of the Americans with Disabilities Act.

COLOR SELECTION

White 0	KOHLER Biscuit 96
---------	-------------------

STORE+™	ACCORD®		INTRIGUE™	AIP/ADA	ADA
SHOWER	SHOWER	SEATED	NEO-ANGLE	SEATED	ROLL-IN
					
72300100	72240100		72040100	62050115/25*	
72320100	72250100				
	72260100	72280100			
72330100	72270100	72290100		62070115/25* ³	62060103* ³
Yes	Yes		Yes		
36" – 72300106 48" – 72320106 60" – 72330106	36" – 72240106 42" – 72250106 48" – 72260106 60" – 72270106	48" – 72280106 60" – 72290106	72040106	39" – 62050106* 63" – 62070106*	62060106*
	36" – 72240103 42" – 72250103 48" – 72260103 60" – 72270103				
		48" – 72280103 60" – 72290103			
75¾"	75¾"	74½"	78⅞"	72"	72"
Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/Swirl-Gloss	Vikrell/Swirl-Gloss
Caulkless Seams	Caulkless Seams	Caulkless Seams	Semi-Caulked Seams	Semi-Caulked Seams	Semi-Caulked Seams
				Series 6207 Only	Yes

SHOWER BASES

	ENSEMBLE™		
	END-DRAIN	CENTER-DRAIN	TILE-DOWN APPLICATION ONLY
			
36" x 34"		72101100	
36" x 36"			72161100
39" x 39"			
42" x 34"		72111100	
42" x 42"			72151100
48" x 34"		72121100	
60" x 30"	72171120/10		
60" x 32"	72181120/10		
60" x 34"		72131100	
63" x 39"			
CSA B45.5/IAMPO Z124 ¹	Yes	Yes	Yes
GENERAL SPECIFICATIONS			
Material/Finish	Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/High-Gloss
ADA-Compliant ²			

All bases feature center drain, except Ensemble Series 7217 and 7218.

¹ Conforms to CSA B45.5/IAMPO Z124.

² Showers will comply with ICC ANSI A117.1 Standards section 1004.11.3.1.3.3 and the Fair Housing Act Accessibility Guidelines when installed per Requirement 6 (reinforced walls for grab bars) of the Accessibility Guidelines. This applies to type A and B multi-family dwellings. ADA-compliant when installed per the requirements of the Accessibility Guidelines, Section 607 (Shower Stalls), of the Americans with Disabilities Act.

COLOR SELECTION

White 0	KOHLER Biscuit 96
---------	-------------------

GUARD+™	INTRIGUE™	ADA
CENTER-DRAIN	NEO-ANGLE	ROLL-IN
		
72301100		
	72041100	62051100 ²
72321100		
72331100		
		62061100 ²
Yes	Yes	Yes
Vikrell/High-Gloss	Vikrell/High-Gloss	Vikrell/Swirl-Gloss
		Yes

BATH & SHOWER DOORS

STERLING® bath and shower doors are beautiful, durable and simple to install. And the wide range of styles makes it easy to personalize your space.







COMFORTTRACK TECHNOLOGY

Odds are you've never thought very much about your bath or shower door track. Luckily for you, Sterling has. Cushioned, durable and easy-to-clean, the patent-pending ComforTrack® shower track makes it easy to lean, clean and everything in between – changing the way you feel about bath and shower doors.



**Prevail® Framed Door
with ComforTrack Technology**

Bath Door 572005-59
Shower Doors 572075-48/-59 (shown)



**Meritor® Frameless Door
with ComforTrack Technology**

Bath Door 581005-59
Shower Doors 581075-48/-59 (shown)





FINESSE PEAK HEAVY-GLASS DOOR

With heavy $\frac{3}{16}$ " glass, Finesse Peak® doors provide strength and stability with minimal metal framing. Out-of-plumb adjustability allows for easy installation, and a reversible top track lets you choose between a rounded or accented design.

Finesse™ Peak Frameless Door


Bath Door 542808-59 (shown)

Shower Doors 547808-48/-59

SLIDING BATH DOORS



Finesse Peak® Sliding Bath Door
Frameless Series 540000



Finesse™ Quick Install™ Sliding Bath Door
Frameless Series 5300



Finesse Sliding Bath Door
Frameless Series 5400



Meritor® Sliding Bath Door with ComforTrack Technology
Frameless Series 5800



**Prevail® Sliding Bath Door
with ComforTrack® Technology**
Framed Series 5720



Deluxe Sliding Bath Door
Framed Series 5900



Standard Sliding Bath Door
Framed Series 600



Standard Sliding Bath Door
Framed Series 500

SLIDING SHOWER DOORS



Finesse Peak® Sliding Shower Door
Frameless Series 540000



Finesse™ Quick Install™ Sliding Shower Door
Frameless Series 5300



Finesse Sliding Shower Door
Frameless Series 5400



**Meritor® Sliding Shower Door
with ComforTrack® Technology**
Frameless Series 5800



**Prevail® Sliding Shower Door
with ComforTrack Technology**
Framed Series 5720



Deluxe Sliding Shower Door
Framed Series 5900



Standard Sliding Shower Door
Framed Series 600

SWINGING SHOWER DOORS



Finesse™ Swinging Shower Door
Frameless Series 6300



Finesse Swinging Shower Door
Framed Series 6500



Vista Pivot™ II Swinging Shower Door
Framed Series 1500



NEO-ANGLE SHOWER DOORS



Solitaire® Neo-Angle Shower Door
Frameless Series SP2375



Intrigue™ Neo-Angle Shower Door
Framed Series SP2200



Solitaire Neo-Angle Shower Door Kit
Frameless Series 2375



Economy Neo-Angle Shower Door Kit
Framed Series NI3100

Choosing a Bath or Shower Door Is Easy!


Follow these simple steps.

1 Select either a bath or shower door.



Bath Door

For a bath or bath/shower combination.





Shower Door

For a unit designed exclusively for showering.

2 Determine your door size.


Correct measurements are critical.

- Measure the distances from wall to wall at both top and bottom of opening (A & B). These measurements may vary.
- Select door with maximum opening size equal to or slightly **greater** than your larger measurement.
- Measure distance from top of the bath ledge or shower base to top of the bath/shower, shower wall unit or tile wall where you want the door to be located (C).
- Select a door with desired height equal to or slightly **less** than your measurement.




IMPORTANT: When measuring the height (C), do not measure to the top of the bath/shower, shower unit or tile wall if there is a beveled or radius top edge. Measure the height only to the lowest starting point of the bevel or radius.

3 Choose a door type.




Sliding

Two overlapping glass panels that slide back and forth along their tracks. Commonly installed on 60" baths and 48" and 60" showers.



Swinging

Pivot or hinge doors that swing out from the wall like a traditional door. Designed to fit shower openings 24" to 48".



Neo-Angle

These space-saving doors include fixed panels on either side of the door and are ideal for smaller bathrooms.

4

Select a frame design.



Framed

Aluminum frame mounted to the edges of the glass door panel adds structure to the glass.



Frameless

Minimal metal framing creates a sophisticated look and feel. Thicker glass is used to eliminate the need for structural framing.

5

Select a frame finish that complements your decor.



Silver (S)



Matte Silver (V)




Soft Silver (T)



Polished Brass (PB)



Nickel (N)



Deep Bronze (ADR) (DR)

Silver, Matte Silver, Soft Silver, Polished Brass, Nickel and Anodized Deep Bronze (ADR) finishes are crafted from anodized aluminum. Deep Bronze (DR) is powder-coated over anodized aluminum.

6


Select a glass that completes your space.

STERLING® doors are available in various glass thicknesses with an array of alluring textures and patterns. Not every door style is offered in all glass options.

TEXTURES



Rain (G06)



Clear (G05)



Pebbled (G10)



Hammered (G04)




Finesse Peak® 5/16" Glass
Available on Series 540000 doors only

PATTERNS




Brownstone™
(G64)




Lake Mist™
(G69)




Tangle™
(G65)



Starscape™
(G76)



Ellipse
(G07)




Templar™
(G62)



Grafite™
(G72)




Birchwood®
(G78)




Frosted
(G03)


PATTERNS



Boxwood™
(G75)



Oak Park™
(G68)



Cirkette™
(G74)



PROLINE CUSTOM DOORS

Have a unique showering space? Create a customized enclosure with ProLine® custom doors. Available in sliding, swinging and neo-angle options with in-line panels, return walls and knee walls, ProLine makes it easy to personalize your own little corner of relaxation.

PROLINE CUSTOM DOORS

STYLE OPTIONS	Sliding Bath; Sliding, Swinging and Corner Shower
DESIGN OPTIONS	Framed and Frameless
WIDTH & HEIGHT OPTIONS	Consult SterlingPlumbing.com for details
GLASS OPTIONS	Clear, Pebbled, Hammered
FRAME OPTIONS	Silver, Matte Silver, Nickel

CleanCoat® Technology

An innovative glass surface treatment, available on frameless doors, that makes it easier to remove hard water spots, CleanCoat technology creates a protective barrier that repels water, dirt and minerals from collecting, making it easier to clean.



WARRANTIES



5300 SERIES
5400 SERIES
6300 SERIES
6500 SERIES
58000 SERIES
540000 SERIES
SP2375 SERIES







1500 SERIES
4600 SERIES
4700 SERIES
4800 SERIES
4900 SERIES
5900 SERIES
57000 SERIES
SP2200 SERIES





2375 SERIES
500 SERIES
600 SERIES
NI3100 SERIES

SLIDING BATH & SHOWER DOORS



	FINESSE™			MERITOR®	
	PEAK® 540000	QUICK INSTALL™ 5300	5400	58000	
					
Framed or Frameless	Frameless	Frameless	Frameless	Frameless	
Hardware	2 Vertical Handles	2 Towel Bars	2 Standard Towel Bars, 2 Knob Handles	2 Towel Bars	
Width	Bath	56 ⁵ / ₈ " - 59 ⁵ / ₈ "	56" - 59 ¹ / ₄ "	52" - 59 ⁵ / ₈ "	54 ³ / ₈ " - 59 ³ / ₈ "
	Shower	44 ⁵ / ₈ " - 47 ⁵ / ₈ " 56 ⁵ / ₈ " - 59 ⁵ / ₈ "	44" - 47 ¹ / ₄ " 56" - 57 ¹ / ₂ "	42 ⁵ / ₈ " - 47 ⁵ / ₈ " 54 ⁵ / ₈ " - 59 ⁵ / ₈ "	42 ⁵ / ₈ " - 47 ⁵ / ₈ " 54 ⁵ / ₈ " - 59 ⁵ / ₈ "
Height	Bath	55 ¹ / ₂ "	55 ³ / ₄ " or 58 ³ / ₄ "	55 ¹ / ₂ " or 58 ¹ / ₁₆ "	55 ¹ / ₈ "
	Shower	70 ¹ / ₁₆ "	70 ³ / ₁₆ "	70 ¹ / ₁₆ "	69 ³ / ₄ "
Glass Thickness	5/16"	1/4"	1/4"	1/4"	
Glass Options	Clear, Frosted	Clear, Lake Mist	Clear, Boxwood, Cirkette, Frosted, Grafite, Lake Mist, Oak Park, Starscape	Clear, Frosted	
Frame Finish Options	Silver, Nickel, Deep Bronze	Silver, Nickel, Deep Bronze	Silver, Polished Brass, Nickel, Deep Bronze	Silver, Nickel, Anodized Deep Bronze	
Limited Warranty	5-Year	5-Year	5-Year	5-Year	

SWINGING SHOWER DOORS

	FINESSE		VISTA PIVOT™ II
	6300	6500	1500
			
Framed or Frameless	Frameless	Framed	Framed
Hardware	Knob	Towel Bar	Handle
Swinging Type	Continuous Hidden Hinge	Continuous Hidden Hinge	Pivot Top and Bottom
Width	28 ³ / ₄ " - 39"	27 ¹ / ₂ " - 39 ¹ / ₂ "	23" - 48"
Height	65 ¹ / ₂ "	65 ¹ / ₂ "	65 ¹ / ₂ " or 69"
Glass Thickness	1/4"	5/32"	1/8"
Glass Options	Clear, Frosted	Rain	Clear, Ellipse, Frosted, Pebbled, Rain, Tangle
Frame Finish Options	Silver, Nickel, Deep Bronze	Silver, Nickel, Deep Bronze	Silver, Nickel
Limited Warranty	5-Year	5-Year	3-Year

PREVAIL®	DELUXE	STANDARD	
57000	5900	600	500
			
Framed	Framed	Framed	Framed
1 Towel Bar	1 Towel Bar	1 Towel Bar	1 Door Pull
54 ³ / ₈ " - 59 ³ / ₈ "	51 ¹ / ₄ " - 59 ³ / ₈ "	47" - 59"	54" - 59"
43 ⁷ / ₈ " - 48 ⁷ / ₈ " 54 ³ / ₈ " - 59 ³ / ₈ "	37 ¹ / ₂ " - 59 ³ / ₈ "	42" - 59"	
56 ¹ / ₂ "	55 ¹ / ₄ " or 56 ¹ / ₄ "	56 ⁷ / ₈ "	56 ⁷ / ₈ "
70 ¹ / ₄ "	65 ¹ / ₂ " or 70"	65" or 70"	
³ / ₁₆ "	¹ / ₈ "	¹ / ₈ "	¹ / ₈ "
Clear, Frosted, Pebbled, Templar	Clear, Birchwood, Ellipse, Pebbled, Rain, Templar	Hammered, Hammered/Mirror	Hammered
Silver, Nickel, Anodized Deep Bronze	Silver, Matte Silver, Nickel	Silver, Soft Silver	Silver, Soft Silver
3-Year	3-Year	1-Year	1-Year

NEO-ANGLE SHOWER DOORS

	SHOWER DOOR ONLY		SHOWER DOOR KITS	
	SOLITAIRE® SP2375	INTRIGUE™ SP2200	SOLITAIRE 2375	ECONOMY NI3100
				
Framed or Frameless	Frameless	Framed	Frameless	Framed
Hardware	Knob	Handle	Knob	Handle
Width	16 ¹ / ₄ " x 29 ⁷ / ₁₆ " x 16 ¹ / ₄ "	15 ¹³ / ₁₆ " x 27 ⁷ / ₁₆ " x 15 ¹³ / ₁₆ "	42" Base	38" Base
Height	72 ¹ / ₄ "	72"	78 ¹ / ₄ "	72"
Glass Thickness	¹ / ₄ "	¹ / ₈ "	¹ / ₄ "	⁵ / ₃₂ "
Glass Options	Clear, Frosted	Clear, Brownstone, Ellipse, Pebbled, Rain,	Clear	Hammered
Frame Finish Options	Silver, Nickel, Deep Bronze	Silver, Nickel, Deep Bronze	Silver, Nickel	Silver
Includes Shower Base and Walls	Series 7204 Sold Separately	Series 7204 Sold Separately	Yes Drain Included	Yes
Shower Base and Wall Material			High-Impact Polystyrene	Polypropylene and High-Impact Polystyrene Walls
Limited Warranty	5-Year	3-Year	1-Year	1-Year

KITCHEN & SPECIALTY SINKS

Consider STERLING® sinks the workhorses of the kitchen. From meal prep to dirty dishes, the right sink can help you make light work of daily kitchen chores.





SINKS

STAINLESS STEEL

SINGLE-BOWL

STERLING® single-bowl sinks are tough. They're manufactured from durable 18- to 20-gauge stainless steel and feature SilentShield® technology to reduce disposal and dishwashing noise.





SOUTHHAVEN X SINK

With geometric lines crafted in stainless steel, the Southhaven® X sink offers a contemporary twist on single-bowl design. Its deep nine-inch bowl provides generous space for large pots and pans.

**Southaven X Single-Bowl
Top-Mount Sink**

45987 – 33" x 22" x 9"



Also available without the integrated faucet deck

Cinch® Single-Bowl Under-Mount Sink

11722 – 26³/₈" x 20³/₈" x 9"



Carthage® Single-Bowl Under-Mount Sink

11605 – 32" x 18" x 9"



McAllister® Single-Bowl Under-Mount D-Bowl Sink

50200 – 23³/₈" x 21" x 9¹/₂" >> NEW



McAllister Single-Bowl Under-Mount Sink


11600 – 32" x 18" x 9"



Carthage® Single-Bowl
Under-Mount Sink
11605



**McAllister Single-Bowl
Under-Mount Sink**


24738 - 23 $\frac{3}{8}$ " x 17 $\frac{1}{16}$ " x 6" >> NEW 

11447 - 23 $\frac{3}{8}$ " x 17 $\frac{1}{16}$ " x 8"

97447 - 23 $\frac{3}{8}$ " x 17 $\frac{1}{16}$ " x 8"




**Middleton® Single-Bowl
Top-Mount Sink**

14631 – 25" x 22" x 6" 
 14710 – 25" x 22" x 7"
 14711 – 25" x 22" x 8"



**Southaven® Single-Bowl
Top-Mount Sink**

11403 – 25" x 22" x 6½" 
 11404 – 25" x 22" x 7"
 11405 – 25" x 22" x 8"



**Southaven Single-Bowl
Top-Mount Sink**

24912 – 33" x 22" x 8" **>> NEW**
 37047 – 33" x 22" x 9"



**Southaven X Single-Bowl
Top-Mount Sink**

45987 – 33" x 22" x 9"



Southaven® Single-Bowl
Top-Mount Sink
37047

SINKS STAINLESS STEEL

DOUBLE-BOWL

STERLING® double-bowl sinks make it easier to handle the daily messes of busy kitchens. Install one and think of it as your work station manufactured from premium-gauge stainless steel.





CINCH SINK

The deep, offset design of the Cinch® sink maximizes usable space – ideal for the large pots and pans that come with any busy kitchen.

Cinch Offset Under-Mount Sink

Offset 11723 – 31½" x 20½" x 9"

Offset High/Low 11724 – 31½" x 20½" x 9"/7½"




Carthage® Double-Equal Under-Mount Sink

11445 – 32" x 18" x 8¼"



McAllister® Double-Equal Under-Mount Sink

24765 – 32" x 18" x 6" >> NEW 
 11406 – 32" x 18" x 8"
 11444 – 32" x 18" x 8¼"



McAllister Offset Under-Mount Sink

11409 – 31¾" x 20¾" x 8" (shown)
 11409-L – 31¾" x 20¾" x 8"
 96029 – 31¾" x 20¾" x 9"




McAllister Double-Bowl High/Low Under-Mount Sink

UCL3322R – 31¾" x 17½" x 5"/7"
 Can be installed with small bowl on left or right




**Middleton® Double-Equal
Top-Mount Sink**

14633 – 33" x 22" x 6" 
14707 – 33" x 22" x 7"
14708 – 33" x 22" x 8"



**Southaven® Double-Equal
Top-Mount Sink**

11400 – 33" x 22" x 6½" 
11401 – 33" x 22" x 7"
11402 – 33" x 22" x 8"
11850 – 33" x 22" x 8½"



**Southaven X Double-Equal
Top-Mount Sink**

11855 – 33" x 22" x 8½"



Springdale® Single-Bowl Under-Mount Sink

11448 – 16" x 17½" x 8"

11449 – 16" x 20¼" x 8"



Springdale Single-Bowl Under-Mount Sink

UCL1515 – 14" x 12" x 7"



Single-Bowl Top-Mount Sink

B153/B155 – 15" x 15" x 5½"



Double-Equal Top-Mount Sink

14619 – 33" x 19" x 6"





Round Top-or Under-Mount Sink



111 – 10½" Diameter x 4"
131 – 13¾" Diameter x 5¼"



Round Top-or Under-Mount Sink



141 – 13¾" Diameter x 5¼"



Oval Top-or Under-Mount Sink



1186 – 13¾" x 10½" x 5" (luster bowl)
1181 – 13¾" x 10½" x 5" (mirror bowl)
S1201 – 16¾" x 11¾" x 5½"

SINKS

SOLID VIKRELL MATERIAL

STERLING® kitchen and utility sinks are built to last. Solid Vikrell® material makes them heat- and stain-resistant – a welcome feature in a busy mudroom or laundry space. Choose from under-mount or top-mount installations.



Slope® Double-Equal Top- or Under-Mount Sink

1042
33" x 22" x 9"





MATERIAL STRENGTH.
PROVEN PERFORMANCE.®

Products made of solid Vikrell® material are certified by the GREENGUARD Environmental Institute (GEI) for having low chemical emissions.*

*Does not apply to the freestanding seat.



LATITUDE UTILITY SINK

The unique quarter-deck design of the Latitude® utility sink provides ample space for storage and cleaning.

Latitude Utility Sink

995 – 25" x 22" x 12"

996 – 25" x 22" x 12"/36" (with stand)



Maxeen® Single-Bowl Top- or Under-Mount Sink

SC2522SBG

25" x 22" x 8 3/8"



Maxeen Offset Top- or Under-Mount Sink

SC3322DBG

33" x 22" x 8 3/8"





Stainless Steel Bottom Bowl Rack

11861-ST

12¼" x 13¼"

Fits: Southaven® double-equal (both bowls)-
11400, 11401, 11402, 11850, 11855

McAllister® double-equal (both bowls)-
11406, 11444, 24765

Middleton® double-equal (both bowls)- 14707, 14708

Carthage® double-equal (both bowls)- 11445



Stainless Steel Bottom Bowl Rack

11862-ST

11¾" x 13¼"

Fits: McAllister offset – 11409 or 11409-L, 96029 (smaller bowl)
Springdale® single-bowl – 11448




Stainless Steel Bottom Bowl Rack

11863-ST

11⅞" x 16¼"

Fits: McAllister offset – 11409 or 11409-L, 96029 (larger bowl)
Springdale single-bowl – 11449



Stainless Steel Bottom Bowl Rack

11865-ST

11" x 14"

Fits: Maxeen® offset – SC3322DBG (smaller bowl)




Stainless Steel Bottom Bowl Rack

11867-ST

26⁷/₈" x 13³/₈"

Fits: McAllister® single-bowl – 11600

Carthage® single-bowl – 11605



Stainless Steel Bottom Bowl Rack

15287-ST

22¹/₅" x 12²/₁₀"

Fits: Cinch® single-bowl – 11722



Stainless Steel Bottom Bowl Rack

15288-ST

13¹/₈" x 16¹/₂"

Fits: Cinch offset – 11723, 11724 (larger bowl)



Stainless Steel Bottom Bowl Rack

15289-ST

10⁷/₈" x 12⁷/₈"

Fits: Cinch offset – 11723, 11724 (smaller bowl)



KITCHEN & SPECIALTY SINKS









	SLOPE®	MAXEEN®	CINCH®	CARTHAGE®	MIDDLETON®
DOUBLE-EQUAL					
33" x 22"	1042				14633 ² , 14707, 14708
32" x 18"				11445	
DOUBLE-BOWL OFFSET OR OFFSET HIGH/LOW					
31½" x 20½"			11723, 11724		
31¾" x 20¾"					
33" x 22"		SC3322DBG			
DOUBLE-BOWL HIGH/LOW					
31¾" x 17½"					
SINGLE-BOWL					
33" x 22"					
32" x 18"				11605	
26⅝" x 20⅜"			11722		
25" x 22"		SC2522SBG			14631 ² , 14710, 14711
23⅝" x 21"					
23⅝" x 17 ¹¹ / ₁₆ "					
SPECIALTY					
13¾" x 10½"					
16¾" x 11¾"					
25" x 22"					
33" x 19"					
10½" Diameter					
13⅝" Diameter					
BAR					
16" x 20¼"					
16" x 17½"					
15" x 15"					
14" x 12"					
ACCESSORIES					
Bottom Bowl Racks		11865-ST	15287-ST, 15288-ST, 15289-ST	11861-ST, 11867-ST	11861-ST
GENERAL SPECIFICATIONS					
Depth	9"	8⅝"	9", 9"/7½"	8¼", 9"	6", 7", 8"
Gauge			18	18	20
Material	Vikrell®	Vikrell	Stainless Steel	Stainless Steel	Stainless Steel
Finish	High-Gloss	High-Gloss	Luster	Luster	Satin Deck/Luster Bowl
Color	White or Biscuit	White or Biscuit			
SilentShield® Technology			Yes	Yes	Yes
Number of Faucet Holes	1 or 4 ¹	0 ¹	0, 1, 2 or 3	0	3 or 4

1 Point locators available for installation of faucet holes.
 2 Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 606 (Sinks), of the Americans with Disabilities Act.

Color Selection



SOUTHHAVEN®	SOUTHHAVEN X	MCALLISTER®	SPRINGDALE®	SPECIALTY SINKS	LATITUDE®
					
11400 ² , 11401, 11402, 11850	11855				
		24765 ² , 11406, 11444			
		11409, 11409-L, 96029			
		UCL3322R			
24912, 37047	45987				
		11600			
11403 ² , 11404, 11405					
		50200			
		24738 ² , 11447, 97447			
				1181 ² , 1186 ²	
				S1201 ²	
					995, 996
				14619 ²	
				111 ²	
				131 ² , 141 ²	
			11449		
			11448		
				B153 ² , B155 ²	
			UCL1515		
11861-ST	11861-ST	11861-ST, 11862-ST, 11863-ST, 11867-ST	11862-ST, 11863-ST		
6½", 7", 8", 8½", 9"	8½", 9"	5"/7", 6", 8", 8¼", 9"	7", 8"	4", 5¼", 5½", 6"	12"
20, 18	18	20, 19, 18	19, 18	20	
Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Vikrell
Satin Deck/Luster Bowl	Satin Deck/Luster Bowl	Luster	Luster	Luster, Mirror Satin Deck/Luster Bowl	Bond Micro-Textured
					White or Biscuit
Yes	Yes	Yes	Yes	Yes	
3 or 4	3 or 4	0	0	0, 1, 2 or 4	1 ¹

STAINLESS STEEL



For as long as the original consumer/purchaser owns his/her home.



STERLING stainless sinks with basin depths of 6" or less.

SOLID VIKRELL MATERIAL



For warranty information, see pages 114-115 or visit SterlingPlumbing.com.

AGING IN PLACE

Design a home you'll love today and feel comfortable in for years to come. Aging in Place and ADA-compliant products are designed to look great and meet your evolving needs.





WHAT IS AIP & ADA?

It's not always easy to know which options you'll need in the future. Aging in Place and ADA-compliant products give you the flexibility you may need without sacrificing design.





AIP **WHAT IS AGING IN PLACE?**

Designed to help you prepare your home for the future without intruding on your lifestyle today, our Aging in Place products provide comfort and security. They may not meet the same requirements as ADA-compliant products, which allows more design flexibility.

ADA **WHAT IS ADA-COMPLIANT?**

Designed to meet stringent public-access standards regarding load-bearing capacity, force actuation and/or accessibility, our ADA-compliant products accommodate a wide range of abilities. Install them per the applicable requirements of the Americans with Disabilities Act – 2010 ADA Standards for Accessible Design, and they will be compliant.

Beautiful, yet practical, **STERLING® STRAIGHT GRAB BARS** can be installed on a shower or bath/shower with backerboards. Or, install these bars on a new or existing wall by simply securing the grab bar to a stud. Our innovative assembly system allows flexible bracket positions for placement that works around tile patterns or wall features.



Designed to perfectly complement the modern design of the **STERLING Accord®** showers, **STERLING CURVED GRAB BARS** deliver elegance while providing an extra measure of security when you need it.



GRAB BARS


SERIES	BATH/SHOWER OR SHOWER MODEL	END WALL GRAB BARS					BACK WALL GRAB BARS							
		12"	18"	24"	32"	36"	80001012	80001018	80012222	80001024	80012031	80011032	80012134	80001036
6103	Advantage™ 30" Bath/Shower	•	•	•	•	•						•		•
6104	All Pro™ 30" Bath/Shower	•	•	•	•	•								
6203	Advantage 48" Seated Shower	•	•	•	•	•								
6204	Advantage 60" Seated Shower	•	•	•	•	•								
7104	Performa™ 29" Bath/Shower	•	•	•	•	•								
7110	Ensemble™ Tile 36" Bath/Shower	•	•	•	•	•						•		•
7111	Ensemble Tile 42" Bath/Shower	•	•	•	•	•						•		•
7112	Ensemble Tile 32" Bath/Shower	•	•	•	•	•						•		•
7114	Accord™ Tile 30" Bath/Shower	•	•	•	•	•						•		
7115	Accord 32" Bath/Shower	•	•	•	•	•							•	
7116	Accord 36" Bath/Shower	•	•	•	•	•							•	
7122	Ensemble Curve 32" Bath/Shower	•	•	•	•	•								
7124	Accord Smooth 30" Bath/Shower	•	•	•	•	•						•		
7132	Ensemble Medley™ 32" Bath/Shower	•	•											
7137	Ensemble Medley 30" Bath/Shower	•	•											
7204	Intrigue™ Neo-Angle Shower	•	•	•	•	•								
7211	Ensemble Tile 42" Shower	•	•	•	•	•		•						
7212	Ensemble Tile 48" Shower	•	•	•	•	•			•					
7213	Ensemble Tile 60" Shower	•	•	•	•	•						•		•
7217	Ensemble Curve 60" x 30" Shower	•	•											
7218	Ensemble Curve 60" x 32" Shower	•	•											
7221	Ensemble Curve 42" Shower	•	•	•	•	•								
7222	Ensemble Curve 48" Shower	•	•	•	•	•								
7223	Ensemble Curve 60" x 34" Shower	•	•	•	•	•								
7224	Accord 36" Shower	•	•	•	•	•								
7225	Accord 42" Shower	•	•	•	•	•								
7226	Accord 48" Shower	•	•	•	•	•						•		
7227	Accord 60" Shower	•	•	•	•	•						•		
7228	Accord 48" Seated Shower	•	•	•	•	•			•					
7229	Accord 60" Seated Shower	•	•	•	•	•							•	
7230	STORE+™ 36" Shower	•	•	•			•	•						
7232	STORE+ 48" Shower	•	•	•			•	•						
7233	STORE+ 60" Shower	•	•	•			•	•						

Multiple sizes of grab bars fit each unit. Use the chart above to choose the size that will work for you.

Finish Options








Matte Silver (V)








Nickel (N)

BATHS





	60" x 29"	60" x 30"	
	PERFORMA™	ALL PRO®	ADVANTAGE™
			
Overall Dimensions of Bath	60" x 29" x 15"	60" x 30" x 15"	
ADA-Compliant ¹	71041120/10	61041120/10	
Above-Floor Drain ADA-Compliant ¹	71041122/12		
			
BATH/SHOWERS			
Overall Dimensions of Bath	60" x 29" x 15"	60" x 30" x 15"	60" x 30" x 15"
Aging in Place Option	Backerboards Installed² 71040126/16	61040126/16	61030126/16
	Grab Bars Installed		
Above-Floor-Drain Aging in Place Option ²	71040128/18		
ADA-Compliant ¹			
Water Capacity to Overflow	35 Gallons	44 Gallons	42 Gallons
Total Height/AFD Total Height	75½"/77¾"	73½"	72"








BATHS

		60" x 32"	
	ACCORD	ENSEMBLE™ CURVE	ENSEMBLE TILE
			
Overall Dimensions of Bath		60" x 32" x 18"	60" x 32" x 18"
ADA-Compliant ¹		71121120/10	71121120/10
Above-Floor Drain ADA-Compliant ²		71121122/12	71121122/12
			
BATH/SHOWERS			
Overall Dimensions of Bath	60" x 32" x 18"	60" x 32" x 18"	60" x 32" x 18"
Aging in Place Option	Backerboards Installed² 71150126/16	71220126/16	71120126/16
	Grab Bars Installed 71150123/13		
Above-Floor-Drain Aging in Place Option ²		71220128/18	71120128/18
ADA-Compliant ¹	71150125/15		
Water Capacity to Overflow	56 Gallons	55 Gallons	55 Gallons
Total Height/AFD Total Height	74"	74"/76"	74"/76"

¹ Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 607 (Bathtubs) and Section 608 (Shower Stalls), of the Americans with Disabilities Act.

² Includes factory-installed wood backerboards for future grab bar installation.

60" x 30"		
ACCORD® TILE	ACCORD SMOOTH	ENSEMBLE MEDLEY®
		
		60" x 30" x 16"
		71171120/10
		71171122/12
		
60" x 30" x 15"	60" x 30" x 15"	60" x 30" x 16"
71140126/16	71240126/16	71370126/16
71140123/13	71240123/13	
71140128/18	71240128/18	71370128/18
71140125/15	71240125/15	
34 Gallons	34 Gallons	44 Gallons
72"/74¼"	72"/74¼"	73"/75"

60" x 32"	60" x 36"		60" x 42"
ENSEMBLE MEDLEY	ACCORD	ENSEMBLE TILE	ENSEMBLE TILE
			
60" x 32" x 18"		60" x 36" x 16"	60" x 42" x 16"
71121120/10		71101120/10	71111120/10
71121122/12		71101122/12	71111122/12
			
60" x 32" x 18"	60" x 36" x 20"	60" x 36" x 16"	60" x 42" x 16"
71320126/16	71160126/16	71100126/16	71110126/16
	71160123/13		
71320128/18		71100128/18	71110128/18
55 Gallons	70 Gallons	40 Gallons	55 Gallons
75"/77"	76"	72"/74¼"	72"/74¼"

SHOWERS



AGING IN PLACE – BACKERBOARDS INSTALLED¹

36" x 34"					72300106
36" x 36"					
39" x 39"					
42" x 34"			72210106	72110106	
42" x 36"					
48" x 34"	62030106		72220106	72120106	72320106
48" x 36"					
60" x 30"			72170126/16 (End-Drain Shower Base)		
60" x 32"		72180126/16 (End-Drain Shower Base)			
60" x 34"	62040106		72230106	72130106	72330106
60" x 36"					
63" x 39"					

AGING IN PLACE – GRAB BARS INCLUDED

36" x 36"					
39" x 39"					
42" x 36"					
48" x 36"					
60" x 36"					
63" x 39"					


ADA-COMPLIANT²

39" x 39"					
63" x 39"					
Total Height	72"/76"	74½"	75½"/75¾"	75¾"	75¾"

¹ Includes factory-installed wood backerboards for future grab bar installation.

² Products identified as ADA-compliant are compliant when installed per the requirements of the Accessibility Guidelines, Section 607 (Bathtubs) and Section 608 (Shower Stalls) of the Americans with Disabilities Act.

³ Showers will comply with ICC ANSI A117.1 Standards section 1004.11.3.1.3.3 and the Fair Housing Act Accessibility Guidelines when installed per Requirement 6 (Reinforced Walls for Grab Bars) of the Accessibility Guidelines. This applies to type A and B multi-family dwellings.

ACCORD®	ACCORD SEATED	INTRIGUE™ NEO-ANGLE	SEATED SHOWER	ROLL-IN	ADA ROLL-IN BASE
					
72240106		72040106	62050106 ³		
72250106					
72260106	72280106				
72270106	72290106		62070106 ³		
72240103			62050115/25 ³		
72250103					
72260103	72280103 (Factory-Installed)				
72270103	72290103 (Factory-Installed)				
					62051100 ³
			62070115/25 ³	62060103 ³	62061100 ³
75¾"	74½"	79⅞"	72"	72"	



STERLING® Freestanding Seat

21⁷/₁₆" x 13¹/₂" x 17³/₈" – 72186104

Sterling recommends the freestanding seat with the following STERLING shower units:

- Ensemble 60", Series 7217 and Series 7218;
- Ensemble Curve 48", Series 7222; Ensemble Tile 48", Series 7212;
- Ensemble Curve 60", Series 7223; and Ensemble Tile 60", Series 7213

TOILETS




Images shown are HET models

	WINDHAM™	RIVERTON™	STINSON®
			
ADA Model Number ¹	HET – 403082/403082-RA 1.6 GPF – 402315/402315-RA	HET – 402085/402085-U	HET – 402077/402077-RA 1.6 GPF – 402375/402375-RA
AIP Model Number			
Rough-In	12"	12"	12"
Water Usage	1.28 or 1.6 GPF	1.28 GPF	1.28 or 1.6 GPF
Trapway/Flushing Technology	2"/Pro Force® Siphonic	2"/Pro Force Siphonic	2"/Pro Force Siphonic
Dimensions	HET – 29 ¹ / ₈ " x 15" x 31" 1.6 GPF – 29 ¹ / ₄ " x 16 ⁵ / ₈ " x 30 ¹ / ₂ "	29 ¹ / ₄ " x 18 ¹ / ₈ " x 30 ¹ / ₂ "	29" x 17 ⁷ / ₁₆ " x 29 ⁷ / ₈ "
Material	Vitreous China	Vitreous China	Vitreous China

BATHROOM SINKS

	STINSON		WORTHINGTON™
			
ADA Model Number ¹	442007	442007-U	442031/442034/442038
Type of Bathroom Sink	Drop-In	Under-Mount	Wall-Mount
Faucet Configurations	Wall-Mount or Countertop	Wall-Mount or Countertop	Single-Hole, 4" or 8"
Dimensions	20" x 14"	18" x 12"	21" x 22"
Material	Vitreous China	Vitreous China	Vitreous China


KITCHEN & SPECIALTY SINKS

	SOUTHHAVEN® DOUBLE-EQUAL	SOUTHHAVEN SINGLE-BOWL	MIDDLETON® DOUBLE-EQUAL
			
ADA Model Number ¹	11400	11403	14633
Installation	Top-Mount	Top-Mount	Top-Mount
Gauge	20	20	20
SilentShield®	Yes	Yes	Yes
Number of Faucet Holes	3 or 4	3 or 4	3 or 4
Dimensions	33" x 22" x 6 ¹ / ₂ "	25" x 22" x 6 ¹ / ₂ "	33" x 22" x 6"
Material	Stainless Steel	Stainless Steel	Stainless Steel
Finish	Satin Deck/Luster Bowl	Satin Deck/Luster Bowl	Satin Deck/Luster Bowl

¹ Model numbers listed are ADA-compliant products that may be used in both ADA and Aging in Place applications.

ROCKTON®	KARSTEN®
	
	
402088	402087
12"	12"
0.8/1.6 GPF	0.8/1.6 GPF
2"/Dual Force® Siphonic	2"/Dual Force Siphonic
31" x 15" x 31 ¹ / ₈ "	31" x 15" x 31 ¹ / ₄ "
Vitreous China	Vitreous China

ADA COMPLIANCE

All products stating "ADA-compliant" or  will comply with the applicable requirements of the Americans with Disabilities Act ("the Act"), as follows:

BATHS will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 607 (Bathtubs) of the Act.






SHOWER STALLS will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 608 (Shower Compartments) of the Act.

KITCHEN & SPECIALTY SINKS will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 (Lavatories and Sinks) of the Act.

TOILETS will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 604 (Water Closets and Toilet Compartments) of the Act.

BATHROOM SINKS will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 (Lavatories and Sinks) of the Act.

SANIBEL™	MODESTO™	WESCOTT®
		
442001/442004/442008	441901/441904/441908	442040
Drop-In	Drop-In	Under-Mount
Single-Hole, 4" or 8"	Single-Hole, 4" or 8"	Wall-Mount/Countertop
20" x 17"	19" Diameter	17" x 13"
Vitreous China	Vitreous China	Vitreous China

MIDDLETON SINGLE-BOWL	SPECIALTY DOUBLE-EQUAL	MCALLISTER® DOUBLE-EQUAL	MCALLISTER SINGLE-BOWL	BAR & SPECIALTY SINKS
				
14631	14619	24765	24738	Additional ADA-compliant bar and specialty sinks are available. See pages 92-93 and 98-99 for product details.
Top-Mount	Top-Mount	Under-Mount	Under-Mount	
20	20	18	18	
Yes	Yes	Yes	Yes	
3 or 4	4	0	0	
25" x 22" x 6"	33" x 19" x 6"	32" x 18" x 6"	23 ³ / ₈ " x 17 ¹ / ₁₆ " x 6"	
Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	
Satin Deck/Luster Bowl	Satin Deck/Luster Bowl	Luster Bowl	Luster Bowl	

BATH AND SHOWER DOOR REFERENCE GUIDE

PRODUCT NAME	PRODUCT DESCRIPTION	MODEL NUMBERS		DOOR MODELS THAT FIT ¹	
Advantage™	Bath/Shower – Series 6103	61030110 (LH)	61030120 (RH)	500C-59 690B-59 5325EZ-57 5425-57 5425-59 5427-59 5900-57	5905-57 5905-59 5906-59 5907-59 542808-59 572005-59 581005-59
All Pro®	Bath/Shower – Series 6104	61040110 (LH)	61040120 (RH)	500C-59 690B-59 5325EZ-57 5425-57 5425-59 5427-59 5900-57	5905-57 5905-59 5906-59 5907-59 542808-59 572005-59 581005-59
Accord® Smooth and Tile	Bath/Shower – Series 7114/7124	71140110/12 (LH Tile) 71240110/12 (LH Smooth)	71140120/22 (RH Tile) 71240120/22 (RH Smooth)	500C-59 690B-59 5325EZ-57 5425-57 5425-59 5905-59	5906-59 5907-59 542808-59 572005-59 581005-59
	Whirlpool/Shower – Series 7614/7624	76140110 (LH Tile) 76240110 (LH Smooth)	76140120 (RH Tile) 76240120 (RH Smooth)		
Accord	Bath/Shower – Series 7115/7116	71150110/12 (LH) 71160110/12 (LH)	71150120/22 (RH) 71160120/22 (RH)	5325EZ-57 5425-57 5425-59	5427-59 542808-59
	Whirlpool/Shower – Series 7615/7616	76150110 (LH) 76160110 (LH)	76150120 (RH) 76216120 (RH)		
Performa™	Bath/Shower – Series 7104	71040110/12 (LH)	71040120/22 (RH)	500C-59 690B-59 5325EZ-57 5405-59 5900-57 5900-59 5905-57	5905-59 5906-59 5907-59 542808-59 572005-59 581005-59
Ensemble Medley® 30"	Bath/Shower – Series 7137	71370110/12 (LH)	71370120/22 (RH)	500C-59 690B-59 5325EZ-59 5425-59 5427-59 5900-57 5900-59	5905-57 5905-59 5906-59 5907-59 542808-59 572005-59 581005-59
Ensemble™ Medley 32"	Bath/Shower – Series 7132	71320110/12 (LH)	71320120/22 (RH)	500C-59 690B-59 5325EZ-59 5425-59 5427-59 5900-57 5900-59	5905-57 5905-59 5906-59 5907-59 542808-59 572005-59 581005-59
Ensemble 32" Curve and Tile	Bath/Shower – Series 7122, 7112	71220110/12 (LH Curve) 71120110/12 (LH Tile)	71220120/22 (RH Curve) 71120120/22 (RH Tile)	5325EZ-59 5425-59	5427-59 542808-59
	Whirlpool/Shower – Series 7622, 7612	76220110 (LH Curve) 76120110 (LH Tile)	76220120 (RH Curve) 76120120 (RH Tile)		
Ensemble 36" Curve and Tile	Bath/Shower – Series 7110	71100110/12 (LH Tile)	71100120/22 (RH Tile)	5325EZ-59 5425-59	5427-59 542808-59
	Whirlpool/Shower – Series 7610	76100110/12 (LH Tile)	76100120/12 (RH Tile)		
Ensemble 42" Tile	Bath/Shower – Series 7111	71110110/12 (LH) 76110110 (LH)	71110120/22 (RH) 76110120 (RH)	5325EZ-59 5425-59	5427-59 542808-59
	Whirlpool/Shower – Series 7611				

¹ Refer to the STERLING® price book for descriptions, frame finishes and glass textures/patterns.

² Only use STERLING "SP" fixture-specific doors, as listed in the STERLING price book, for these products.

BATH AND SHOWER DOOR REFERENCE GUIDE

PRODUCT NAME	PRODUCT DESCRIPTION	MODEL NUMBERS		DOOR MODELS THAT FIT ¹		
Accord [®] 36"	Shower – Series 7224	72240100		1500D-36 1505D-36 1507D-36	1530D-36 1535D-36 6305-32	6305-34 6505-33 6506-33
Accord 42"	Shower – Series 7225	72250100		1500D-42 1505D-42 1530D-42	1535D-42 5960-43 6305-39	6505-39 6506-39
Accord 48"	Shower – Series 7226	72260100		695B-48 1500D-48 1505D-48 1506D-48 1530D-48 1535D-48	5375EZ-45 5475-48 5477-48 5970-48 5975-48 5976-48	5977-48 547808-48 572075-48 581075-48
	Seated Shower – Series 7228	72280100				
Accord 60"	Shower – Series 7227	72270100		5375EZ-57 5475-59 5477-59 5970-59	5975-59 5976-59 5977-59 547808-59	572075-59 581075-59
	Seated Shower – Series 7229	72290100				
Ensemble™ 36" Curve and Tile	Shower – Series 7220/7210	72200100 (Curve)	72100100 (Tile)	1500D-36 1505D-36 1507D-36	1530D-36 1535D-36 6305-34	6505-33 6506-33
Ensemble 42" Curve and Tile	Shower – Series 7221/7211	72210100 (Curve)	72110100 (Tile)	1500D-42 1505D-42 1530D-42	1535D-42 5960-43 6305-39	6505-39 6506-39
Ensemble 48" Curve and Tile	Shower – Series 7222/7212	72220100 (Curve)	72120100 (Tile)	695B-48 1500D-48 1505D-48 1506D-48 1530D-48 1535D-48	5375EZ-45 5475-48 5477-48 5970-48 5975-48 5976-48	5977-48 547808-48 572075-48 581075-48
Ensemble 60"	Shower – Series 7223, 7213, 7217	72230100 (Curve) 72170120 (Curve RH) 72170110 (Curve LH)	72130100 (Tile)	5375EZ-57 5475-59 5477-59 5970-59	5975-59 5976-59 5977-59 547808-59	572075-59 581075-59
STORE+™ 36"	Shower – Series 7230	72300100		1500D-36 1505D-36 1507D-36	1530D-36 1535D-36 6305-34	6506-33
STORE+ 48"	Shower – Series 7232	72320100		695B-48 1500D-48 1505D-48 1506D-48 1530D-48 1535D-48	5375EZ-45 5475-48 5477-48 5970-48 5975-48 5976-48	5977-48 547808-48 572075-48 581075-48
STORE+ 60"	Shower – Series 7233	72330100		5375EZ-57 5475-59 5477-59 5970-59	5975-59 5976-59 5977-59 547808-59	572075-59 581075-59
Intrigue™ ²	Neo-Angle Shower – Series 7204	72040100		SP2270A-38 SP2275A-38	SP2276A-38 SP2277A-38	SP2375-38
Advantage™ 32"	Shower – Series 6201	62010100		1500D-31 1505D-31	1507D-31 6305-30	6505-30 6506-30
Advantage 36"	Shower – Series 6202	62020100		1500D-36 1505D-36	1507D-36 6305-34	6505-36 6506-36
Advantage 48" ²	Shower – Series 6203	62030100 (Curve)		660B/SP-46 SP1505D-48	SP1506D-48 SP5465-45	SP5965-46
Advantage 60" ²	Shower – Series 6204	62040100 (Tile)		660B/SP-59	SP5975-59	SP5475-57
AIP Seated	Shower – Series 6205	62050115/25		N/A		
ADA Roll-In	Shower – Series 6206	62060103		N/A		
ADA Seated 63"	Shower – Series 6207	62070103		N/A		

WARRANTY - BATHING FIXTURES AND KITCHEN AND UTILITY SINKS MADE OF SOLID VIKRELL® MATERIAL

Bathing Fixtures (bathtubs and shower bases) - 10 YEARS LIMITED RESIDENTIAL / 3 YEARS LIMITED COMMERCIAL
Kitchen and Utility Sinks - LIFETIME LIMITED CONSUMER / 3 YEARS LIMITED COMMERCIAL

Based on the classification specified above, STERLING bathing fixtures made of solid Vikrell material are warranted to be free of manufacturing defects for 10 years from the date of sale when fixtures are used in residential (owner-occupied) buildings, or 3 years from the date of sale when fixtures are used in commercial (hotels, motels, rental property) buildings.

Whirlpool baths are warranted to be free of manufacturing defects for the same period except for the pump/motor assembly, which is warranted to be free of manufacturing defects for 1 year from the date of sale.

Kitchen and utility sinks made of solid Vikrell material are warranted to be free of manufacturing defects for as long as the original consumer purchaser owns his/her home, or for 3 years from the date of sale when used in commercial (hotels, motels, rental property) buildings.

Kohler Co. will, at its election, repair, rectify or replace a fixture when inspection by Kohler Co. discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are

not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only.

To obtain warranty service, contact Sterling, either through your plumbing contractor, home center, wholesaler or dealer, or by calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044, 1-800-783-7546.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.



WARRANTY - BATH AND SHOWER DOORS

SP2375 Series, 5300 Series, 5400 Series, 6300 Series, 6500 Series, 58000 Series, 540000 Series - 5 YEARS LIMITED
1500 Series, 4600 Series, 4700 Series, 4800 Series, 4900 Series, 5900 Series, 57000 Series, SP2200 Series - 3 YEARS LIMITED,
2375 Series, 500 Series, 600 Series, NI3100 Series - 1 YEAR LIMITED

Based on the classification specified above, STERLING bath and shower doors are warranted to be free of manufacturing defects within the time of the specified model's limited warranty from date of sale.

Kohler Co. will, at its election, repair, rectify or replace a fixture when inspection by Kohler Co. discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only.

To obtain warranty service, contact Sterling, either through your plumbing contractor, home center, wholesaler or dealer, or by

calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044, 1-800-783-7546.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.



WARRANTY - GRAB BARS

Grab Bars - 10 YEARS LIMITED RESIDENTIAL / 3 YEARS LIMITED COMMERCIAL

Grab Bars are warranted to be free of manufacturing defects for 10 years from the date of sale when grab bars are used in residential (owner-occupied) buildings, or for 3 years from the date of sale when used in commercial (hotels, motels, rental property) buildings.

Kohler Co. will, at its election, repair, rectify or replace a fixture when Kohler Co.'s inspection discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only.

To obtain warranty service, contact Sterling, either through your plumbing contractor, home center, wholesaler or dealer, or by

calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044, 1-800-783-7546.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.



WARRANTY - BATHING AND SHOWERING SEATS

Bathing and Showering Seats - 10 YEARS LIMITED RESIDENTIAL / 3 YEARS LIMITED COMMERCIAL

Non-Vikrell bathing and showering seats are warranted to be free of manufacturing defects for 10 years from the date of sale when seats are used in residential (owner-occupied) buildings, or for 3 years from the date of sale when used in commercial (hotels, motels, rental property) buildings.

Kohler Co. will, at its election, repair, rectify or replace a fixture when Kohler Co.'s inspection discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only.

To obtain warranty service, contact Sterling, either through your plumbing contractor, home center, wholesaler or dealer, or by

calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044, 1-800-783-7546.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.





WARRANTY - TOILETS AND BATHROOM SINKS

Vitreous China Toilets and Bathroom Sinks – 5 YEARS LIMITED **Toilet Seats – 1 YEAR LIMITED**
Bathroom Sinks – Made of Solid Vikrell® Material – 10 YEARS LIMITED RESIDENTIAL/3 YEARS LIMITED COMMERCIAL
Stainless Steel Bathroom Sinks – 5 YEARS LIMITED

Based on the classification specified above, STERLING toilets and lavatories are warranted to be free of manufacturing defects within the time of the specified model's limited warranty from date of sale. STERLING toilet seats are warranted to be free of defects in material and workmanship for one year from the date of installation. Kohler Co. also warrants for 5 years from the date of sale that its low consumption 1.28 and 1.6 toilets will be free of manufacturing defects that prevent one flush cleansing of the bowl per ASME A112.19.2/CSA B45.1 and Dual Flush toilets per ASME A112.19.14 performance requirements, when installed and operated per instructions packed with the product. Use of in-tank toilet cleaners will void this warranty.

Kohler Co. will, at its election, repair, rectify or replace a fixture when inspection by Kohler Co. discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer

purchaser only.

To obtain warranty service, contact Sterling, either through your plumbing contractor, home center, wholesaler or dealer, or by calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044, 1-800-783-7546.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.



WARRANTY - STAINLESS STEEL SINKS

Stainless Steel Sinks deeper than 6" – LIFETIME LIMITED
Stainless Steel Sinks less than or equal to 6" deep – 5 YEARS LIMITED

Based on the classification specified above, STERLING stainless steel sinks deeper than 6" are warranted to be free of manufacturing defects for as long as the original consumer purchaser owns his/her home; STERLING stainless steel sinks less than or equal to 6" in depth are warranted to be free of manufacturing defects for 5 years from the date of sale.

Kohler Co. will, at its election, repair, rectify or replace a fixture when inspection by Kohler Co. discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only.

To obtain warranty service, contact Sterling, either through your

plumbing contractor, home center, wholesaler or dealer, or by calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044, 1-800-783-7546.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.



WARRANTY - FAUCET

R11402-2PC-NA – 5 YEARS LIMITED

STERLING, a division of Kohler Co., warrants **R11402-2PC-NA** (the "Faucet") to be free of defects in material and workmanship during normal residential use for five (5) years from the date of sale.

Sterling will, at its election, repair, rectify or replace the Faucet when inspection by Sterling discloses any such defects occurring in normal residential usage within five (5) years after the date of sale. Sterling is not responsible for labor charges, removal, installation, or other incidental or consequential costs. This warranty is valid for the original consumer purchaser only and excludes damage due to improper handling, installation, maintenance, product abuse, or product misuse, whether performed by the consumer or any other party. Proof of purchase (original sales receipt) must be provided to Sterling with all warranty claims.

If the Faucet is used commercially or is installed outside of the United States of America, Canada or Mexico, Sterling warrants the Faucet to be free from defects in material and workmanship for one (1) year from the date of sale.

To obtain warranty service, either contact Sterling through your plumbing contractor, home center, wholesaler or dealer; by writing Sterling, Attn.: Customer Care Center, 444 Highland Drive, Kohler, Wisconsin 53044; or by calling 1-800-783-7546.

IMPLIED WARRANTIES INCLUDING THAT OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. KOHLER CO. AND/OR SELLER DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may also have other rights which vary from state/province to state/province.

This is Kohler Co.'s exclusive written warranty.



WARRANTY - BATHING AND SHOWERING ACCESSORIES

Bathing and Showering Accessories – 3 YEARS LIMITED RESIDENTIAL / 1 YEAR LIMITED COMMERCIAL

Non-Vikrell components of bathing accessories which are not permanently installed on a Vikrell fixture are warranted to be free of manufacturing defects for 3 years from the date of sale when accessories are used in residential (owner-occupied) buildings, or for 1 year from the date of sale when used in commercial (hotels, motels, rental property) buildings.

Kohler Co. will, at its election, repair, rectify or replace a fixture when Kohler Co.'s inspection discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only.

To obtain warranty service, contact Sterling, either through your

plumbing contractor, home center, wholesaler or dealer, or by calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044, 1-800-783-7546.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.





Discover where beauty meets brawn

with the Sterling Plumbing Catalogs app, available on the App StoreSM or Google PlayTM. Or explore the complete STERLING[®] bath and kitchen collection at

SterlingPlumbing.com

