



HAND TOOLS

Hacksaws | Snips | Tubing Cutters | Pipe Wrenches | Screwdrivers | Utility Knives | Tool Bags

We go the **EXTRA-MILE** to bring new thinking to familiar tools. So they make it quicker and easier to get the job done right. We pioneered bi-metal hacksaw blades, and made them virtually **UNBREAKABLE**. We gave our snips pencilground tips to cut into tight spots, plus fused-over-molds that can't slip off their double-tang steel handles. And we added a fourth roller to our extra-rugged, ergonomically designed tubing cutters, so they won't walk while cutting—in addition to a built-in reamer to smooth tubing ends. When you get your hands on these and other LENOX hand tools, you won't let go.





T2™ TECHNOLOGY HACKSAW BLADES

Up to 2X Life

T2 TECHNOLOGY

A revolutionary new blade design that delivers up to 100% longer blade life versus the prior generation of LENOX hacksaw blades

SHATTER RESISTANT

Bi-metal construction allows blades to bend and flex without breaking



CUTS THROUGH TOUGH METALS:

Black Pipe
Unistrut®
Copper Pipe
Hardened Steel
Threaded Rod
Rebar

	LENGTH x WIDTH		1-PACK	2-PACK	10-PACK	100-PACK	
TPI	IN	MM	PROD NO	PROD NO	PROD NO	PROD NO	APPLICATION
14	12 x 1/2	300 x 12.7	_	_	20143V214HE	_	Wood and Metal
18	10 x 1/2	250 x 12.7	20150S018HE	20163T018HE	20140V018HE	20110018HE	Heavy Metal
18	12 x 1/2	300 x 12.7	20154S218HE	20160T218HE	20144V218HE	20116218HE	Heavy Metal
24	10 x 1/2	250 x 12.7	20151S024HE	23930T024HE	20141V024HE	20111024HE	Medium Metal
24	12 x 1/2	300 x 12.7	20155S224HE	20161T224HE	20145V224HE	20117224HE	Medium Metal
32	10 x 1/2	250 x 12.7	20152S032HE	20164T032HE	20142V032HE	20112032HE	Thin Metal
32	12 x 1/2	300 x 12.7	20156S232HE	20162T232HE	20146V232HE	20118232HE	Thin Metal

HT50 HIGH TENSION HACKSAW

50.000 PSI

HIGHEST TENSION. EVER

Unique I-beam construction allows blade to tension up to 50,000 psi, resulting in fast, straight cuts

COMFORTABLE GRIPS

Rubberized handles allow for confident handling even in wet or cold environments

CONVERT TO A JAB SAW

Accepts any LENOX Recip blade to be used as a jab saw

CONVENIENT BLADE STORAGE

Store up to 5 extra 12" hacksaw blades in the I-Beam

PROD NO	BLADE SPECIFICATION
12132HT50	12" (300mm) 24TPI Hacksaw Blade











88300 LIGHTWEIGHT HACKSAW

30,000 PSI

HIGH TENSION

Saw will tension up to 30,000 PSI

EASILY ADJUST TENSION

ERGONOMIC GRIP

Front handle grip reduces fatigue in continuous cutting applications

MULTI-PURPOSE

Mount blade at 45 degrees for flush cutting applications

PROD NO	BLADE SPECIFICATION
1213188300	12" (300mm) 24TPI Hacksaw Blade



All hacksaw frames come with one 12" (300mm) 24 TPI blade



5012 LOW PROFILE HACKSAW

40,000 PSI

HIGH TENSION

Allows blade to tension up to 40,000 PSI, resulting in fast, straight cuts

FITS INTO TIGHT SPOTS

Low profile tip easily handles close-quarter cuts

MULTI-PURPOSE

Mount blade at 45 degrees for flush cutting applications

PROD NO	BLADE SPECIFICATION
209205012	12" (300mm) 24TPI Hacksaw Blade



2012 COMPACT HACKSAW

20,000 PSI

ADJUSTABLE TENSION

Lightweight aluminum beam achieves tension up to 20,000 PSI

FRGONOMIC GRIP

Durable handle enables a confident grip in most work environments

MULTI-PURPOSE

Mount blade at 45 degrees for flush cutting applications

PROD NO	BLADE SPECIFICATION
1805722	12" (300mm) 24TPI Hacksaw Blade



1512 ADJUSTABLE HACKSAW

15,000 PSI

EASILY ADJUST TENSION

Large front tensioning mechanism is easy to hold and adjust up to 15,000 PSI

ERGONOMIC GRIP

Rubberized grip allows for confident handling in any work environment

PROD NO	BLADE SPECIFICATION
1805723	12" (300mm) 24TPI Hacksaw Blade



PVC/ABS

Plastic Pipe Hand Saw

CUTS PLASTIC PIPE EASILY

Cutting teeth cut on the pull stroke and not on the push stroke for safety

Rubberized handles allow for confident handling even in cold, hot, wet or dirty environments

FLUSH CUTTING OPTION

Easily mount the blade on the bottom of handle for flush cutting applications

	LEN	NGTH		
TPI	IN	MM	PROD NO	DESCRIPTION
10	12	304	20985HSF12	12" Blade & Handle
10	18	457	20980HSF18	18" Blade & Handle
10	12	304	20982HSB12	12" Replacement Blade
10	18	457	20981HSB18	18" Replacement Blade







FOLDING JAB AND UTILITY SAW

Designed for Cutting Multiple Materials

COMFORTABLE GRIP

Over-molded rubberized grip for a comfortable and secure grip while working

SECURELY HOLDS BLADE

Aluminum locking mechanism prevents blade from being removed during use

ACCOMMODATES HACKSAW BLADE

Ideal for flush cutting applications or when a hacksaw is not available

DIE CAST ALUMINUM CONSTRUCTION

PROD NO	DESCRIPTION	BLADES INCLUDED	APPLICATION
20997TFHS618636	Folding Jab Saw with 2 blades	636R and 636RP	Plaster, drywall, wood, plastic and metal cutting

Loosen Knob to Accomodates Blade Out Hacksaw Blade



975 COMPACT HAND HACKSAW 908 CLOSE QUARTER™SAW

Cut a Wide Variety in Tight Spaces

RUGGED DESIGN

Heavy duty aluminum handle

FITS IN TIGHT SPOTS

Allows for flush cutting applications

PROD NO	DESCRIPTION	QTY PER PACK	BLADE SPECIFICATION
20975975	Multi-purpose cutting	1	10" (250mm) 24TPI Hacksaw Blade
20908908	CLOSE QUARTER saw	1	6" (150mm) 32TPI Hacksaw Blade
20906906	6", 32 TPI Replacement Blades	10	





SNIPS

From the Experts in Metal Cutting, a Line of Snips that Go the Extra-Mile

LONG BLADE LIFE

Precision-formed blades for Aviation and Bulldog Snips Bi-material blades for Offset Snips

ULTIMATE SPRING DURABILITY

Reinforced Chrome Silicon valve-quality wire lasts for a lifetime

COMFORTABLE GRIPS

Over-molded handles won't slip or twist

QUICK IDENTIFICATION

Color coding on both blades and handles plus arrow icons allow for easy tool recognition



			CUTTING CAPACITY		COMPETITIVE CROSS REFERENCE			
PROD NO	DESCRIPTION		SHEET METAL	STAINLESS STEEL	MALCO®	MIDWEST®	WISS®	KLEIN®
22101101	Aviation Snip Left	A	18 ga	22 ga	M2001/MAXCG1	P6716-L	M1R	1100L
22102102	Aviation Snip Right	K	18 ga	22 ga	M2002/MAXCG2	P6716-R	M2R	1101R
22103103	Aviation Snip Straight	↔	18 ga	22 ga	M2003/MAXCG3	P6716-S	M3R	1102S
22105105	Aviation Snip Bulldog	4	16 ga	20 ga	M2005/MAXCG5	P6716-B	M5R	2103
22206206	Offset Snip Left	M	18 ga	22 ga	M2006/MAXCG6	P6510-L	M6R	2100L
22207207	Offset Snip Right	_	18 ga	22 ga	M2007/MAXCG7	P6510-R	M7R	2101R

HVAC TOOLS

Precision Sheet Metal Fabrication Tools

ULTIMATE SPRING DURABILITY

Reinforced Chrome Silicone valve-quality wire lasts for a lifetime

COMFORTABLE GRIPS

Over-molded handles won't slip or twist



			CUTTING CAPACITY			COMPETITIVE CRO	SS REFERENC	CE
PROD NO	DESCRIPTION		SHEET METAL	STAINLESS STEEL	MALCO®	MIDWEST®	WISS®	KLEIN®
22208C3	3 Blade Crimper		18 ga	22 ga	C3	_	HC3V	_
22209C5	5 Blade Crimper		18 ga	22 ga	C5	FCT-M-C5	HC5V	86550
22210S2	3" Seamer	11	18 ga	22 ga	S2	FCT-M-S1	HS1V	86553
22211N2	1" V Notcher		18 ga	22 ga	N2	_	_	_
22212SL1	Snap Lock Punch	2-2-	18 ga	22 ga	SL1	FCT-M-L1	_	_
22213PDC4R	Pipe Duct Cutter	90	18 ga	22 ga	4R	FCT-M-P1	M14R	_

Malco is a registered trademark of Malco Products, Inc. Midwest is a registered trademark of Midwest Tool and Cutlery Company Wiss is a registered trademark of Cooper Industries, Inc. Klein is a registered trademark of Klein Tools.



HOW DOES LENOX GO THE EXTRA MILE?

We're so confident in our Snips' spring durability that we will provide **FREE** replacement springs for the life of your LENOX Snips.



S1 PEX TUBING CUTTER

Perfect Cuts. Straight and Easy.

PERFECT CUTS. STRAIGHT AND EASY.

Serrated stainless steel blade requires less force to make a cut, leaving a flush end

COMFORTABLE GRIPS

Rubberized handles allow for confident cutting even in wet or dirty environments

EASY OPEN & CLOSE

Conveniently positioned locking latch allows for true one-handed operation of spring-loaded cutter

CUTS UP TO 1" NOMINAL (1-5/16" MAX. OD)

PROD NO	DESCRIPTION
12121S1	PEX Cutter
12125S1B	Plastic Tubing Cutter Replacement Blade











S2 CPVC TUBING CUTTER

Durable Construction

PERFECT CUTS. STRAIGHT AND EASY.

High carbon steel blade cuts rigid plastic tubing with a single cut

COMFORTABLE GRIPS

Rubberized handles allow for confident cutting even in wet or dirty environments

DURABLE CONSTRUCTION

Cast aluminum body stands up to rugged, repeated use

EASY OPEN & CLOSE

Conveniently positioned locking latch allows for true one-handed operation of spring-loaded cutter

CUTS UP TO 1" NOMINAL (1-5/16" MAX. OD)

PROD NO	DESCRIPTION
12122S2	CPVC Cutter
12126S2B	Plastic Tubing Cutter Replacement Blade













R1 PVC TUBING CUTTER

Easy Ratcheting

PERFECT CUTS. STRAIGHT AND EASY.

Specifically designed jaw holds pipe in place while cutting with stainless steel blade

COMFORTABLE GRIPS

Rubberized handles allow for confident cutting even in wet or dirty environments

EASY OPEN & CLOSE

Conveniently positioned release button allows for true one-handed operation of ratcheting cutter, while locking tab secures blade in place

CUTS UP TO 1-1/4" NOMINAL (1-5/8" MAX. OD)

PROD NO	DESCRIPTION
12123R1	PVC Cutter
12127RB1	Plastic Tubing Cutter Replacement Blade

















R2 PVC TUBING CUTTER

One-Handed Operation

PERFECT CUTS. STRAIGHT AND EASY.

Specifically designed jaw holds pipe in place while cutting with high-carbon steel blade

ONE-HANDED RATCHETING

One of the only large diameter cutters than can be ratcheted with just one hand

EASY OPEN

Pull both handles apart to quickly start the next cut

CUTS UP TO 2" NOMINAL (2-3/8" MAX. OD)














Easy Ratcheting



One-Handed Operation





TUBING CUTTERS

Ergonomically Designed for Professional Performance

WON'T WALK WHILE CUTTING

Four roller tracking system keeps tube from threading

PROFESSIONAL DEBURRING

Cleanly and easily deburr pipes with the replaceable machinist's reamer

WILL NOT DAMAGE CUTTING WHEELS

Full-stop feed system prevents wheels and rollers from coming into contact

EASY TO USE

Change out wheels quickly & easily

CONVENIENT STORAGE

Store an extra cutting wheel in the handle



		TUBE DIAMETER RANGE		
PROD NO	DESCRIPTION	IN	MM	OF WHEELS
21008TC58	Copper Cutting	1/8-5/8	3–16	1
21009TC1	Copper Cutting	1/8–1	3-25	2
21010TC118	Copper Cutting	1/8-1-1/8	3-29	2
21011TC138	Copper Cutting	1/8-1-3/8	3-35	2
21012TC134	Copper Cutting	1/8-1-3/4	3-45	2
21013TC258	Copper/Plastic Cutting	1/4-2-5/8	6-67	2



TIGHT SPACE TUBING CUTTERS

Cuts You Out of a Tight Spot

LESS BURR. MORE CUTS.

Optimized blade geometry of shock-resistant steel

COMPACT DESIGN FOR TIGHT SPOTS

Non-slip grooved cast aluminum body only needs 1/2" clearance to cut

NO RUSTING

Stainless steel rollers protect the cutter from corrosion

QUICK IDENTIFICATION

Color coding for easy tool recognition and cutting direction



		TUBE DIAMETER	TUBE DIAMETER RANGE	
PROD NO	DESCRIPTION	IN	MM	OF WHEELS
14830TS12	Copper Cutting	1/2	13	1
14831TS34	Copper Cutting	3/4	19	1
14832TS1	Copper Cutting	1	25	1
14833TSK	3 pc Kit	1/2, 3/4, 1	13,19,25	



14830TS12



14831TS34



14832TS1



TUBING CUTTER ACCESSORIES

	1-PACK	2-PACK	6-PACK
DESCRIPTION	PROD NO	PROD NO	PROD NO
Stainless Steel Cutting Wheels*	_	21193TCW158SS2	21015TCW158SS
Plastic Cutting Wheels***	_	21191TCW158P2	21016TCW158P
Copper Cutting WheelS*	_	21192TCW158C2	21017TCW158C
Small Copper Cutting Wheels**		14829TSB	
Replacement Deburrer fits 21011 & 21012 TC	21024TCD	_	_
Tubing Cutter Handle Screw	21196TCHS	_	_

- Fits 21010, 21011, 21012, 21013 and many other competitors' Tubing Cutters
- ** Fits LENOX Product No 21008, 21009, 14830, 14831, 14832,
- *** Fits 21013





Plastic





Small Copper

Stainless Steel

Copper

Deburrer



PIPE WRENCHES

Built for Extreme Durability

GRIPS TIGHTLY

Hardened teeth are ideal for most hard pipes, bolts and couplings

WITHSTANDS HIGH TORQUE

Enhanced durability for maximum torque

REDUCES HAND FATIGUE (CAST ALUMINUM)

Lightweight cast aluminum handle creates less arm stress



	SIZE		PIPE CAPACITY		RIDGID® COMPETITIVE CROSS REFERENCE		
	PROD NO	IN	СМ	IN	MM	CAT NO	MODEL NO
Σ	2382010ALPW	10	25	1-1/2	40	31090	810
CAST ALUMINUM	2382112ALPW	12	30	2	50	47057	812
Ξ	2382214ALPW	14	36	2	50	31095	814
3	2382318ALPW	18	46	2-1/2	65	31100	818
∀	2382424ALPW	24	61	3	80	31105	824
AS	2382536ALPW	36	91	5	125	31110	836
ပ	2382648ALPW	48	122	6	150	31115	848
2	2381208HDPW	8	20	1	25	31005	8
IRON	2381310HDPW	10	25	1-1/2	40	31010	10
AST	2381412HDPW	12	30	2	50	31015	12
S	2381514HDPW	14	36	2	50	31020	14
5	2381618HDPW	18	46	2-1/2	65	31025	18
HEAVY-DUTY CAST	2381724HDPW	24	61	3	80	31030	24
N N	2381836HDPW	36	91	5	125	31035	36
뿔	2381948HDPW	48	122	6	150	31040	48

RIDGID® is a trademark of Ridge Tool Company

HOLLOW SHAFT NUT DRIVERS

COMFORTABLE GRIP

Slip-resistant ergonomic grip for maximum torque

LONG TOOL LIFE

Durable Chrome-Vanadium steel construction

QUICK ALIGNMENT

Indicates hex orientation

Color coded for accurate sizing

EASY SIZE IDENTIFICATION

Color coded with size inscribed



PROD NO	SIZE	END CAP
22170HSND716	7/16"	(a)
22171HSND12	1/2"	0
22172HSND916	9/16"	
22173HSND58	5/8"	0
221887HSND1	7 pc set	_

Shaft length for all nut drivers is 3" (76.2mm)

ALL-IN-ONE SCREWDRIVERS

More Torque. More Power.


COMFORTABLE GRIP

Slip-resistant ergonomic grip for maximum torque

REDUCED STRIPPING

25% thicker nut driver for longer life











PROD NO	DESCRIPTION
10771FLK1	LENOX Gold Locking Tradesman Utility Knife
	-

UTILITY KNIVES

Durable Construction and Comfortable Grip for Extended Use

EXTREMELY DURABLE STAINLESS STEEL NOSE

One piece titanium coated nose resists wear and eliminates spreading

LONGEST LASTING UTILITY BLADES

Three shatterproof titanium edge blades included


EASY BLADE CHANGE

Quick blade release allows rotation or changing of blade without opening handle

INTERNAL BLADE STORAGE

Retractable knife stores up to five blades Fixed knife stores up to ten blades

NO TOOL NEEDED TO OPEN



LENOV

Bilyletal

"The LENOX blades lasted at least three times longer than the blades we were using. Workers are more productive on the job, spending more time cutting and less time changing out blades."

-RUSTY MILLER, PLANT MANAGER, GPI PAPER MILL

UTILITY KNIVES & BLADES

BiMetal

UTILITY BLADES

Titanium Edge for Maximum Blade Life

LASTS LONGER

High speed steel edge with titanium coating keeps blades cutting after others have quit

SHATTERPROOF

Patented bi-metal construction allows blades to bend and flex without breaking

MAKES DEEPER CUTS

Four notch design allows blade to extend further

CUTS THE TOUGHEST MATERIALS


Great for cutting drywall, insulation, flooring, roofing and more

FITS ALL STANDARD UTILITY KNIVES

DISPENSERS

EASY TO USE

DISPENSES ONE OR FIVE BLADES AT A TIME 50 PACKS AND 100 PACKS INCLUDE DISPENSERS



SELF-RETRACTING SAFETY KNIFE & BLUNT TIP SAFETY BLADES







SOFT STORAGE TOOL BAGS

GET ORGANIZED

Multiple pockets and storage options allow for easily locating the right tool

FUNCTIONAL DESIGN

Padded shoulder straps make carrying comfortable Reflective materials make bag easy to find in darkness Red liner helps to easily locate tools

HOLDS UP TO THE JOB

Water-resistant materials and reinforced rivets to withstand tough job site use

ELECTRICIAN'S TOTE

PROD NO	DESCRIPTION
1787422	10" Electrician's Tote

5 Open storage areas 12 Exterior pockets 16 Elastic loops 8 Interior pockets Tape measure clip Key clip Tape holder loop Small parts bin Clip on handle Padded shoulder strap Reflective material Reinforced rivets Water-resistant bottom Protective pad feet on bottom



Tape Loop







Tools not included

CONTRACTOR'S TOOL BAG

PROD NO DESCRIPTION

1787426 16" Contractor's Tool Bag

Large open-mouth bag 14 Interior pockets Small parts bin Padded shoulder strap Reflective material Reinforced water-resistant bottom Protective pad feet on bottom





PLUMBER'S TOTE

PROD NO DESCRIPTION 1787474 19" Plumber's Tote

9 Exterior pockets 14 Interior pockets 10 Elastic loops

Hacksaw pocket Tape measure clip Tape holder loop Foldable handle Padded shoulder strap Reflective material

Hard plastic waterproof bottom



р



Hacksaw not included

BUCKET TOOL ORGANIZER

PROD NO	DESCRIPTION
1787473	Bucket Tool Organizer

22 Exterior pockets 12 Interior pockets Hammer loop Tape holder loop Padded shoulder strap Side clips secure the organizer Reflective material







Bucket not included