Closet Flanges

>> First in Innovation. First in Quality



Complete

A variety of sizes and models mean the right flange is available for any job

Innovative

Exclusive designs with unique features provide solutions for contractors

Trusted

Designed, engineered and molded in the USA using top-quality resins

Supply Drainage Support Specialties

TAKE THE FIELD.

www.siouxchief.com



Complete. Innovative. Trusted.

Knockout Flanges

The TKO[™] uses an integrally molded test cap that prevents debris from entering the drain line during rough-in and allows for testing of the DWV system. The TKO's design was introduced over 25 years ago and has been improving ever since. Contractors have made it the industry's knockout closet flange of choice. They appreciate not only its quality but also the completeness of the line – six different connection types, in ABS or PVC, one- piece or with a stainless steel swivel ring.



Open Flanges

Open closet flanges are a cost-effective alternative in applications where a test cap is not needed. These include installations after the system is tested or where no testing is performed. Our complete line of open flanges includes five different connection types, in ABS or PVC, one-piece or with a corrosion-resistant, stainless steel swivel ring.



Offset Flanges

Offset flanges are designed to help contractors solve everyday problems like a mispositioned pipe or an inconveniently located floor joist. What makes the FullFlush[™] and DropKick[™] unique is their full-flow capacity – which will allow a 3" ball will pass through unobstructed. The FullFlush has a 3" Sch. 40 Hub connection, which will fit into 4" pipe. The DropKick's 3" spigot outlet easily connects to any fitting hub. Both are available in ABS or PVC and both are standard with a stainless steel swivel ring.



>> We're Making it in America At Sioux Chief, we strive everyday to manufacture the best rough plumbing products on the market. We are proud to provide the best value for our distribution partners and installing contractors.

Push-In Flanges

Sioux Chief's PushTite[™] uses a tough, engineered, elastomer gasket to seal against the inside wall of the drain pipe. The clean, simple installation makes it perfect for repair or remodeling jobs. The PushTite works well with most DWV pipe – ABS, PVC, cast iron, and even some copper and lead pipes. It has the largest flow diameter of any comparable flange on the market, and has smooth inner walls to reduce potential clogs. PushTites are available for both 3" and 4" drain pipe.

Specialty Flanges

Sioux Chief offers a wide range of closet flanges for specialty installations. From cast iron compression flanges for commercial settings, to brass rings for repair/remodel projects in homes with lead bends. We also offer urinal flanges for connecting wallmounted urinals in commercial bathrooms.

Spacer & Repair Rings

Spacer and repair rings are used to repair or adapt closet flanges for specific applications, such as when new or thicker flooring is added. The QuickSpacer[™] installs under the flange, while the Raise-A-Ring[™] is typically set on top of the flange, and can be stacked if necessary. For repairs of cracked or broken flanges, installers can fit the stainless steel Ringer[™] over the damaged flange for a fast, solid repair without removing the damaged flange.







>> Buying Information						
PVC ITEM NO.	ABS ITEM NO.	CONNECTION	DESCRIPTION	PKG	MIN QTY	CASE QTY
KNOCKOUT CL	OSET FLANGES					
883-PT	883-AT	3" Hub / Inside 4"	One-Piece, TKO Closet Flange	BI	25	25
883-PTPK	883-ATPK	3" Hub / Inside 4"	One-Piece, TKO Closet Flange	CI	8	8
886-PT30	N/A	3" Sch. 30 Hub	One-Piece, TKO Closet Flange	BI	25	25
884-PTM	884-ATM	3" Hub / Inside 4"	SS Swivel-Ring, TKO Closet Flange	BI	24	24
884-PTMPK	884-ATMPK	3" Hub / Inside 4"	SS Swivel-Ring, TKO Closet Flange	CI	8	8
886-PTMS	886-ATMS	3" Spigot	SS Swivel-Ring, TKO Closet Flange	BI	25	25
886-PTMSPK	886-ATMSPK	3" Spigot	SS Swivel-Ring, TKO Closet Flange	CI	8	8
888-PTM	888-ATM	Inside 3"	SS Swivel-Ring, TKO Closet Flange	BI	25	25
888-PTMPK	888-ATMPK	Inside 3"	SS Swivel-ring, TKO Closet Flange	CI	8	8
886-PTM30	N/A	3" Sch. 30 Hub	SS Swivel-Ring, TKO Closet Flange	BI	25	25
886-4PTM	886-4ATM	4" Hub	SS Swivel-Ring, TKO Closet Flange	BI	25	25
886-4PTMPK	886-4ATMPK	4" Hub	SS Swivel-Ring, TKO Closet Flange	CI	8	8
886-4PTMSPK	886-4ATMSPK	4" Spigot	SS Swivel-Ring, TKO Closet Flange	CI	8	8
OPEN CLOSET		1 opiBot		01	U	
888-P		Incido 2"	One Diego Clocat Flange	PI	20	20
888-PPK	888-A 888-APK	Inside 3" Inside 3"	One-Piece Closet Flange One-Piece Closet Flange	CI	20 10	20 10
			5			
886-P	886-A	3" Hub / Inside 4"	One-Piece Closet Flange	BI	20	20
886-PPK	886-APK	3" Hub / Inside 4"	One-Piece Closet Flange	CI	10	10
886-4P	886-4A	4" Hub	One-Piece Closet Flange	BI	25	25
886-4PPK	N/A	4" Hub	One-Piece Closet Flange	CI	6	6
888-PM	888-AM	Inside 3"	SS Swivel-Ring Closet Flange, 4" Long Outlet	BI	12	12
887-PM	887-AM	3" Hub / Inside 4"	SS Swivel-Ring Closet Flange	BI	25	25
886-4PM	886-4AM	4" Hub	SS Swivel-Ring Closet Flange	BI	25	25
886-4PMSPK	886-4AMSPK	4" Spigot	SS Swivel-Ring Closet Flange	CI	6	6
OFFSET CLOSE	T FLANGES	1				
889-POM	889-AOM	3" Hub / Inside 4"	SS Swivel-Ring, FullFlush 1-1/2" Offset Closet Flange	BI	20	20
889-POMPK	889-AOMPK	3" Hub / Inside 4"	SS Swivel-Ring, FullFlush 1-1/2" Offset Closet Flange	CI	6	6
889-POTM	889-AOTM	3" Hub / Inside 4"	SS Swivel-Ring, FullFlush 1-1/2" Offset Flange with Knockout	BI	20	20
889-45PM	889-45AM	3" Spigot	SS Swivel-Ring, DropKick 45° Offset Closet Flange	BI	20	20
889-45PMPK2	889-45AMPK2	3" Spigot	SS Swivel-Ring, DropKick 45° Offset Closet Flange	CI	6	6
PUSH-IN CLOSI	ET FLANGES					
888-GPM	888-GAM	Inside 3"	SS Swivel-Ring, PushTite with Extended Outlet	CI	6	6
887-GPM	887-GAM	Inside 4"	SS Swivel-Ring, PushTite Closet Flange	CI	6	6
886-GP	886-GA	Inside 4"	One-Piece, PushTite with Extended Outlet	CI	5	5
886-GI		Inside 4"	Cast Iron PushTite with Extended Outlet	CI	5	5
889-GPOM	889-GAOM	Inside 4"	SS Swivel-Ring, FullFlush Offset Flange with PushTite Gasket	BI	5	5
887-GPTMK	N/A	Inside 4"	PushTite Kit: 886-GP, Wax Ring, Closet Bolts & Shims	CI	1	1
	DSET FLANGES			0.	-	-
	0-i42	Over 4" Compress.	Cast Iron Flange with Elastomer Gasket / Test Cap	BI	4	4
890-4BPK		Over 4" Lead	Cast Brass Flange Ring	Cl	10	10
	-4BDPK	Over 4" Lead	Cast Brass Deep-Seal Flange Ring	CI	10	10
868-5P	868-5A	2" Hub	Urinal Flange Kit with Gasket & Hardware	BI	10	10
868-7P	868-7A	Inside 2"	Urinal Flange Kit with Gasket & Hardware	BI	10	10
868-9P	868-9A	2" Spigot	Urinal Flange Kit with Gasket & Hardware	BI	10	10
SPACER & REP						
886-MR		Repair	Stainless Steel Ringer One-Piece Repair Ring	CI	20	20
886-MRM		Repair	Galvanized Two-Piece Repair Ring with Hardware	CI	8	8
886-ER		Spacer	3/4" Thick QuickSpacer Poly Spacer Ring	BI	25	25
886-R		Spacer	7/16" Thick Raise-A-Ring ABS Spacer / Extension Ring	CI	20	20
886-411		Spacer	Spacer/Extension Kit: 886-R, Closet Bolts & Shims	CI	20	20
886-RQ		Spacer	1/4" Thick Raise-A-Ring ABS Spacer / Extension Ring	CI	20	20
886-RQK		Spacer	Spacer/Extension Kit: 886-RQ (3 pcs), Closet Bolts	BI	25	25

PKG: BI = Bulk box, individually bar coded | CI = Cut-case Box, individually bar coded

www.siouxchief.com

14940 Thunderbird Road Kansas City, MO 64147 P 1.800.821.3944 F 1.800.758.5950 #LT2-CLOSETFLANGE 9-20

