


Residential Shower Base

Clarion
EVERYDAY LUXURY




WARNING: FAILURE TO FOLLOW THESE INSTALLATION INSTRUCTIONS COULD VOID THIS PRODUCTS WARRANTY. A licensed plumber is recommended, but not required, to install or supervise the installation of these units. These units are thoroughly tested in the plant to ensure their ability to drain water properly. Failure to follow these handling and installation instructions may cause improper drainage, thus voiding the unit's warranty.

Clarion Bathware's Shower Bases are to be stored in a dry area prior to installation to prevent moisture from attacking the reinforcement material which could cause warpage to the unit.

Figure 1

Frame a square and plumb pocket to dimension of the unit.



Pocket dimensions and drain location can be obtained from your retailer or at www.clarionbathware.com/search (1) enter model number of the unit then click search, (2) select the product picture, (3) Under downloads and maintenance select the product cut sheet PDF.

Clarion Bathware's products are designed to be self-supporting. However the use of a bedding material is required if the unit is being installed in a high use facility (i.e.: dormitory, locker room, nursing home, motel, hotel, etc.), or for any type of bariatric application. If a bedding material is used, be sure to place a moisture barrier between the bedding compound and the unit.

IF A BEDDING MATERIAL IS USED UNDER A UNIT; WE RECOMMEND USING GYPSOLITE™ OR STRUCTO-LITE™ BASECOAT PLASTER, HOWEVER ALSO ACCEPTABLE AS PROPER BEDDING COMPOUNDS ARE; CEMENT SLURRY, MORTAR MIX, PLASTER OF PARIS, OR COMPARABLE FLOOR FILLING COMPOUNDS.

WATER SOLUBLE MATERIALS, FOAM AND OTHER EXPANDING MATERIALS ARE NEVER TO BE USED AS A BEDDING COMPOUND.

Figure 2

Install the drain fitting and make sure that it is seated, sealed, and tightened properly to avoid leaking. Set the unit into the framed pocket. Check that the drain is not resting on anything which can force the unit floor upwards. Level the unit front to back and side to side, using shims under the leveling legs as necessary. Fasten the unit to the studding by, pre-drilling the flange (or using a self-drilling type screw), and then either nailing or screwing the flange to the studding with galvanized fasteners. If the pocket is larger than the overall dimension of the unit and there are gaps between the flange and the stud shims must be used to avoid cracking the flanges. Connect the drain fitting to the drain piping to complete the installation.

Fig. 2





Fig. 3



Final Notes:

You can finish off your new unit with a variety of water proof materials which are accepted by local building codes. When finishing the shower base to the wall surface please ensure that the joint between the finished wall surface and the shower Base is sealed with 100% silicone caulking. At the front edge of the shower base take extra care to ensure that there is no chance that any water can weep out into the wall board, this can be accomplished by extending the caulking around the front of the shower base before the wall board is placed.

Clean your new shower base with a liquid detergent and warm water.

Do not use any abrasive cleaners such as scouring powder or liquid abrasive cleaners.

IF YOU HAVE ANY QUESTIONS REGARDING INSTALLATION OF YOUR CLARION BATHWARE PRODUCT, PLEASE CALL OUR CUSTOMER SERVICE DEPARTMENT AT 1 (800) 576-9228 EXT. #818 OR BY E-MAIL AT CUSTOMERSERVICE@CLARIONBATHWARE.COM

JOB SITE INSTALLATION OF OWNER SUPPLIED ACCESSORIES

Job-site installation of third party supplied accessories is entirely at the risk and full responsibility of the owner. Any damage to Clarion Bathware units or the property during or after accessory installation, or any injuries due to improper installation remain the sole responsibility of said owner and cannot be attributed to Clarion Bathware, Inc.

*****WE SUGGEST THAT THE CUSTOMER AVOIDS USING A BATH MAT IN THE UNIT, AS IT COULD CAUSE WATER STAINS OR BLISTERING TO THE FINISH SURFACE OF THE UNIT.**

CLARION BATHWARE PRODUCTS ARE CERTIFIED TO MEET NAHB STANDARDS, HUD/FHA, BOCA, HUD UM-73A, ANSI Z124.1 AND ANSI Z124.2. FOR DETAILS, REQUEST NAHB RESEARCH CENTER CONFIRMATION.

Clarion
EVERYDAY LUXURY

44 Amsler Avenue Shipperville, PA 16254
(814) 226-5374 (800) 576-9228
Customer Service: Ext. #818
Fax: (814) 226-0730
www.clarionbathware.com

CLARION BATHWARE
44 Amsler Avenue
Shippenville, PA 16254
Phone (800) 576-9228 Fax (814) 226-5568
Customer Service: Ext.#818

WARRANTY

PLEASE READ YOUR WARRANTY VERY CAREFULLY

All merchandise is guaranteed for a period of **six (6)** years from the date of initial acceptance of the product by the contractor or the owner against defects in material and workmanship in the merchandise. All claims must have proof of purchase.

If within the warranty period any such product shall prove defective of material defects, manufacturing defects, labor defects, it shall be repaired or replaced at the manufacturer's option.

EXCLUSIONS:

- 1) This warranty shall not apply to incorrect operating procedures, breakage or damages caused by fault, carelessness, negligence, abuse, misuse, misapplication, improper maintenance, alteration, or modification of the unit by or for the buyer, as well as chemical or natural corrosion, fire, act of god, or any other casualty.
- 2) The buyer of the product covered by the present warranty is entirely responsible for its proper installation and connection. Clarion Bathware neither installs nor supervises or contracts for the installation and consequently cannot be held responsible for it.
- 3) This warranty does not apply to units or equipment not installed and connected in accordance with manufacture's instructions and in conformity with all local and state for such installations.

<p>4) CLARION BATHWARE IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGE, LOSS OF TIME, INCONVENIENCE, INCIDENTAL EXPENSES, LABOR OR MATERIAL CHARGES OR ANY OTHER COSTS RELATED TO THE APPLICATION OF THE PRESENT WARRANTY OR IN CONNECTION WITH REMOVAL OR REPLACEMENT OF EQUIPMENT OR TUB.</p>

- 5) All Clarion Bathware modules have slip-resistant textured floors. The use of "suction-cup" bathmats can cause surface damage.
- 6) Clarion Bathware makes no express warranty and no warranty of merchantability. No warranty of fitness for particular purposes or any other warranty implied or statutory for its products other than specified above.

"Everyday Luxury!"